



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30912016-012  
 Harvest/Lot ID: 20230816-710KLOG-F7H8  
 Batch#: 1000127157  
 Cultivation Facility: Homestead  
 Processing Facility: Homestead  
 Source Facility: Homestead  
 Seed to Sale# LFG-00002281  
 Batch Date: 09/11/23  
 Sample Size Received: 17.5 gram  
 Total Amount: 152 units  
 Retail Product Size: 2.5 gram  
 Ordered: 09/12/23  
 Sampled: 09/12/23  
 Completed: 09/15/23  
 Sampling Method: SOP.T.20.010











Sep 15, 2023 | The Flowery


Samples From:  
 Homestead, FL, 33090, US

THE FLOWERY

**PASSED**

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>NOT TESTED</b>	 Terpenes <b>TESTED</b>

 **Cannabinoid** **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.995	84.897	ND	0.235	0.102	0.506	2.582	ND	ND	ND	0.125
mg/unit	24.88	2122.43	ND	5.88	2.55	12.65	64.55	ND	ND	ND	3.13
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440      Weight: 0.1117g      Extraction date: 09/13/23 13:10:52      Extracted by: 3605

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 09/14/23 08:46:13  
 Analytical Batch : DA064314POT      Batch Date : 09/13/23 10:22:48  
 Instrument Used : DA-LC-003  
 Analyzed Date : 09/13/23 13:22:03

Dilution : 400  
 Reagent : 061623.02  
 Consumables : 947.109; 1852142; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 09/15/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

710 Labs Persy Badder 2.5g - King Louis OG  
King Louis OG  
Matrix : Derivative  
Type: Live Badder



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA30912016-012

Harvest/Lot ID: 20230816-710KLOG-F7H8

Batch# : 1000127157

Sampled : 09/12/23

Ordered : 09/12/23

Sample Size Received : 17.5 gram

Total Amount : 152 units

Completed : 09/15/23 Expires: 09/15/24

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	142.93	5.717	FARNESENE	0.001	ND	ND
TOTAL TERPENEOL	0.007	2.90	0.116	ALPHA-HUMULENE	0.007	5.10	0.204
ALPHA-BISABOLOL	0.007	5.43	0.217	VALENCENE	0.007	ND	ND
ALPHA-PINENE	0.007	4.28	0.171	CIS-NEROLIDOL	0.007	ND	ND
CAMPHENE	0.007	0.73	0.029	TRANS-NEROLIDOL	0.007	ND	ND
SABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE	0.007	0.50	0.020
BETA-PINENE	0.007	6.55	0.262	GUAIOL	0.007	ND	ND
BETA-MYRCENE	0.007	36.13	1.445	CEDROL	0.007	ND	ND
ALPHA-PHELLANDRENE	0.007	ND	ND	Analyzed by: 2076, 585, 1440      Weight: 0.8973g      Extraction date: 09/13/23 17:21:43      Extracted by: 3702.2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA064319TER      Releaved On : 09/15/23 10:46:53 Instrument Used : DA-GCMS-009      Batch Date : 09/13/23 10:59:05 Analyzed Date : 09/14/23 09:42:19 Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
3-CARENE	0.007	ND	ND				
ALPHA-TERPINENE	0.007	ND	ND				
LIMONENE	0.007	53.23	2.129				
EUCALYPTOL	0.007	ND	ND				
OCIMENE	0.007	<0.50	<0.020				
GAMMA-TERPINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
TERPINOLENE	0.007	ND	ND				
FENCHONE	0.007	<1.00	<0.040				
LINALOOL	0.007	5.85	0.234				
FENCHYL ALCOHOL	0.007	4.48	0.179				
ISOPULEGOL	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
BORNEOL	0.013	1.53	0.061				
HEXAHYDROTHYMOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
ALPHA-CEDRENE	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	16.25	0.650				
<b>Total (%)</b>			<b>5.717</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/15/23



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA30912016-012

Harvest/Lot ID: 20230816-710KLOG-F7H8

Batch# : 1000127157

Sampled : 09/12/23

Ordered : 09/12/23

Sample Size Received : 17.5 gram

Total Amount : 152 units

Completed : 09/15/23 Expires: 09/15/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.2137g <b>Extraction date:</b> 09/13/23 16:25:09 <b>Extracted by:</b> 450 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA064322PES <b>Reviewed On :</b> 09/14/23 22:16:57 <b>Instrument Used :</b> DA-LCMS-002 <b>Batch Date :</b> 09/13/23 11:01:10 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 090723.R14; 091323.R25; 090623.R29; 091223.R10; 090623.R01; 091323.R01; 040521.11 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/15/23




# Certificate of Analysis

**PASSED**
**The Flowery**

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

**Sample : DA30912016-012**
**Harvest/Lot ID: 20230816-710KLOG-F7H8**
**Batch# : 1000127157**
**Sampled : 09/12/23**
**Ordered : 09/12/23**
**Sample Size Received : 17.5 gram**
**Total Amount : 152 units**
**Completed : 09/15/23 Expires: 09/15/24**
**Sample Method : SOP.T.20.010**

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0278g	Extraction date: 09/14/23 12:36:41	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA06434050L Instrument Used : DA-GCMS-003 Analyzed Date : 09/14/23 12:45:22	Reviewed On : 09/14/23 13:37:37 Batch Date : 09/13/23 14:37:25
---	---

Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA30912016-012  
Harvest/Lot ID: 20230816-710KLOG-F7H8  
Batch# : 1000127157  
Sample Size Received : 17.5 gram  
Sampled : 09/12/23  
Ordered : 09/12/23  
Total Amount : 152 units  
Completed : 09/15/23 Expires: 09/15/24  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.2137g <b>Extraction date:</b> 09/13/23 16:25:09 <b>Extracted by:</b> 450					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA064331MYC <b>Reviewed On :</b> 09/15/23 10:31:46 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 09/13/23 12:32:17 <b>Analyzed Date :</b> N/A					
<b>Analyzed by:</b> 3336, 3621, 585, 1440 <b>Weight:</b> 1.0404g <b>Extraction date:</b> 09/13/23 11:18:13 <b>Extracted by:</b> 3336						<b>Dilution :</b> 250 <b>Reagent :</b> 090723.R14; 091323.R25; 090623.R29; 091223.R10; 090623.R01; 091323.R01; 040521.11 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA064305MIC <b>Reviewed On :</b> 09/14/23 13:30:50 <b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 09/13/23 08:19:56 <b>Analyzed Date :</b> 09/13/23 15:55:24						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
<b>Dilution :</b> N/A <b>Reagent :</b> 083123.179; 081623.R13; 092122.09 <b>Consumables :</b> 7566001027 <b>Pipette :</b> N/A											

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

**Analyzed by:** 1022, 585, 1440     **Weight:** 0.2511g     **Extraction date:** 09/13/23 14:20:20     **Extracted by:** 1022

**Analysis Method :** SOP.T.30.082.FL, SOP.T.40.082.FL  
**Analytical Batch :** DA064315HEA     **Reviewed On :** 09/14/23 09:58:24  
**Instrument Used :** DA-ICPMS-004     **Batch Date :** 09/13/23 10:30:31  
**Analyzed Date :** 09/13/23 15:23:08

**Dilution :** 50  
**Reagent :** 083123.R04; 083123.R03; 082323.R34; 083023.R58; 090823.R11; 091323.R27; 090823.R09; 090823.R10  
**Consumables :** 179436; 1852142; 210508058  
**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
09/15/23



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

710 Labs Persy Badder 2.5g - King Louis OG  
 King Louis OG  
 Matrix : Derivative  
 Type: Live Badder



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA30912016-012  
 Harvest/Lot ID: 20230816-710KLOG-F7H8  
 Batch# : 1000127157      Sample Size Received : 17.5 gram  
 Sampled : 09/12/23      Total Amount : 152 units  
 Ordered : 09/12/23      Completed : 09/15/23 Expires: 09/15/24  
 Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA064378FIL      Reviewed On : 09/14/23 18:49:12  
 Instrument Used : Filth/Foreign Material Microscope      Batch Date : 09/14/23 12:36:53  
 Analyzed Date : 09/14/23 18:35:45

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.510	PASS	0.85

Analyzed by: 3619, 585, 1440	Weight: 0.574g	Extraction date: 09/13/23 14:20:17	Extracted by: 3619
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA064330WAT      Reviewed On : 09/13/23 14:32:30  
 Instrument Used : DA-028 Rotronic HygroPalm      Batch Date : 09/13/23 11:53:55  
 Analyzed Date : 09/13/23 14:21:10

Dilution : N/A  
 Reagent : 050923.04  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 09/15/23