



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30908008-010
Harvest/Lot ID: 20230818-710MOG-F5H8
Batch#: 1000126067
Cultivation Facility: Homestead
Processing Facility: Homestead
Source Facility: Homestead
Seed to Sale# LFG-00002264
Batch Date: 09/07/23
Sample Size Received: 28 gram
Total Amount: 170 units
Retail Product Size: 14 gram
Ordered: 09/08/23
Sampled: 09/08/23
Completed: 09/13/23
Sampling Method: SOP.T.20.010










Sep 13, 2023 | The Flowery


Samples From:
Homestead, FL, 33090, US


THE FLOWERY

PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

 **Cannabinoid** **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.539	26.377	ND	0.065	0.021	0.084	0.758	0.010	ND	ND	0.041
mg/unit	75.46	3692.78	ND	9.10	2.94	11.76	106.12	1.40	ND	ND	5.74
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analized by: 1665, 3335, 3605, 4044 Weight: 0.2143g Extraction date: 09/11/23 13:22:02 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 09/13/23 08:37:39
Analytical Batch : DA064215POT Batch Date : 09/10/23 19:51:33
Instrument Used : DA-LC-002
Analized Date : 09/11/23 13:22:56

Dilution : 400
Reagent : 090723.R01; 030923.08; 083023.R03
Consumables : 947.100; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
09/13/23



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA30908008-010

Harvest/Lot ID: 20230818-710MOG-F5H8

Batch# : 1000126067

Sampled : 09/08/23

Ordered : 09/08/23

Sample Size Received : 28 gram

Total Amount : 170 units

Completed : 09/13/23 Expires: 09/13/24

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED					
Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	784.28	5.602	<div style="width: 5.602%;"></div>	FARNESENE	0.001	ND	ND	<div style="width: 0%;"></div>
TOTAL TERPENEOL	0.007	15.54	0.111	<div style="width: 0.111%;"></div>	ALPHA-HUMULENE	0.007	39.76	0.284	<div style="width: 0.284%;"></div>
ALPHA-BISABOLOL	0.007	28.84	0.206	<div style="width: 0.206%;"></div>	VALENCENE	0.007	ND	ND	<div style="width: 0%;"></div>
ALPHA-PINENE	0.007	20.02	0.143	<div style="width: 0.143%;"></div>	CIS-NEROLIDOL	0.007	ND	ND	<div style="width: 0%;"></div>
CAMPHENE	0.007	3.92	0.028	<div style="width: 0.028%;"></div>	TRANS-NEROLIDOL	0.007	2.80	0.020	<div style="width: 0.020%;"></div>
SABINENE	0.007	ND	ND	<div style="width: 0%;"></div>	CARYOPHYLLENE OXIDE	0.007	<2.80	<-0.020	<div style="width: 0%;"></div>
BETA-PINENE	0.007	22.54	0.161	<div style="width: 0.161%;"></div>	GUAIOL	0.007	ND	ND	<div style="width: 0%;"></div>
BETA-MYRCENE	0.007	110.60	0.790	<div style="width: 0.790%;"></div>	CEDROL	0.007	ND	ND	<div style="width: 0%;"></div>
ALPHA-PHELLANDRENE	0.007	ND	ND	<div style="width: 0%;"></div>	Analyzed by: 2076, 585, 4044 Weight: 1.0523g Extraction date: 09/10/23 17:06:12 Extracted by: 1879.2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA064208TER Reviewed On : 09/13/23 11:15:12 Instrument Used : DA-GCMS-008 Analyzed Date : N/A Batch Date : 09/10/23 10:11:20 Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND	<div style="width: 0%;"></div>					
ALPHA-TERPINENE	0.007	ND	ND	<div style="width: 0%;"></div>					
LIMONENE	0.007	217.84	1.556	<div style="width: 1.556%;"></div>					
EUCALYPTOL	0.007	ND	ND	<div style="width: 0%;"></div>					
OCIMENE	0.007	19.88	0.142	<div style="width: 0.142%;"></div>					
GAMMA-TERPINENE	0.007	ND	ND	<div style="width: 0%;"></div>					
SABINENE HYDRATE	0.007	ND	ND	<div style="width: 0%;"></div>					
TERPINOLENE	0.007	<2.80	<-0.020	<div style="width: 0%;"></div>					
FENCHONE	0.007	ND	ND	<div style="width: 0%;"></div>					
LINALOOL	0.007	28.42	0.203	<div style="width: 0.203%;"></div>					
FENCHYL ALCOHOL	0.007	21.70	0.155	<div style="width: 0.155%;"></div>					
ISOPULEGOL	0.007	<2.80	<-0.020	<div style="width: 0%;"></div>					
CAMPHOR	0.007	ND	ND	<div style="width: 0%;"></div>					
ISOBORNEOL	0.007	ND	ND	<div style="width: 0%;"></div>					
BORNEOL	0.013	<5.60	<-0.040	<div style="width: 0%;"></div>					
HEXAHYDROTHYMOL	0.007	ND	ND	<div style="width: 0%;"></div>					
NEROL	0.007	ND	ND	<div style="width: 0%;"></div>					
PULEGONE	0.007	ND	ND	<div style="width: 0%;"></div>					
GERANIOL	0.007	<2.80	<-0.020	<div style="width: 0%;"></div>					
GERANYL ACETATE	0.007	ND	ND	<div style="width: 0%;"></div>					
ALPHA-CEDRENE	0.007	ND	ND	<div style="width: 0%;"></div>					
BETA-CARYOPHYLLENE	0.007	148.96	1.064	<div style="width: 1.064%;"></div>					
Total (%)			5.602	<div style="width: 5.602%;"></div>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
09/13/23



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA30908008-010

Harvest/Lot ID: 20230818-710MOG-F5H8

Batch# : 1000126067

Sampled : 09/08/23

Ordered : 09/08/23

Sample Size Received : 28 gram

Total Amount : 170 units

Completed : 09/13/23 Expires: 09/13/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044 Weight: 0.8014g Extraction date: 09/11/23 17:33:32 Extracted by: 3379,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA064248PES Reviewed On : 09/12/23 11:26:38 Instrument Used : DA-LCMS-003 (PES) Batch Date : 09/11/23 10:55:38 Analyzed Date : 09/11/23 16:08:02 Dilution : 250 Reagent : 090123.R03; 090723.R14; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/13/23



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.com

Sample : DA30908008-010

Harvest/Lot ID: 20230818-710MOG-F5H8

Batch# : 1000126067 Sample Size Received : 28 gram
Sampled : 09/08/23 Total Amount : 170 units
Ordered : 09/08/23 Completed : 09/13/23 Expires: 09/13/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	40	PASS	100000

Analyzed by: 3390, 585, 4044 **Weight:** 0.8653g **Extraction date:** 09/09/23 19:08:59 **Extracted by:** 3621
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA064191MIC **Reviewed On :** 09/12/23 16:57:20
Instrument Used : PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020.fisherbrand Isotemp Heat Block DA-049.Fisher Scientific Isotemp Heat Block DA-021
Batch Date : 09/09/23 11:02:43
Analyzed Date : 09/11/23 16:24:54
Dilution : N/A
Reagent : 083123.176; 081623.R13; 071023.05; 092122.09
Consumables : 7566001032
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 4044 **Weight:** 0.8014g **Extraction date:** 09/11/23 17:33:32 **Extracted by:** 3379,450
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA064249MYC **Reviewed On :** 09/12/23 10:25:57
Instrument Used : N/A **Batch Date :** 09/11/23 10:58:04
Analyzed Date : 09/11/23 16:07:49
Dilution : 250
Reagent : 090123.R03; 090723.R14; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	<0.100	PASS	0.5

Analyzed by: 3621, 3963, 585, 4044 **Weight:** 0.8653g **Extraction date:** 09/09/23 19:08:59 **Extracted by:** 3621,3390
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA064203TYM **Reviewed On :** 09/12/23 08:47:10
Instrument Used : Incubator (25-27C) DA-096 **Batch Date :** 09/09/23 19:12:09
Analyzed Date : 09/09/23 19:22:22
Dilution : 10
Reagent : 083123.176; 081523.R08
Consumables : N/A
Pipette : N/A
 Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	<0.100	PASS	0.5

Analyzed by: 1022, 585, 4044 **Weight:** 0.2585g **Extraction date:** 09/10/23 10:37:02 **Extracted by:** 1022,4306,4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA064186HEA **Reviewed On :** 09/12/23 08:38:58
Instrument Used : DA-ICPMS-004 **Batch Date :** 09/09/23 08:05:13
Analyzed Date : 09/11/23 17:39:14
Dilution : 50
Reagent : 082323.R34; 083023.R58; 090823.R11; 090123.R21; 090823.R09; 090823.R10; 083123.R04; 083123.R03
Consumables : 179436; 1852142; 210508058
Pipette : DA-061; DA-191; DA-216
 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
09/13/23



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA30908008-010

Harvest/Lot ID: 20230818-710MOG-F5H8

Batch# : 1000126067

Sampled : 09/08/23

Ordered : 09/08/23

Sample Size Received : 28 gram

Total Amount : 170 units

Completed : 09/13/23 Expires: 09/13/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.20	PASS	15
Analyzed by: 585, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 4044	Weight: 0.515g	Extraction date: 09/09/23 18:13:49	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA064276FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA064194MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 09/11/23 13:00:14					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.581	PASS	0.65
Analyzed by: 4056, 3619, 585, 4044	Weight: 0.561g	Extraction date: 09/11/23 14:03:49	Extracted by: 4056,3619		
Analysis Method : SOP.T.40.019 Analytical Batch : DA064195WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 09/09/23 18:03:02					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

