



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30912016-009  
 Harvest/Lot ID: 20230825-710LH4-F6H8  
 Batch#: 1000127154  
 Cultivation Facility: Homestead  
 Processing Facility: Homestead  
 Source Facility: Homestead  
 Seed to Sale# LFG-00002278  
 Batch Date: 09/11/23  
 Sample Size Received: 16 gram  
 Total Amount: 220 units  
 Retail Product Size: 1 gram  
 Ordered: 09/12/23  
 Sampled: 09/12/23  
 Completed: 09/15/23  
 Sampling Method: SOP.T.20.010











**PASSED**

Sep 15, 2023 | The Flowery


Samples From:  
 Homestead, FL, 33090, US

THE FLOWERY

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>NOT TESTED</b>	 Terpenes <b>TESTED</b>

**Cannabinoid** **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.888	88.400	ND	0.282	0.087	0.385	0.766	ND	ND	ND	0.149
mg/unit	8.88	884.00	ND	2.82	0.87	3.85	7.66	ND	ND	ND	1.49
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440      Weight: 0.1034g      Extraction date: 09/13/23 13:10:51      Extracted by: 3605

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 09/14/23 08:46:04  
 Analytical Batch : DA064314POT      Batch Date : 09/13/23 10:22:48  
 Instrument Used : DA-LC-003  
 Analyzed Date : 09/13/23 13:22:03

Dilution : 400  
 Reagent : 061623.02  
 Consumables : 947.109; 1852142; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 09/15/23



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA30912016-009

Harvest/Lot ID: 20230825-710LH4-F6H8

Batch# : 1000127154

Sampled : 09/12/23

Ordered : 09/12/23

Sample Size Received : 16 gram

Total Amount : 220 units

Completed : 09/15/23 Expires: 09/15/24

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	52.91	5.291	FARNESENE	0.001	1.76	0.176
TOTAL TERPENEOL	0.007	0.86	0.086	ALPHA-HUMULENE	0.007	4.93	0.493
ALPHA-BISABOLOL	0.007	4.02	0.402	VALENCENE	0.007	ND	ND
ALPHA-PINENE	0.007	1.00	0.100	CIS-NEROLIDOL	0.007	ND	ND
CAMPHENE	0.007	<0.20	<0.020	TRANS-NEROLIDOL	0.007	ND	ND
SABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE	0.007	<0.20	<0.020
BETA-PINENE	0.007	1.56	0.156	GUAIOL	0.007	ND	ND
BETA-MYRCENE	0.007	5.12	0.512	CEDROL	0.007	ND	ND
ALPHA-PHELLANDRENE	0.007	ND	ND	Analyzed by: 2076, 585, 1440      Weight: 0.9173g      Extraction date: 09/13/23 17:21:08      Extracted by: 3702.2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA064319TER      Revisited On : 09/15/23 10:47:07 Instrument Used : DA-GCMS-009      Batch Date : 09/13/23 10:59:05 Analyzed Date : 09/14/23 09:42:19 Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
3-CARENE	0.007	ND	ND				
ALPHA-TERPINENE	0.007	ND	ND				
LIMONENE	0.007	11.46	1.146				
EUCALYPTOL	0.007	ND	ND				
OCIMENE	0.007	<0.20	<0.020				
GAMMA-TERPINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
TERPINOLENE	0.007	ND	ND				
FENCHONE	0.007	<0.40	<0.040				
LINALOOL	0.007	4.69	0.469				
FENCHYL ALCOHOL	0.007	0.99	0.099				
ISOPULEGOL	0.007	<0.20	<0.020				
CAMPHOR	0.007	<0.60	<0.060				
ISOBORNEOL	0.007	ND	ND				
BORNEOL	0.013	0.52	0.052				
HEXAHYDROTHYMOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
ALPHA-CEDRENE	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	16.00	1.600				
<b>Total (%)</b>			<b>5.291</b>				



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA30912016-009

Harvest/Lot ID: 20230825-710LH4-F6H8

Batch# : 1000127154

Sampled : 09/12/23

Ordered : 09/12/23

Sample Size Received : 16 gram

Total Amount : 220 units

Completed : 09/15/23 Expires: 09/15/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.2293g	<b>Extraction date:</b> 09/13/23 16:25:07	<b>Extracted by:</b> 450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA064322PES			<b>Reviewed On :</b> 09/14/23 22:16:47		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-002			<b>Batch Date :</b> 09/13/23 11:01:10		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 090723.R14; 091323.R25; 090623.R29; 091223.R10; 090623.R01; 091323.R01; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.2293g	<b>Extraction date:</b> 09/13/23 16:25:07	<b>Extracted by:</b> 450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA064323VOL			<b>Reviewed On :</b> 09/14/23 13:09:55		
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001			<b>Batch Date :</b> 09/13/23 11:12:34		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 09/13/23 16:32:06					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 090623.R29; 040521.11; 090723.R17; 090723.R16					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 14725401; 326250IW					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/15/23



# Certificate of Analysis

**PASSED**

The Flowery

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA30912016-009

Harvest/Lot ID: 20230825-710LH4-F6H8

Batch# : 1000127154

Sampled : 09/12/23

Ordered : 09/12/23

Sample Size Received : 16 gram

Total Amount : 220 units

Completed : 09/15/23 Expires: 09/15/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.027g	Extraction date: 09/14/23 12:36:40	Extracted by: 850
--------------------------------	-------------------	---------------------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA06434050L  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 09/14/23 12:45:22

 Reviewed On : 09/14/23 13:37:33  
 Batch Date : 09/13/23 14:37:25

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA30912016-009

Harvest/Lot ID: 20230825-710LH4-F6H8

Batch# : 1000127154

Sampled : 09/12/23

Ordered : 09/12/23

Sample Size Received : 16 gram

Total Amount : 220 units

Completed : 09/15/23 Expires: 09/15/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>
	<b>Mycotoxins</b>	<b>PASSED</b>

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3336, 3621, 585, 1440  
Weight: 0.8823g  
Extraction date: 09/13/23 11:18:12  
Extracted by: 3336

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA064305MIC  
Reviewed On : 09/14/23 13:30:47  
Batch Date : 09/13/23 08:19:56  
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
Analyzed Date : 09/13/23 15:55:24

Dilution : N/A  
Reagent : 083123.179; 081623.R13; 092122.09  
Consumables : 7566001027  
Pipette : N/A

Analyzed by: 3390, 3336, 585, 1440  
Weight: 0.8823g  
Extraction date: 09/13/23 11:18:12  
Extracted by: 3336, 3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA064336TYM  
Instrument Used : Incubator (25-27C) DA-097  
Analyzed Date : 09/13/23 13:16:39  
Reviewed On : 09/15/23 14:42:00  
Batch Date : 09/13/23 12:51:38

Dilution : 10  
Reagent : 083123.181; 081523.R08  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440  
Weight: 0.2293g  
Extraction date: 09/13/23 16:25:07  
Extracted by: 450

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
Analytical Batch : DA064331MYC  
Instrument Used : N/A  
Analyzed Date : N/A  
Reviewed On : 09/15/23 10:31:44  
Batch Date : 09/13/23 12:32:17

Dilution : 250  
Reagent : 090723.R14; 091323.R25; 090623.R29; 091223.R10; 090623.R01; 091323.R01; 040521.11  
Consumables : 326250IW  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440  
Weight: 0.2317g  
Extraction date: 09/13/23 12:29:07  
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA064315HEA  
Instrument Used : DA-ICPMS-004  
Analyzed Date : 09/13/23 15:23:08  
Reviewed On : 09/14/23 09:58:21  
Batch Date : 09/13/23 10:30:31

Dilution : 50  
Reagent : 083123.R04; 083123.R03; 082323.R34; 083023.R58; 090823.R11; 091323.R27; 090823.R09; 090823.R10  
Consumables : 179436; 1852142; 210508058  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

**Sample : DA30912016-009**

Harvest/Lot ID: 20230825-710LH4-F6H8  
Batch# : 1000127154      Sample Size Received : 16 gram  
Sampled : 09/12/23      Total Amount : 220 units  
Ordered : 09/12/23      Completed : 09/15/23 Expires: 09/15/24  
Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA064378FIL      Reviewed On : 09/14/23 18:49:09  
Instrument Used : Filth/Foreign Material Microscope      Batch Date : 09/14/23 12:36:53  
Analyzed Date : 09/14/23 18:35:45

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.501	PASS	0.85

Analyzed by: 3619, 585, 1440	Weight: 0.528g	Extraction date: 09/13/23 14:20:06	Extracted by: 3619
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA064330WAT      Reviewed On : 09/13/23 14:32:24  
Instrument Used : DA-028 Rotronic HygroPalm      Batch Date : 09/13/23 11:53:55  
Analyzed Date : 09/13/23 14:21:10

Dilution : N/A  
Reagent : 050923.04  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

