



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40716005-023
 Harvest/Lot ID: 20240610-710CC27-F8H13
 Batch#: 1000239371
 Cultivation Facility: Homestead
 Processing Facility: Homestead
 Source Facility: Homestead
 Seed to Sale# LFG-00004586
 Batch Date: 07/15/24
 Sample Size Received: 26 gram
 Total Amount: 500 units
 Retail Product Size: 1 gram
 Retail Serving Size: 1 gram
 Servings: 1
 Ordered: 07/15/24
 Sampled: 07/16/24
 Completed: 07/18/24
 Sampling Method: SOP.T.20.010

PASSED

Jul 18, 2024 | The Flowery

Samples From:
 Homestead, FL, 33090, US

THE FLOWERY

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
 Solvents
 NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
 TESTED

MISC.



Cannabinoid

PASSED



Total THC
16.894%
 Total THC/Container : 168.940 mg



Total CBD
0.029%
 Total CBD/Container : 0.290 mg



Total Cannabinoids
19.762%
 Total Cannabinoids/Container : 197.620 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.611	18.567	ND	0.034	0.049	0.073	0.363	ND	ND	ND	0.065
mg/unit	6.11	185.67	ND	0.34	0.49	0.73	3.63	ND	ND	ND	0.65
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
 1665, 585, 1440

Weight:
 0.1923g

Extraction date:
 07/16/24 14:01:21

Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA075327POT
 Instrument Used : DA-LC-002
 Analyzed Date : 07/16/24 14:03:40

Reviewed On : 07/17/24 13:29:37
 Batch Date : 07/16/24 12:27:00

Dilution : 400
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 07/18/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40716005-023

Harvest/Lot ID: 20240610-710CC27-F8H13

Batch# : 1000239371

Sampled : 07/16/24

Ordered : 07/16/24

Sample Size Received : 26 gram

Total Amount : 500 units

Completed : 07/18/24 Expires: 07/18/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	14.49 1.449		VALENCENE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	4.05 0.405		ALPHA-CEDRENE	0.005	ND ND	
LIMONENE	0.007	2.41 0.241		ALPHA-PHELLANDRENE	0.007	ND ND	
LINALOOL	0.007	2.39 0.239		ALPHA-PINENE	0.007	ND ND	
BETA-MYRCENE	0.007	1.43 0.143		ALPHA-TERPINENE	0.007	ND ND	
ALPHA-HUMULENE	0.007	1.18 0.118		ALPHA-TERPINOLENE	0.007	ND ND	
ALPHA-TERPINEOL	0.007	0.73 0.073		CIS-NEROLIDOL	0.003	ND ND	
FENCHYL ALCOHOL	0.007	0.59 0.059		GAMMA-TERPINENE	0.007	ND ND	
ALPHA-BISABOLOL	0.007	0.53 0.053					
OCIMENE	0.007	0.44 0.044		Analyzed by:	Weight:	Extraction date:	Extracted by:
BETA-PINENE	0.007	0.38 0.038		4451, 585, 1440	1.0572g	07/16/24 13:43:57	4451
TRANS-NEROLIDOL	0.005	0.36 0.036		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
3-CARENE	0.007	ND ND		Analytical Batch : DA075329TER		Reviewed On : 07/17/24 16:42:32	Batch Date : 07/16/24 12:38:27
BORNEOL	0.013	ND ND		Instrument Used : DA-GCMS-008			
CAMPHENE	0.007	ND ND		Analyzed Date : 07/16/24 13:44:19			
CAMPHOR	0.007	ND ND		Dilution : 10			
CARYOPHYLLENE OXIDE	0.007	ND ND		Reagent : 022224.07			
CEDROL	0.007	ND ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123			
EUCALYPTOL	0.007	ND ND		Pipette : DA-065			
FARNESENE	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
Total (%)		1.449					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
07/18/24



Certificate of Analysis

PASSED

The Flowery

Sample : DA40716005-023
Harvest/Lot ID: 20240610-710CC27-F8H13

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Batch# : 1000239371
Sample Size Received : 26 gram
Total Amount : 500 units
Sampled : 07/16/24
Completed : 07/18/24 Expires: 07/18/25
Ordered : 07/16/24
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 1.0864g	Extraction date: 07/16/24 15:05:59	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075324PES			Reviewed On : 07/18/24 11:51:16		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 07/16/24 12:23:16		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 071224.R22; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0864g	Extraction date: N/A	Extracted by: 3621,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA075326VOL			Reviewed On : 07/18/24 11:49:39		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/16/24 12:25:51		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 07/16/24 19:20:40					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 25					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 070924.R04; 040423.08; 071024.R46; 071024.R47					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/18/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40716005-023
Harvest/Lot ID : 20240610-710CC27-F8H13
Batch# : 1000239371
Sample Size Received : 26 gram
Total Amount : 500 units
Sampled : 07/16/24
Completed : 07/18/24 Expires: 07/18/25
Ordered : 07/16/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	3000	PASS	100000

Analyzed by: 4044, 4520, 585, 1440 **Weight:** 0.89g **Extraction date:** 07/16/24 14:10:49 **Extracted by:** 4531
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA075322MIC **Reviewed On :** 07/18/24 12:12:24
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-171, Fisher Scientific Isotemp Heat Block (55°C) 12:15:54 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367
Analyzed Date : 07/17/24 14:43:25
Dilution : 10
Reagent : 061324.37; 061324.48; 070324.R36; 030724.33; 083123.106
Consumables : 7573003039
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 **Weight:** 1.0864g **Extraction date:** N/A **Extracted by:** 3621, 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA075325MYC **Reviewed On :** 07/18/24 09:18:49
Instrument Used : N/A **Batch Date :** 07/16/24 12:25:49
Analyzed Date : N/A
Dilution : 250
Reagent : 071224.R22; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06; 040423.08
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4044, 3621, 585, 1440 **Weight:** 0.89g **Extraction date:** N/A **Extracted by:** 4531, 4044
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA075323TYM **Reviewed On :** 07/18/24 18:34:18
Instrument Used : Incubator (25°C) DA- 328 **Batch Date :** 07/16/24 12:17:51
Analyzed Date : 07/16/24 18:42:59
Dilution : 10
Reagent : 061324.37; 061324.48; 070324.R35
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 4056, 585, 1440 **Weight:** 0.2619g **Extraction date:** 07/16/24 14:01:41 **Extracted by:** 4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA075310HEA **Reviewed On :** 07/17/24 09:38:30
Instrument Used : DA-ICPMS-004 **Batch Date :** 07/16/24 11:39:36
Analyzed Date : 07/16/24 17:58:58
Dilution : 50
Reagent : 070924.R14; 071524.R04; 071624.R10; 071524.R02; 071524.R03; 061724.01; 070524.R05
Consumables : 179436; 120423CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/18/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40716005-023
Harvest/Lot ID: 20240610-710CC27-F8H13
Batch# : 1000239371
Sample Size Received : 26 gram
Sampled : 07/16/24
Ordered : 07/16/24
Total Amount : 500 units
Completed : 07/18/24 Expires: 07/18/25
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.46	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A								
Analysis Method : SOP.T.40.090				Reviewed On : 07/17/24 11:51:10							
Analytical Batch : DA075373FIL				Batch Date : 07/17/24 11:30:50							
Instrument Used : Filth/Foreign Material Microscope				Analysis Method : SOP.T.40.021				Reviewed On : 07/17/24 16:39:20			
Analyzed Date : 07/17/24 11:38:09				Analytical Batch : DA075312MOI				Batch Date : 07/16/24 11:46:03			
Dilution : N/A				Instrument Used : DA-003 Moisture Analyzer				Analyzed Date : 07/17/24 09:20:12			
Reagent : N/A				Dilution : N/A				Reagent : 092520.50; 020124.02			
Consumables : N/A				Reagent : N/A				Consumables : N/A			
Pipette : N/A				Pipette : DA-066							

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.541	PASS	0.65
Analyzed by: 4512, 4571, 585, 1440	Weight: 0.8524g	Extraction date: 07/17/24 15:39:44	Extracted by: 4571		
Analysis Method : SOP.T.40.019			Reviewed On : 07/17/24 16:27:43		
Analytical Batch : DA075313WAT			Batch Date : 07/16/24 11:46:22		
Instrument Used : DA-028 Rotronic HygroPalm			Analyzed Date : 07/17/24 11:41:17		
Dilution : N/A			Reagent : 051624.01		
Reagent : 051624.01			Consumables : PS-14		
Consumables : PS-14			Pipette : N/A		

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

