

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**Certificate of Analysis** 

**Kaycha Labs** 

710 Labs Live Rosin Badder 1g - Z 7



Matrix: Derivative Type: Live Rosin

Sample:DA40802010-003 Harvest/Lot ID: 20240430-710ZK-F3H12 Batch#: 1000246095 **Cultivation Facility: Homestead Processing Facility : Homestead** Source Facility : Homestead Seed to Sale# LFG-00004756 Batch Date: 08/02/24 Sample Size Received: 16 gram Total Amount: 186 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 08/02/24 Sampled: 08/02/24 Completed: 08/06/24

Pages 1 of 6

### Sampling Method: SOP.T.20.010

PASSED



**COMPLIANCE FOR RETAIL** 

#### Aug 06, 2024 | The Flowery Samples From:

Homestead, FL, 33090, US

SAFETY F	RESULTS										MISC.
内 同 の	€ ]	[Нд]	Ċ,	ş	o	Ä			5)		Ô
Pestici PASS		eavy Metals PASSED	Microbials PASSED	Mycotox PASSE	D	Residuals Solvents <b>PASSED</b>	Filth PASSED		Activity SED	Moisture NOT TESTED	Terpenes <b>TESTED</b>
Ä	Canna	binoid								F	PASSED
	78	al THC <b>8.497</b> THC/Container :			) 0.	I CBD 253% CBD/Container :			<b>]</b> 91	Il Cannabinoids	
<i></i>	D9-ТНС 1.247	THCA 88,085	свр	CBDA 0.221	D8-THC 0.068	сва 0,362	свда 1.664	CBN ND	тнсv ND	CBDV ND	свс 0.173
% mg/unit	1.247	880.85	0.060	2.21	0.68	3.62	1.664	ND	ND	ND	1.73
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 58	5, 1440			Weight: 0.1008g		traction date: 3/05/24 10:53:54				<b>ctracted by:</b> 665,3335	
Analytical Batch Instrument Use	d: SOP.T.40.031, h: DA076256POT ed: DA-LC-003 : 08/05/24 11:01:2					Reviewed On : 08/0 Batch Date : 08/03,					
Consumables :	224.R13; 062624.1 947.109; 0431104 79; DA-108; DA-07;	6; 280670723; R1KB	14270								
Full Spectrum ca	nnabinoid analysis ut	ilizing High Performance	Liquid Chromatography	with UV detection in acc	cordance with F.S.	Rule 64ER20-39.					

**FLOWERY** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/06/24



### **Kaycha Labs**

710 Labs Live Rosin Badder 1g - Z Z



Matrix : Derivative Type: Live Rosin

## PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowery.co Sample : DA40802010-003 Harvest/Lot ID: 20240430-710ZK-F3H12

Batch# : 1000246095 Sampled : 08/02/24 Ordered : 08/02/24 Sample Size Received :16 gram Total Amount :186 units Completed :08/06/24 Expires: 08/06/25 Sample Method : SOP.T.20.010

Page 2 of 6

## **(**

_			
Те	rp	en	es

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	56.80	5.680			SABINENE HYDRATE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	24.27	2.427			VALENCENE		0.007	ND	ND		
ALPHA-HUMULENE	0.007	11.11	1.111			ALPHA-CEDRENE		0.005	ND	ND		
LINALOOL	0.007	6.22	0.622			ALPHA-PHELLANDRENE		0.007	ND	ND		
LIMONENE	0.007	5.78	0.578			ALPHA-TERPINENE		0.007	ND	ND		
ALPHA-BISABOLOL	0.007	2.45	0.245			ALPHA-TERPINOLENE		0.007	ND	ND		
FRANS-NEROLIDOL	0.005	2.22	0.222			CIS-NEROLIDOL		0.003	ND	ND		
BETA-PINENE	0.007	1.38	0.138			GAMMA-TERPINENE		0.007	ND	ND		
FENCHYL ALCOHOL	0.007	0.95	0.095		Ĩ	Analyzed by:	Weight:	E	xtraction date	c .		Extracted by:
ALPHA-TERPINEOL	0.007	0.85	0.085		İ	3605, 585, 1440	0.2191g		8/04/24 12:51			1879,4451
ALPHA-PINENE	0.007	0.68	0.068			Analysis Method : SOP.T.30.061A.FL, S	SOP.T.40.061A.FL					
SERANIOL	0.007	0.66	0.066			Analytical Batch : DA076248TER Instrument Used : DA-GCMS-009					)8/06/24 08:59:11 /03/24 17:06:23	
BETA-MYRCENE	0.007	0.23	0.023			Analyzed Date : N/A			Batch	Date: 08	/03/24 17:00:23	
3-CARENE	0.007	ND	ND			Dilution : N/A						
BORNEOL	0.013	ND	ND			Reagent : 022224.07						
CAMPHENE	0.007	ND	ND			Consumables : 947.109; 230613-634-	D; 280670723; CE	0123				
AMPHOR	0.007	ND	ND			Pipette : DA-065						
ARYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing Ga	s Chromatography M	ass spectr	ometry. For all i	lower sam	pies, the Total Terpenes	% is ary-weight corrected.
EDROL	0.007	ND	ND									
UCALYPTOL	0.007	ND	ND									
ARNESENE	0.007	ND	ND									
ENCHONE	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
GUAIOL	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
IEROL	0.007	ND	ND									
CIMENE	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
SABINENE	0.007	ND	ND									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64RR20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/06/24



#### **Kaycha Labs**

710 Labs Live Rosin Badder 1g - Z Ζ



Matrix : Derivative Type: Live Rosin

PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

#### Batch#: 1000246095

Sample : DA40802010-003

Sampled : 08/02/24 Ordered : 08/02/24

Harvest/Lot ID: 20240430-710ZK-F3H12 Sample Size Received : 16 gram Total Amount : 186 units Completed : 08/06/24 Expires: 08/06/25 Sample Method : SOP.T.20.010

Page 3 of 6



### **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	maa	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (P	CND) *	0.010		0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND		CIND) *	0.010		0.1	PASS	ND
ILORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *						
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracted	by:
METHOATE	0.010		0.1	PASS	ND		0.2218g	08/05/2	4 16:11:39		3379	
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL	(Gainesville), S	OP.T.30.10	2.FL (Davie), 9	50P.T.40.101.	FL (Gainesville)	,
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA076216PES	50)			n:08/06/24 1 :08/03/24 13::		
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (P Analyzed Date :N/A	ES)		Batch Date	08/03/24 13:.	30:32	
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250						
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 072924.R15: 073124.R04	: 073124.R03:	073124.R3	0: 072224.R1	9: 073124.R01	1:081023.01	
PRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW						
LONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219						
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perfo	ormed utilizing L	iquid Chron	hatography Trij	ole-Quadrupole	e Mass Spectron	netry in
EXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
IAZALIL	0.010	P.P.	0.1	PASS	ND		/eight: 2218q	Extracti	on date: 16:11:39		Extracted 3379	by:
/IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL				COD T 40 161		
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA076218VOL	(Gamesvine), 5		viewed On :			
ALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010			tch Date :08			
ETALAXYL	0.010		0.1	PASS	ND	Analyzed Date :08/05/24 18:53:59						
ETHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
ETHOMYL	0.010		0.1	PASS	ND	Reagent: 073124.R03; 081023.01;		71024.R47				
EVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 1472540 Pipette : DA-080; DA-146; DA-218	11					
1YCLOBUTANIL	0.010		0.1	PASS	ND		and a still at	Chara	a succession in the state of the	. Ou a dau a a 1	la an Carachai	
IALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perfo accordance with F.S. Rule 64ER20-39.		as unroma	lograpny Triple	e-Quadrupole N	lass Spectrome	iry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/06/24



4131 SW 47th AVENUE SUITE 1408

#### **Kaycha Labs**

710 Labs Live Rosin Badder 1g - Z Z



Matrix : Derivative Type: Live Rosin

### PASSED

PASSED

DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowery.co Sample : DA40802010-003 Harvest/Lot ID: 20240430-710ZK-F3H12

Batch# : 1000246095 Sampled : 08/02/24 Ordered : 08/02/24 Sample Size Received : 16 gram Total Amount : 186 units Completed : 08/06/24 Expires: 08/06/25 Sample Method : SOP.T.20.010

Page 4 of 6

# Ä

## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
CETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
THANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
THYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
I-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
ROPANE	500.000	ppm	5000	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
nalyzed by: 50, 585, 1440	Weight: Extraction date:   0.0266g 08/05/24 17:41:37			<b>E</b> x 85	tracted by:				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA076185SOL instrument Used : DA-GCMS-002 Analyzed Date : 08/06/24 10:52:58		Reviewed On : 08/06/24 13:12:01 Batch Date : 08/03/24 09:40:43							

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 306143

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/06/24



#### **Kaycha Labs**

710 Labs Live Rosin Badder 1g - Z Z



PASSED

Matrix : Derivative Type: Live Rosin

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowery.co Sample : DA40802010-003 Harvest/Lot ID: 20240430-710ZK-F3H12

Batch# : 1000246095 Sampled : 08/02/24 Ordered : 08/02/24 Sample Size Received : 16 gram Total Amount : 186 units Completed : 08/06/24 Expires: 08/06/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ç,	Microb	ial			PAS	SED	స్థిం	My	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA	A SPECIFIC GENE			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
	5 FUMIGATUS			Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ASPERGILLU: TOTAL YEAS		10	CFU/g	Not Present <10	PASS	100000	Analyzed by: 3379, 585, 144	40	Weight: 0.2218q	Extraction da 08/05/24 16			Extracted 3379	l by:
Analyzed by:	Weigl		raction date:		Extracted	by:			0.101.FL (Gai	nesville), SOP.T	.40.101.FL	_ (Gainesv	ille),	
3390, 585, 144		•	03/24 11:25:4		4520		SOP.T.30.102.				wod On I	08/06/24 0	0.18.03	
	d:SOP.T.40.056C h:DA076179MIC	, SOP.T.40.0	58.FL, SOP.T.4	Re	viewed On	:08/06/24	Instrument Us Analyzed Date	ed:N/A	ITMIC			/03/24 13:		
DA-020,Fisher Scientific Isote Heat Block (55 DA-367	ycler DA-013,Fishe Scientific Isotemp mp Heat Block (55 *C) DA-366,Fisher : 08/05/24 11:14:4	Heat Block ( *C) DA-021,I Scientific Isc	95*C) DA-049 Fisher Scientif	,Fisher fic Isotemp			081023.01 Consumables Pipette : DA-0	: 326250IW 93; DA-094; ting utilizing I	DA-219	73124.R03; 0732				
Dilution : 10 Reagent : 0718 Consumables : Pipette : N/A	24.50; 071824.51 7573003068	; 070324.R3	7; 072424.11						vy M	etals			PAS	SED
Analyzed by: 4351, 4531, 58	5, 1440	Weight: 0.965g	Extraction d 08/03/24 11		Extracte 4520	d by:	Metal			LOD	Units	Result	Pass /	Action
Analysis Metho	d:SOP.T.40.208 (	Gainesville),											Fail	Level
	h : DA076180TYM d : Incubator (25*)	000 000		wed On : 08/06 Date : 08/03/2			TOTAL CONT ARSENIC	IAMINANI	LOAD META	LS 0.080 0.020	ppm ppm	ND ND	PASS PASS	1.1 0.2
	: 08/03/24 18:16:5		Batch	Date: 00/03/2	4 06:24:20		CADMIUM			0.020	ppm	ND	PASS	0.2
Dilution : 10							MERCURY			0.020	ppm	ND	PASS	0.2
	24.50; 071824.51	; 070324.R3	5				LEAD			0.020	ppm	ND	PASS	0.5
Consumables : Pipette : N/A	N/A						Analyzed by: 1022, 585, 144	40	Weight: 0.2255g	Extraction dat 08/04/24 15:1			<b>xtracted k</b> 022.3807	by:
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						s in	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On : 08/06/24 08:38:36   Instrument Used : DA-ICPMS-004 Batch Date : 08/03/24 10:46:32   Analyzed Date : 08/05/24 11:22:31 Batch Date : 08/05/24 10:46:32							
							Dilution : 50 Reagent : 080 071724.R10 Consumables			30224.R06; 0729 210508058	924.R19; (	)72924.R2	0; 06172	4.01;

**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/06/24



4131 SW 47th AVENUE SUITE 1408

### **Kaycha Labs**

..... 710 Labs Live Rosin Badder 1g - Z Ζ



Matrix : Derivative Type: Live Rosin

Page 6 of 6

### PASSED

**Certificate of Analysis** The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

**DAVIE, FL, 33314, US** (954) 368-7664

> Sample : DA40802010-003 Harvest/Lot ID: 20240430-710ZK-F3H12 Batch#: 1000246095 Sampled : 08/02/24 Ordered : 08/02/24

Sample Size Received : 16 gram Total Amount : 186 units Completed : 08/06/24 Expires: 08/06/25 Sample Method : SOP.T.20.010

	Filth/For Materia	-	n		PASSED					
Analyte Filth and Foreig	yn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level				
Analyzed by: 1879, 585, 1440	Weight: 1g		raction da		Ex N/	<b>tracted by:</b> A				
Analysis Method : Analytical Batch : Instrument Used : Analyzed Date : 0 Dilution : N/A Reagent : N/A	DA076245FIL Filth/Foreign Mater	rial Micro	oscope			5/24 11:27:21 24 16:54:21				
Consumables : N/A Pipette : N/A Filth and foreign ma	A aterial inspection is pe ordance with F.S. Rule			spection utilizi	ng naked ey	ve and microscope				
$\bigcirc$	Water A	ctiv	ity		PA	SSED				
Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.546	P/F PASS	Action Leve				
Analyzed by: 4512, 585, 1440	<b>Weight:</b> 0.8684g		traction d /04/24 16		Extracted by: 4512					

Analysis Method : SOP.T.40.019 Reviewed On: 08/06/24 08:40:39 Analytical Batch : DA076241WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 08/03/24 15:28:09 Analyzed Date : 08/04/24 16:56:09 Dilution : N/A Reagent : 051624.01 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/06/24