



710 Labs Persy Rosin Badder 1g- Tropicana Grape Cake #11 + Banana Punch #4  
 Tropicana Grape Cake #11 + Banana Punch #4  
 Matrix: Derivative  
 Type: Badder

4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Sample: DA40806004-002  
 Harvest/Lot ID: 20240716-710X185-H  
 Batch#: 1000246110  
 Cultivation Facility: Homestead  
 Processing Facility: Homestead  
 Source Facility: Homestead  
 Seed to Sale# LFG-00004762  
 Batch Date: 08/01/24  
 Sample Size Received: 16 gram  
 Total Amount: 340 units  
 Retail Product Size: 1 gram  
 Retail Serving Size: 1 gram  
 Servings: 1  
 Ordered: 08/05/24  
 Sampled: 08/06/24  
 Completed: 08/08/24  
 Sampling Method: SOP.T.20.010

# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Aug 08, 2024 | The Flowery

Samples From:  
 Homestead, FL, 33090, US

THE FLOWERY

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
 NOT TESTED



Terpenes  
**TESTED**

MISC.



### Cannabinoid

**PASSED**



Total THC  
**78.268%**  
 Total THC/Container : 782.680 mg



Total CBD  
**0.285%**  
 Total CBD/Container : 2.850 mg



Total Cannabinoids  
**93.569%**  
 Total Cannabinoids/Container : 935.690 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	9.256	78.691	ND	0.325	0.086	0.845	4.176	ND	ND	ND	0.190
mg/unit	92.56	786.91	ND	3.25	0.86	8.45	41.76	ND	ND	ND	1.90
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
 3335, 1665, 585, 4044

Weight:  
 0.1102g

Extraction date:  
 08/06/24 13:19:30

Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA076339POT  
 Instrument Used : DA-LC-003  
 Analyzed Date : 08/06/24 13:33:21

Reviewed On : 08/07/24 09:47:56  
 Batch Date : 08/06/24 10:34:53

Dilution : 400  
 Reagent : 072224.R15; 060723.24; 072224.R16  
 Consumables : 947.109; 021824CH01; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 08/08/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

710 Labs Pery Rosin Badder 1g- Tropicana Grape Cake #11 + Banana Punch #4  
 Tropicana Grape Cake #11 + Banana Punch #4  
 Matrix : Derivative  
 Type: Badder



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA40806004-002

Harvest/Lot ID: 20240716-710X185-H

Batch# : 1000246110

Sampled : 08/06/24

Ordered : 08/06/24

Sample Size Received : 16 gram

Total Amount : 340 units

Completed : 08/08/24 Expires: 08/08/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	48.83	4.883	PULEGONE	0.007	ND	ND
BETA-MYRCENE	0.007	12.38	1.238	SABINENE	0.007	ND	ND
LIMONENE	0.007	10.73	1.073	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	10.63	1.063	ALPHA-CEDRENE	0.005	ND	ND
ALPHA-HUMULENE	0.007	3.99	0.399	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	2.59	0.259	ALPHA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	1.51	0.151	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-BISABOLOL	0.007	1.47	0.147	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-PINENE	0.007	1.04	0.104				
ALPHA-TERPINEOL	0.007	1.03	0.103	Analyzed by:	Weight:	Extraction date:	Extracted by:
FENCHYL ALCOHOL	0.007	1.00	0.100	4451, 3605, 585, 4044	0.2366g	08/06/24 13:08:34	4451
BORNEOL	0.013	0.54	0.054				
TRANS-NEROLIDOL	0.005	0.44	0.044	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
ALPHA-TERPINOLENE	0.007	0.34	0.034	Analytical Batch : DA076349TER		Revised On : 08/07/24 09:47:58	
CAMPHENE	0.007	0.32	0.032	Instrument Used : DA-GCMS-004		Batch Date : 08/06/24 11:14:02	
FENCHONE	0.007	0.32	0.032	Analyzed Date : 08/06/24 13:08:59			
CARYOPHYLLENE OXIDE	0.007	0.27	0.027	Dilution : 10			
SABINENE HYDRATE	0.007	0.23	0.023	Reagent : 022224.07			
3-CARENE	0.007	ND	ND	Consumables : 947.109; 230613-634-D; 280670723; CE123			
CAMPHOR	0.007	ND	ND	Pipette : DA-065			
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
<b>Total (%)</b>			<b>4.883</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 08/08/24



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40806004-002

Harvest/Lot ID: 20240716-710X185-H

Batch# : 1000246110

Sampled : 08/06/24

Ordered : 08/06/24

Sample Size Received : 16 gram

Total Amount : 340 units

Completed : 08/08/24 Expires: 08/08/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 4044 <b>Weight:</b> 0.263g <b>Extraction date:</b> 08/06/24 15:20:37 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA076345PES <b>Reviewed On :</b> 08/08/24 13:04:36 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 08/06/24 11:06:58 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 080524.R18; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.263g <b>Extraction date:</b> 08/06/24 15:20:37 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA076347VOL <b>Reviewed On :</b> 08/08/24 13:02:32 <b>Instrument Used :</b> DA-GCMS-010 <b>Batch Date :</b> 08/06/24 11:09:00 <b>Analyzed Date :</b> 08/06/24 17:23:58 <b>Dilution :</b> 250 <b>Reagent :</b> 073124.R03; 081023.01; 071024.R46; 071024.R47 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/08/24



# Certificate of Analysis

**PASSED**
**The Flowery**

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

**Sample : DA40806004-002**
**Harvest/Lot ID: 20240716-710X185-H**
**Batch# : 1000246110**
**Sampled : 08/06/24**
**Ordered : 08/06/24**
**Sample Size Received : 16 gram**
**Total Amount : 340 units**
**Completed : 08/08/24 Expires: 08/08/25**
**Sample Method : SOP.T.20.010**

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 4044

**Weight:**  
 0.0297g

**Extraction date:**  
 08/08/24 17:07:48

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL  
**Analytical Batch :** DA07641950L  
**Instrument Used :** DA-GCMS-003  
**Analyzed Date :** 08/08/24 17:13:30

**Reviewed On :** 08/08/24 17:36:26  
**Batch Date :** 08/07/24 15:15:52

**Dilution :** 1  
**Reagent :** 030420.09  
**Consumables :** 429651; 306143  
**Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.com

Sample : DA40806004-002

Harvest/Lot ID: 20240716-710X185-H

Batch# : 1000246110

Sampled : 08/06/24

Ordered : 08/06/24

Sample Size Received : 16 gram

Total Amount : 340 units

Completed : 08/08/24 Expires: 08/08/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>
	<b>Mycotoxins</b>	<b>PASSED</b>

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4520, 585, 4044    Weight: 0.92g    Extraction date: 08/06/24 12:33:40    Extracted by: 4520,3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA076340MIC    Reviewed On : 08/07/24 10:35:54

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021  
Batch Date : 08/06/24    10:35:31

Dilution : 10  
Reagent : 071824.12; 071824.26; 070324.R37; 072424.11  
Consumables : 7573003071  
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 4044    Weight: 0.263g    Extraction date: 08/06/24 15:20:37    Extracted by: 3621

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
Analytical Batch : DA076346MYC    Reviewed On : 08/08/24 09:57:11  
Instrument Used : N/A    Batch Date : 08/06/24 11:08:58  
Analyzed Date : N/A

Dilution : 250  
Reagent : 080524.R18; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01  
Consumables : 326250IW  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 3390, 4520, 585, 4044    Weight: 0.92g    Extraction date: 08/06/24 12:33:40    Extracted by: 4520,3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA076348TYM    Reviewed On : 08/08/24 16:44:37  
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]    Batch Date : 08/06/24 11:13:13  
Analyzed Date : 08/06/24 13:23:21

Dilution : 10  
Reagent : 071824.12; 071824.26; 080524.R13  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4056, 1022, 585, 4044    Weight: 0.2285g    Extraction date: 08/06/24 12:42:30    Extracted by: 4056

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA076344HEA    Reviewed On : 08/07/24 10:36:09  
Instrument Used : DA-ICPMS-004    Batch Date : 08/06/24 10:43:11  
Analyzed Date : 08/07/24 07:18:27

Dilution : 50  
Reagent : 080224.R15; 080524.R22; 080224.R06; 080524.R20; 080524.R21; 061724.01; 080524.R24  
Consumables : 179436; 021824CH01; 210508058  
Pipette : DA-061; DA-191; DA-219

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
08/08/24



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40806004-002

Harvest/Lot ID: 20240716-710X185-H

Batch# : 1000246110

Sampled : 08/06/24

Ordered : 08/06/24

Sample Size Received : 16 gram

Total Amount : 340 units

Completed : 08/08/24 Expires: 08/08/25

Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4044	Weight: 1g	Extraction date: 08/07/24 10:38:04	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA076417FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 08/07/24 10:40:31  
Reviewed On : 08/07/24 10:56:29  
Batch Date : 08/07/24 10:33:24

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.568	PASS	0.85

Analyzed by: 4571, 585, 4044	Weight: 0.4012g	Extraction date: 08/06/24 20:13:48	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA076362WAT  
Reviewed On : 08/07/24 08:43:53  
Batch Date : 08/06/24 12:40:15  
Instrument Used : DA-324 Rotronic HygroPalm HC2-AW (Probe), DA-325 Rotronic HygroPalm HC2-AW (Probe), DA-326 Rotronic HygroPalm HC2-AW (Probe), DA-327 Rotronic HygroPalm HC2-AW (Probe)

Analyzed Date : N/A

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

