



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40806004-003  
Harvest/Lot ID: 20240627-710QZC9-F3H13  
Batch#: 1000246125  
Cultivation Facility: Homestead  
Processing Facility: Homestead  
Source Facility: Homestead  
Seed to Sale# LFG-00004763  
Batch Date: 08/05/24  
Sample Size Received: 16 gram  
Total Amount: 238 units  
Retail Product Size: 1 gram  
Retail Serving Size: 1 gram  
Servings: 1  
Ordered: 08/05/24  
Sampled: 08/06/24  
Completed: 08/08/24  
Sampling Method: SOP.T.20.010

Aug 08, 2024 | The Flowery

Samples From:  
Homestead, FL, 33090, US

THE FLOWERY

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
NOT TESTED



Terpenes  
**TESTED**

MISC.



### Cannabinoid

**PASSED**



Total THC  
**75.821%**  
Total THC/Container : 758.210 mg



Total CBD  
**0.221%**  
Total CBD/Container : 2.210 mg



Total Cannabinoids  
**88.552%**  
Total Cannabinoids/Container : 885.520 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.616	85.753	ND	0.253	0.062	0.266	1.460	ND	ND	ND	0.142
mg/unit	6.16	857.53	ND	2.53	0.62	2.66	14.60	ND	ND	ND	1.42
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3335, 1665, 585, 4044

Weight:  
0.1165g

Extraction date:  
08/06/24 13:19:30

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA076339POT  
Instrument Used : DA-LC-003  
Analyzed Date : 08/06/24 13:33:21

Reviewed On : 08/07/24 09:48:01  
Batch Date : 08/06/24 10:34:53

Dilution : 400  
Reagent : 072224.R15; 060723.24; 072224.R16  
Consumables : 947.109; 021824CH01; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
08/08/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

710 Labs Water Hash 1g- Queens Zugar Cookie #9  
 Queens Zugar Cookie #9  
 Matrix : Derivative  
 Type: Hash-Ice Water



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA40806004-003  
 Harvest/Lot ID: 20240627-710QZC9-F3H13  
 Batch# : 1000246125  
 Sampled : 08/06/24  
 Ordered : 08/06/24  
 Sample Size Received : 16 gram  
 Total Amount : 238 units  
 Completed : 08/08/24 Expires: 08/08/25  
 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	75.75	7.575	PULEGONE	0.007	ND	ND
LIMONENE	0.007	31.93	3.193	SABINENE	0.007	ND	ND
BETA-MYRCENE	0.007	7.23	0.723	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	5.89	0.589	ALPHA-CEDRENE	0.005	ND	ND
BETA-PINENE	0.007	4.92	0.492	ALPHA-PHELLANDRENE	0.007	ND	ND
OCIMENE	0.007	4.85	0.485	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	4.71	0.471	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-PINENE	0.007	3.78	0.378	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	2.63	0.263				
ALPHA-TERPINEOL	0.007	2.32	0.232	Analyzed by: 4451, 3605, 585, 4044 Weight: 0.2021g Extraction date: 08/06/24 13:08:34 Extracted by: 4451			
ALPHA-HUMULENE	0.007	1.97	0.197	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA076349TER Instrument Used : DA-GCMS-004 Analyzed Date : 08/06/24 13:08:59 Reviewed On : 08/07/24 09:48:42 Batch Date : 08/06/24 11:14:02			
ALPHA-BISABOLOL	0.007	1.88	0.188	Dilution : 10 Reagent : 022224.07 Consumables : 947.109; 230613-634-D; 280670723; CE123 Pipette : DA-065			
CAMPHENE	0.007	0.77	0.077	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
BORNEOL	0.013	0.76	0.076				
ALPHA-TERPINOLENE	0.007	0.61	0.061				
SABINENE HYDRATE	0.007	0.34	0.034				
FENCHONE	0.007	0.32	0.032				
CARYOPHYLLENE OXIDE	0.007	0.28	0.028				
ISOBORNEOL	0.007	0.28	0.028				
GAMMA-TERPINENE	0.007	0.28	0.028				
3-CARENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
<b>Total (%)</b>			<b>7.575</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 08/08/24



# Certificate of Analysis

**PASSED**

The Flowery

Sample : DA40806004-003  
Harvest/Lot ID: 20240627-710QZC9-F3H13

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Batch# : 1000246125  
Sample Size Received : 16 gram  
Sampled : 08/06/24  
Ordered : 08/06/24  
Total Amount : 238 units  
Completed : 08/08/24 Expires: 08/08/25  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 4044 <b>Weight:</b> 0.2992g <b>Extraction date:</b> 08/06/24 15:20:37 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA076345PES <b>Reviewed On :</b> 08/08/24 13:04:37 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 08/06/24 11:06:58 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 080524.R18; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.2992g <b>Extraction date:</b> 08/06/24 15:20:37 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA076347VOL <b>Reviewed On :</b> 08/08/24 13:02:36 <b>Instrument Used :</b> DA-GCMS-010 <b>Batch Date :</b> 08/06/24 11:09:00 <b>Analyzed Date :</b> 08/06/24 17:23:58 <b>Dilution :</b> 250 <b>Reagent :</b> 073124.R03; 081023.01; 071024.R46; 071024.R47 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/08/24



# Certificate of Analysis

**PASSED**

The Flowery

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA40806004-003

Harvest/Lot ID: 20240627-710QZC9-F3H13

Batch# : 1000246125

Sampled : 08/06/24

Ordered : 08/06/24

Sample Size Received : 16 gram

Total Amount : 238 units

Completed : 08/08/24 Expires: 08/08/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0265g

 Extraction date:  
 08/08/24 17:07:48

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA07641950L  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 08/08/24 17:13:30

 Reviewed On : 08/08/24 17:36:27  
 Batch Date : 08/07/24 15:15:52

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429651; 306143  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.com

Sample : DA40806004-003  
Harvest/Lot ID: 20240627-710QZC9-F3H13  
Batch# : 1000246125  
Sample Size Received : 16 gram  
Sampled : 08/06/24  
Ordered : 08/06/24  
Total Amount : 238 units  
Completed : 08/08/24 Expires: 08/08/25  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4520, 585, 4044  
Weight: 0.831g  
Extraction date: 08/06/24 12:33:58  
Extracted by: 4520,3390  
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA076340MIC  
Reviewed On : 08/07/24 10:35:54  
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021  
Batch Date : 08/06/24  
Analyzed Date : 08/06/24 12:55:36

Dilution : 10  
Reagent : 071824.12; 071824.26; 070324.R37; 072424.11  
Consumables : 7573003071  
Pipette : N/A

Analyzed by: 3390, 4520, 585, 4044  
Weight: 0.831g  
Extraction date: 08/06/24 12:33:58  
Extracted by: 4520,3390  
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA076348TYM  
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]  
Batch Date : 08/06/24 11:13:13  
Analyzed Date : 08/06/24 13:23:21

Dilution : 10  
Reagent : 071824.12; 071824.26; 080524.R13  
Consumables : N/A  
Pipette : N/A


Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 4044  
Weight: 0.2992g  
Extraction date: 08/06/24 15:20:37  
Extracted by: 3621  
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
Analytical Batch : DA076346MYC  
Reviewed On : 08/08/24 09:57:12  
Instrument Used : N/A  
Batch Date : 08/06/24 11:08:58  
Analyzed Date : N/A

Dilution : 250  
Reagent : 080524.R18; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01  
Consumables : 326250IW  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4056, 1022, 585, 4044  
Weight: 0.2037g  
Extraction date: 08/06/24 12:47:51  
Extracted by: 4056  
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA076344HEA  
Reviewed On : 08/07/24 10:32:43  
Instrument Used : DA-ICPMS-004  
Batch Date : 08/06/24 10:43:11  
Analyzed Date : 08/07/24 07:18:27

Dilution : 50  
Reagent : 080224.R15; 080524.R22; 080224.R06; 080524.R20; 080524.R21; 061724.01; 080524.R24  
Consumables : 179436; 021824CH01; 210508058  
Pipette : DA-061; DA-191; DA-219

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

710 Labs Water Hash 1g- Queens Zugar Cookie #9  
Queens Zugar Cookie #9  
Matrix : Derivative  
Type: Hash-Ice Water



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40806004-003  
Harvest/Lot ID: 20240627-710QZC9-F3H13  
Batch# : 1000246125  
Sample Size Received : 16 gram  
Sampled : 08/06/24  
Total Amount : 238 units  
Ordered : 08/06/24  
Completed : 08/08/24 Expires: 08/08/25  
Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4044	Weight: 1g	Extraction date: 08/07/24 10:38:04	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA076417FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 08/07/24 10:40:31  
Reviewed On : 08/07/24 10:56:30  
Batch Date : 08/07/24 10:33:24

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.535	PASS	0.85

Analyzed by: 4571, 585, 4044	Weight: 0.2611g	Extraction date: 08/06/24 20:13:48	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA076362WAT  
Reviewed On : 08/07/24 08:43:54  
Batch Date : 08/06/24 12:40:15  
Instrument Used : DA-324 Rotronic HygroPalm HC2-AW (Probe), DA-325 Rotronic HygroPalm HC2-AW (Probe), DA-326 Rotronic HygroPalm HC2-AW (Probe), DA-327 Rotronic HygroPalm HC2-AW (Probe)

Analyzed Date : N/A

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/08/24