

Kaycha Labs

710 Labs Water Hash 1g - Rick Jamez #3

Rick Jamez #3 Matrix: Derivative Type: Hash-Ice Water



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample:DA40726003-013

Harvest/Lot ID: 20240530-710RJ3-F6H13

Batch#: 1000242605

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead

> Seed to Sale# LFG-00004673 Batch Date: 07/24/24

Sample Size Received: 16 gram Total Amount: 303 units

> Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 07/25/24 Sampled: 07/26/24

Completed: 07/29/24 Sampling Method: SOP.T.20.010

PASSED

Jul 29, 2024 | The Flowery Samples From:

Homestead, FL, 33090, US

#FLOWERY

Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



PASSED



PASSED



Residuals Solvents **PASSED**



PASSED



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 728.250 mg



Weight: 0.1017g

Total CBD

Total CBD/Container: 1.860 mg



Total Cannabinoids

Total Cannabinoids/Container: 861.780

									9		
		_									
		_									
		_									
		_									
		_									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	0.797	82.130	ND	0.213	ND	0.937	2.014	ND	ND	ND	0.087
mg/unit	7.97	821.30	ND	2.13	ND	9.37	20.14	ND	ND	ND	0.87
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001

Extraction date: 07/26/24 13:27:51

Reviewed On: 07/29/24 10:35:57 Batch Date: 07/26/24 11:32:46

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA075835POT Instrument Used: DA-LC-003 Analyzed Date: 07/26/24 13:48:45

Analyzed by: 3335, 1665, 585, 1440

Dilution: 400
Reagent: 072224.R15; 030624.05; 071924.R15
Consumables: 947.109; 280670723; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 07/29/24



Kaycha Labs

710 Labs Water Hash 1g - Rick Jamez #3

Rick Jamez #3 Matrix : Derivative

Type: Hash-Ice Water



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowerv.co Sample: DA40726003-013 Harvest/Lot ID: 20240530-710RJ3-F6H13

Batch#:1000242605

Sampled: 07/26/24 Ordered: 07/26/24 Sample Size Received: 16 gram
Total Amount: 303 units

Completed: 07/29/24 Expires: 07/29/25 Sample Method: SOP.T.20.010 Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		OD %)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	73.00	7.300			SABINENE			ND	ND		
IMONENE	0.007	14.36	1.436			SABINENE HYDRATE	0	007	ND	ND		
INALOOL	0.007	12.87	1.287			VALENCENE	0	007	ND	ND		
BETA-CARYOPHYLLENE	0.007	12.44	1.244			ALPHA-CEDRENE	0	005	ND	ND		
BETA-MYRCENE	0.007	8.93	0.893			ALPHA-PHELLANDRENE	0	007	ND	ND		
ALPHA-HUMULENE	0.007	4.32	0.432			ALPHA-TERPINENE	0	007	ND	ND		
GUAIOL	0.007	4.01	0.401			CIS-NEROLIDOL	0	003	ND	ND		
ALPHA-BISABOLOL	0.007	3.15	0.315			GAMMA-TERPINENE	0	007	ND	ND		
BETA-PINENE	0.007	2.72	0.272			Analyzed by:	Weight:	Ex	xtraction da	te:		Extracted by:
RANS-NEROLIDOL	0.005	2.71	0.271			4451, 585, 1440	0.193g		7/26/24 14:			4451
ENCHYL ALCOHOL	0.007	1.57	0.157		Ī	Analysis Method : SOP.T.30.061A.FL, SOP	P.T.40.061A.FL					
LPHA-TERPINEOL	0.007	1.57	0.157			Analytical Batch : DA075809TER					07/29/24 10:35:59	
LPHA-PINENE	0.007	1.45	0.145			Instrument Used : DA-GCMS-004 Analyzed Date : 07/26/24 14:14:53			Batch	Date: 07	7/26/24 09:53:41	
ORNEOL	0.013	0.86	0.086			Dilution: 10						
ERANIOL	0.007	0.76	0.076			Reagent: 022224.07						
AMPHENE	0.007	0.55	0.055			Consumables: 947.109; 230613-634-D; 2	280670723; CE01	23				
LPHA-TERPINOLENE	0.007	0.40	0.040			Pipette : DA-065						
ENCHONE	0.007	0.33	0.033			Terpenoid testing is performed utilizing Gas Ch	hromatography Mass	Spectrom	netry. For all	Flower sam	ples, the Total Terpenes %	6 is dry-weight corrected.
-CARENE	0.007	ND	ND									
AMPHOR	0.007	ND	ND									
ARYOPHYLLENE OXIDE	0.007	ND	ND									
EDROL	0.007	ND	ND									
EUCALYPTOL	0.007	ND	ND									
ARNESENE	0.001	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
OCIMENE	0.007	ND	ND									
	0.007	ND	ND									

Total (%) 7.3

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24



Kaycha Labs

710 Labs Water Hash 1g - Rick Jamez #3

Rick Jamez #3 Matrix : Derivative

Type: Hash-Ice Water



Certificate of Analysis

LOD Units

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowerv.co Sample : DA40726003-013

Harvest/Lot ID: 20240530-710RJ3-F6H13
Batch#: 1000242605 Sample Size

Pass/Fail Result

Sampled: 07/26/24 Ordered: 07/26/24 Sample Size Received: 16 gram
Total Amount: 303 units
Completed: 07/29/24 Expires: 07/29/25
Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	P. P.	0.2	PASS	ND						PASS	
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1		ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	P. P.	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	1.1.	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
	0.010		0.1	PASS	ND							
ALDICARB AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
		1.1.	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE	0.010 0.010	P. P.	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN		P. P.	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL	0.010 0.010	P. P.	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CARBOFURAN			1	PASS	ND	PENTACHLORONITROBENZEN	F (PCNR) *	0.010	PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010	1.1.	1	PASS	ND	PARATHION-METHYL *	_ (. 0.1.2)	0.010	PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	P. P.	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CHLORPYRIFOS	0.010	1.1.		PASS	ND						PASS	ND
CLOFENTEZINE	0.010		0.2	PASS		CHLORDANE *		0.010		0.1		
COUMAPHOS	0.010	P. P.	0.1	PASS	ND ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE	0.010	P. P.		PASS		CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1		ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	P. P.	0.1	PASS	ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	l by:
DIMETHOATE	0.010		0.1	PASS PASS	ND	3379, 585, 1440	0.2481g	07/26/2	4 14:32:08		3621	
ETHOPROPHOS	0.010	1.1.	0.1		ND	Analysis Method: SOP.T.30.10	1.FL (Gainesville), SO	P.T.30.10	2.FL (Davie),	SOP.T.40.101.	FL (Gainesville)	,
ETOFENPROX	0.010	P. P.	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA075811PE Instrument Used : DA-LCMS-00				n:07/29/24 1 :07/26/24 10:		
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : N/A)3 (FE3)		battii Date	:07/20/24 10.	13.37	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 072324.R03; 071824	4.R06: 071824.R05: 0	72324.R0	5: 072224.R1	9: 071824.R0	3	
FIPRONIL	0.010		0.1	PASS	ND	Consumables: 326250IW						
FLONICAMID	0.010	P. P.	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-2						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is		uid Chron	natography Tri	ple-Quadrupol	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	1.1.	0.1	PASS	ND	accordance with F.S. Rule 64ER2						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted 3621	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440	0.2481g		14:32:08	COD T 40 15		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.15 Analytical Batch : DA075815V6				, 30P.1.40.15 07/29/24 10:0		
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-0				1/26/24 10:16:		
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date : 07/26/24 17:5						
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
METHOMYL	0.010	1.1.	0.1	PASS	ND	Reagent: 071824.R05; 071024						
MEVINPHOS	0.010		0.1	PASS	ND	Consumables: 326250IW; 147						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is accordance with F.S. Rule 64ER2		s Chromai	ography Tripl	e-Quadrupole I	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24



Kaycha Labs

710 Labs Water Hash 1g - Rick Jamez #3

Rick Jamez #3 Matrix: Derivative

Type: Hash-Ice Water



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA40726003-013 Harvest/Lot ID: 20240530-710RJ3-F6H13

Batch#: 1000242605

Sampled: 07/26/24 Ordered: 07/26/24

Sample Size Received: 16 gram Total Amount: 303 units Completed: 07/29/24 Expires: 07/29/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:			xtracted by:

Reviewed On: 07/29/24 13:39:14

Batch Date: 07/26/24 16:47:15

850, 585, 1440 0.0241g 07/29/24 11:59:59

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA075849SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 07/29/24 12:39:16

Dilution: 1 Reagent: 030420.09

Consumables: 429651: 313386 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Kaycha Labs

710 Labs Water Hash 1g - Rick Jamez #3

Rick Jamez #3 Matrix: Derivative

Type: Hash-Ice Water



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40726003-013

Harvest/Lot ID: 20240530-710RJ3-F6H13

Batch#: 1000242605 Sampled: 07/26/24 Ordered: 07/26/24

Sample Size Received: 16 gram Total Amount: 303 units Completed: 07/29/24 Expires: 07/29/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by	Woight	Evelua etia a	dator	Evelupate	al leve

Extracted by: 3390, 4520, 585, 1440 0.8784g 07/26/24 14:12:25

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA075831MIC **Reviewed On:** 07/29/24

10:42:36

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 07/26/24 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block 11:16:33 (55*C) DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 07/26/24 14:18:05

Dilution: 10

Reagent: 071924.10; 071924.14; 030724.30; 070324.R36

Consumables : 7573003022

Pipette: N/A

980					
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02

PASS AFLATOXIN G2 0.002 ND 0.02 ppm Analyzed by: **Extraction date:** Weight: Extracted by: 3379, 585, 1440 0.2481g 07/26/24 14:32:08

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA075814MYC

Reviewed On: 07/29/24 09:50:48 Instrument Used : N/A Batch Date: 07/26/24 10:16:38 Analyzed Date : N/A

Dilution: 250

Reagent: 072324.R03; 071824.R06; 071824.R05; 072324.R05; 072224.R19; 071824.R03

Consumables: 326250IW **Pipette :** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 3390, 4531, 585, 1440			Extracted by: 3390
Analysis Method: SOP.T.40.208 Analytical Batch: DA075832TYI Instrument Used: Incubator (25 Analyzed Date: 07/26/24 16:33	м 5*C) DA- 328	, SOP.T.40.209.FL	
Dilution: 10 Reagent: 071924.10; 071924.1 Consumables: N/A Pipette: N/A	.4; 070324.R3	35	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

LOD	Units	Result	Pass / Fail	Action Level
0.080	ppm	ND	PASS	1.1
0.020	ppm	ND	PASS	0.2
0.020	ppm	ND	PASS	0.2
0.020	ppm	ND	PASS	0.2
0.020	ppm	ND	PASS	0.5
	0.080 0.020 0.020 0.020	0.080 ppm 0.020 ppm 0.020 ppm 0.020 ppm	0.080 ppm ND 0.020 ppm ND 0.020 ppm ND 0.020 ppm ND	Fail 0.080 ppm ND PASS 0.020 ppm ND PASS 0.020 ppm ND PASS 0.020 ppm ND PASS 0.020 ppm ND PASS

Analyzed by: 1022, 585, 1440 Extraction date 07/26/24 14:16:45 0.2874g 1022.4056

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA075805HEA Instrument Used : DA-ICPMS-004 Reviewed On: 07/29/24 10:21:30 Batch Date: 07/26/24 09:35:20 Analyzed Date: 07/26/24 14:53:11

Dilution: 50

Reagent: 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01;

Consumables: 179436: 120423CH01: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/24



Kaycha Labs

710 Labs Water Hash 1g - Rick Jamez #3

Rick Jamez #3 Matrix: Derivative

Type: Hash-Ice Water



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40726003-013

Harvest/Lot ID: 20240530-710RJ3-F6H13 Batch#: 1000242605

Sampled: 07/26/24 Ordered: 07/26/24

Sample Size Received: 16 gram Total Amount: 303 units Completed: 07/29/24 Expires: 07/29/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte Filth and Foreign Material LOD Units 0.100 %

Result ND

P/F **Action Level** PASS 1

Analyzed by: 1879, 585, 1440

Extraction date: 07/26/24 21:50:43 N/A

1g Analysis Method: SOP.T.40.090

Analytical Batch : DA075851FIL
Instrument Used : Filth/Foreign Material Microscope Analyzed Date: 07/26/24 21:37:51

Reviewed On: 07/26/24 21:47:02 Batch Date: 07/26/24 21:33:57

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte LOD Units Result P/F **Action Level Water Activity** 0.506 PASS 0.010 aw 0.85 Extracted by: 4512 Extraction date: 07/26/24 16:42:05

Analyzed by: 4512, 585, 1440 Analysis Method : SOP.T.40.019

Analytical Batch: DA075843WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date: 07/26/24 16:49:43

Reviewed On: 07/29/24 09:46:24 Batch Date: 07/26/24 11:51:26

Dilution: N/A Reagent: 051624.01 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/29/24

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha