



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40802010-004
 Harvest/Lot ID: 20240620-710DDF5-FL1H7
 Batch#: 1000246087
 Cultivation Facility: Homestead
 Processing Facility: Homestead
 Source Facility: Homestead
 Seed to Sale# LFG-00004753
 Batch Date: 08/02/24
 Sample Size Received: 16 gram
 Total Amount: 238 units
 Retail Product Size: 1 gram
 Retail Serving Size: 1 gram
 Servings: 1
 Ordered: 08/02/24
 Sampled: 08/02/24
 Completed: 08/06/24
 Sampling Method: SOP.T.20.010

Aug 06, 2024 | The Flowery

Samples From:
 Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
 Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
 NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
73.474%
 Total THC/Container : 734.740 mg



Total CBD
0.169%
 Total CBD/Container : 1.690 mg



Total Cannabinoids
87.551%
 Total Cannabinoids/Container : 875.510 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.761	82.912	ND	0.193	0.038	0.401	3.182	ND	ND	ND	0.064
mg/unit	7.61	829.12	ND	1.93	0.38	4.01	31.82	ND	ND	ND	0.64
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
 3335, 1665, 585, 1440

Weight:
 0.1034g

Extraction date:
 08/05/24 10:53:54

Extracted by:
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA076256POT
 Instrument Used : DA-LC-003
 Analyzed Date : 08/05/24 11:01:24

Reviewed On : 08/06/24 08:41:59
 Batch Date : 08/03/24 23:39:15

Dilution : 400
 Reagent : 080224.R13; 062624.15; 080224.R10
 Consumables : 947.109; 04311046; 280670723; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 08/06/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40802010-004

Harvest/Lot ID: 20240620-710DDF5-FL1H7

Batch# : 1000246087

Sampled : 08/02/24

Ordered : 08/02/24

Sample Size Received : 16 gram

Total Amount : 238 units

Completed : 08/06/24 Expires: 08/06/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED					
Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	44.72	4.472		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	11.94	1.194		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	10.12	1.012		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	7.33	0.733		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	4.85	0.485		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.80	0.380		ALPHA-TERPINOLENE	0.007	ND	ND	
GUAIOL	0.007	2.01	0.201		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	1.27	0.127		GAMMA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.005	0.94	0.094						
ALPHA-BISABOLOL	0.007	0.79	0.079		Analyzed by: 3605, 585, 1440 Weight: 0.211g Extraction date: 08/04/24 12:43:54 Extracted by: 1879,4451				
ALPHA-TERPINEOL	0.007	0.75	0.075		Analysis Method : SOP.T.30.061A-FL, SOP.T.40.061A-FL Analytical Batch : DA076248TER Instrument Used : DA-GCMS-009 Analyzed Date : N/A Reviewed On : 08/06/24 08:59:16 Batch Date : 08/03/24 17:06:23				
ALPHA-PINENE	0.007	0.69	0.069		Dilution : N/A Reagent : 022224.07 Consumables : 947.109; 230613-634-D; 280670723; CE0123 Pipette : DA-065				
CAMPHENE	0.007	0.23	0.023		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			4.472						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
08/06/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40802010-004

Harvest/Lot ID: 20240620-710DDF5-FL1H7

Batch# : 1000246087

Sampled : 08/02/24

Ordered : 08/02/24

Sample Size Received : 16 gram

Total Amount : 238 units

Completed : 08/06/24 Expires: 08/06/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2261g Extraction date: 08/05/24 16:11:39 Extracted by: 3379					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA076216PES Instrument Used : DA-LCMS-003 (PES) Reviewed On : 08/06/24 11:45:03					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A Batch Date : 08/03/24 13:36:32					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 072924.R15; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2261g Extraction date: 08/05/24 16:11:39 Extracted by: 3379					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA076218VOL Instrument Used : DA-GCMS-010 Reviewed On : 08/06/24 11:42:53					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/05/24 18:53:59 Batch Date : 08/03/24 13:38:38					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 073124.R03; 081023.01; 071024.R46; 071024.R47					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/06/24



Certificate of Analysis

PASSED

The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA40802010-004

Harvest/Lot ID: 20240620-710DDF5-FL1H7

Batch# : 1000246087

Sampled : 08/02/24

Ordered : 08/02/24

Sample Size Received : 16 gram

Total Amount : 238 units

Completed : 08/06/24 Expires: 08/06/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0221g	Extraction date: 08/05/24 17:41:37	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07618550L Instrument Used : DA-GCMS-002 Analyzed Date : 08/06/24 10:52:58	Reviewed On : 08/06/24 13:12:02 Batch Date : 08/03/24 09:40:43
-------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------

Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40802010-004
Harvest/Lot ID: 20240620-710DDF5-FL1H7
Batch# : 1000246087
Sample Size Received : 16 gram
Sampled : 08/02/24
Ordered : 08/02/24
Total Amount : 238 units
Completed : 08/06/24 Expires: 08/06/25
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 1440
Weight: 0.95g
Extraction date: 08/03/24 11:25:40
Extracted by: 4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA076179MIC
Reviewed On : 08/06/24 08:26:59
Batch Date : 08/03/24
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367
Analyzed Date : 08/05/24 11:14:47
Dilution : 10
Reagent : 071824.50; 071824.51; 070324.R37; 072424.11
Consumables : 7573003068
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02


Analyzed by: 3379, 585, 1440
Weight: 0.2261g
Extraction date: 08/05/24 16:11:39
Extracted by: 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA076217MYC
Reviewed On : 08/06/24 09:18:03
Instrument Used : N/A
Batch Date : 08/03/24 13:38:36
Analyzed Date : N/A
Dilution : 250
Reagent : 072924.R15; 073124.R04; 073124.R03; 073124.R30; 072224.R19; 073124.R01; 081023.01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4351, 4531, 585, 1440
Weight: 0.95g
Extraction date: 08/03/24 11:25:40
Extracted by: 4520
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA076180TYM
Reviewed On : 08/06/24 08:27:52
Instrument Used : Incubator (25°C) DA- 328
Batch Date : 08/03/24 08:24:20
Analyzed Date : 08/03/24 18:16:52
Dilution : 10
Reagent : 071824.50; 071824.51; 070324.R35
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440
Weight: 0.2847g
Extraction date: 08/04/24 15:20:05
Extracted by: 1022,3807
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA076189HEA
Reviewed On : 08/06/24 08:38:37
Instrument Used : DA-ICPMS-004
Batch Date : 08/03/24 10:46:32
Analyzed Date : 08/05/24 11:22:31
Dilution : 50
Reagent : 080224.R15; 072924.R21; 080224.R06; 072924.R19; 072924.R20; 061724.01; 071724.R10
Consumables : 179436; 120423CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
08/06/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40802010-004
Harvest/Lot ID: 20240620-710DDF5-FL1H7
Batch# : 1000246087
Sample Size Received : 16 gram
Sampled : 08/02/24
Ordered : 08/02/24
Total Amount : 238 units
Completed : 08/06/24 Expires: 08/06/25
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 08/05/24 11:40:28	Extracted by: N/A
------------------------------	------------	------------------------------------	-------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA076245FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 08/05/24 11:00:43
Reviewed On : 08/05/24 11:27:18
Batch Date : 08/03/24 16:54:21

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.587	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.7014g	Extraction date: 08/04/24 16:51:13	Extracted by: 4512
------------------------------	-----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA076241WAT
Instrument Used : DA-028 Rotronic HygroPalm
Analyzed Date : 08/04/24 16:56:09
Reviewed On : 08/06/24 08:40:39
Batch Date : 08/03/24 15:28:09

Dilution : N/A
Reagent : 051624.01
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

