



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40726011-010  
Harvest/Lot ID: 20240701-710CZ4-F5H13  
Batch#: 1000243575  
Cultivation Facility: Homestead  
Processing Facility: Homestead  
Source Facility: Homestead  
Seed to Sale# LFG-00004697  
Batch Date: 07/26/24  
Sample Size Received: 28 gram  
Total Amount: 123 units  
Retail Product Size: 14 gram  
Retail Serving Size: 1 gram  
Servings: 14  
Ordered: 07/26/24  
Sampled: 07/26/24  
Completed: 07/30/24  
Sampling Method: SOP.T.20.010

Jul 30, 2024 | The Flowery

Samples From:  
Homestead, FL, 33090, US

THE FLOWERY

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**

### MISC.



Terpenes  
**TESTED**



### Cannabinoid

**PASSED**



Total THC  
**20.445%**  
Total THC/Container : 2862.300 mg



Total CBD  
**0.045%**  
Total CBD/Container : 6.300 mg



Total Cannabinoids  
**23.787%**  
Total Cannabinoids/Container : 3330.180 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.424	22.830	ND	0.052	ND	0.081	0.373	ND	ND	ND	0.027
mg/unit	59.36	3196.20	ND	7.28	ND	11.34	52.22	ND	ND	ND	3.78
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.2087g

Extraction date:  
07/29/24 13:54:01

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA075907POT  
Instrument Used : DA-LC-001  
Analyzed Date : 07/29/24 14:33:26

Reviewed On : 07/30/24 09:17:41  
Batch Date : 07/27/24 22:53:22

Dilution : 400  
Reagent : 072224.R15; 062624.15; 071924.R15  
Consumables : 947.109; 04311046; 280670723; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/30/24



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40726011-010

Harvest/Lot ID: 20240701-710CZ4-F5H13

Batch# : 1000243575

Sampled : 07/26/24

Ordered : 07/26/24

Sample Size Received : 28 gram

Total Amount : 123 units

Completed : 07/30/24 Expires: 07/30/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	396.62 2.833		VALENCENE	0.007	ND ND	
LIMONENE	0.007	117.04 0.836		ALPHA-CEDRENE	0.005	ND ND	
BETA-CARYOPHYLLENE	0.007	73.64 0.526		ALPHA-PHELLANDRENE	0.007	ND ND	
LINALOOL	0.007	68.74 0.491		ALPHA-TERPINENE	0.007	ND ND	
BETA-MYRCENE	0.007	38.22 0.273		ALPHA-TERPINOLENE	0.007	ND ND	
ALPHA-HUMULENE	0.007	23.10 0.165		CIS-NEROLIDOL	0.003	ND ND	
BETA-PINENE	0.007	20.86 0.149		GAMMA-TERPINENE	0.007	ND ND	
ALPHA-TERPINEOL	0.007	15.82 0.113		TRANS-NEROLIDOL	0.005	ND ND	
FENCHYL ALCOHOL	0.007	14.56 0.104					
ALPHA-BISABOLOL	0.007	10.78 0.077		Analyzed by:	Weight:	Extraction date:	Extracted by:
ALPHA-PINENE	0.007	10.64 0.076		4451, 585, 1440	1.091g	07/27/24 17:05:22	1879
CAMPHENE	0.007	3.22 0.023		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
3-CARENE	0.007	ND ND		Analytical Batch : DA075901TER			
BORNEOL	0.013	ND ND		Instrument Used : DA-GCMS-008			
CAMPHOR	0.007	ND ND		Analyzed Date : 07/29/24 12:14:00			
CARYOPHYLLENE OXIDE	0.007	ND ND		Dilution : 10			
CEDROL	0.007	ND ND		Reagent : 022224.07			
EUCALYPTOL	0.007	ND ND		Consumables : 947.109; 230613-634-D; 280670723; CE0123			
FARNESENE	0.007	ND ND		Pipette : DA-065			
FENCHONE	0.007	ND ND		Reviewed On : 07/30/24 15:53:20			
GERANIOL	0.007	ND ND		Batch Date : 07/27/24 16:07:44			
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
<b>Total (%)</b>		<b>2.833</b>					

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
07/30/24



# Certificate of Analysis

**PASSED**

The Flowery


Sample : DA40726011-010

Harvest/Lot ID: 20240701-710CZ4-F5H13

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Batch# : 1000243575  
Sampled : 07/26/24  
Ordered : 07/26/24  
Sample Size Received : 28 gram  
Total Amount : 123 units  
Completed : 07/30/24 Expires: 07/30/25  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> <b>3379, 585, 1440</b> Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA075925PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : N/A Dilution : 250 Reagent : 071824.R05; 072324.R03; 071824.R06; 072324.R05; 072224.R19; 071824.R03 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219	<b>Extraction date:</b> 07/29/24 16:23:03 <b>Extracted by:</b> 3379 Reviewed On : 07/30/24 13:30:42 Batch Date : 07/29/24 06:54:30				
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> <b>450, 585, 1440</b> Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA075926VOL Instrument Used : DA-GCMS-001 Analyzed Date : 07/29/24 18:57:15 Dilution : 250 Reagent : 071824.R05; 071024.R46; 071024.R47 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218	<b>Extraction date:</b> 07/29/24 16:23:03 <b>Extracted by:</b> 3379 Reviewed On : 07/30/24 13:29:12 Batch Date : 07/29/24 07:05:03				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/30/24



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.com

Sample : DA40726011-010

Harvest/Lot ID: 20240701-710CZ4-F5H13

Batch# : 1000243575

Sampled : 07/26/24

Ordered : 07/26/24

Sample Size Received : 28 gram

Total Amount : 123 units

Completed : 07/30/24 Expires: 07/30/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	60	PASS	100000
<b>Analyzed by:</b> 3390, 585, 1440 <b>Weight:</b> 0.9293g <b>Extraction date:</b> 07/27/24 13:48:56 <b>Extracted by:</b> 4351 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA075854MIC <b>Reviewed On :</b> 07/30/24 09:30:23 <b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55°C) 07:53:15 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 <b>Analyzed Date :</b> 07/29/24 12:53:57 <b>Dilution :</b> 10 <b>Reagent :</b> 071824.21; 071924.14; 070324.R36; 030724.30 <b>Consumables :</b> 7573003034 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 1.1626g <b>Extraction date:</b> 07/29/24 16:23:03 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA075927MYC <b>Reviewed On :</b> 07/30/24 12:05:36 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 07/29/24 07:07:46 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 071824.R05; 072324.R03; 071824.R06; 072324.R05; 072224.R19; 071824.R03 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.9293g <b>Extraction date:</b> 07/27/24 13:48:56 <b>Extracted by:</b> 4351 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA075855TYM <b>Reviewed On :</b> 07/30/24 09:31:10 <b>Instrument Used :</b> Applied Biosystems MiniAmp Thermocycler DA-190 <b>Batch Date :</b> 07/27/24 07:56:12 <b>Analyzed Date :</b> 07/29/24 12:56:26 <b>Dilution :</b> 10 <b>Reagent :</b> 071824.21; 071924.14; 070324.R35 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2207g <b>Extraction date:</b> 07/29/24 09:10:35 <b>Extracted by:</b> 1022,4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA075858HEA <b>Reviewed On :</b> 07/30/24 10:41:15 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 07/27/24 10:16:03 <b>Analyzed Date :</b> 07/29/24 15:01:44 <b>Dilution :</b> 50 <b>Reagent :</b> 071924.R14; 072224.R03; 072524.R19; 072224.R01; 072224.R02; 061724.01; 071724.R10 <b>Consumables :</b> 179436; 120423CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
07/30/24



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA40726011-010  
Harvest/Lot ID: 20240701-710CZ4-F5H13  
Batch# : 1000243575      Sample Size Received : 28 gram  
Sampled : 07/26/24      Total Amount : 123 units  
Ordered : 07/26/24      Completed : 07/30/24 Expires: 07/30/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	<b>PASS</b>	1
<b>Analyzed by:</b> 1879, 585, 1440	<b>Weight:</b> 1g	<b>Extraction date:</b> 07/29/24 02:43:12	<b>Extracted by:</b> N/A		
<b>Analysis Method :</b> SOP.T.40.090		<b>Analytical Batch :</b> DA075924FIL		<b>Reviewed On :</b> 07/29/24 02:36:15	
<b>Instrument Used :</b> Filth/Foreign Material Microscope		<b>Batch Date :</b> 07/28/24 20:47:35			
<b>Analyzed Date :</b> 07/29/24 02:22:36					
<b>Dilution :</b> N/A					
<b>Reagent :</b> N/A					
<b>Consumables :</b> N/A					
<b>Pipette :</b> N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.551	<b>PASS</b>	0.65
<b>Analyzed by:</b> 4512, 585, 1440	<b>Weight:</b> 0.7325g	<b>Extraction date:</b> 07/28/24 13:08:09	<b>Extracted by:</b> 4512		
<b>Analysis Method :</b> SOP.T.40.019		<b>Analytical Batch :</b> DA075899WAT		<b>Reviewed On :</b> 07/30/24 09:19:20	
<b>Instrument Used :</b> DA-028 Rotronic HygroPalm		<b>Batch Date :</b> 07/27/24 14:18:46			
<b>Analyzed Date :</b> 07/28/24 13:47:00					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 051624.01					
<b>Consumables :</b> PS-14					
<b>Pipette :</b> N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
<b>Moisture Content</b>	1.00	%	13.47	<b>PASS</b>	15
<b>Analyzed by:</b> 4512, 585, 1440	<b>Weight:</b> 0.5g	<b>Extraction date:</b> 07/28/24 15:27:46	<b>Extracted by:</b> 4512		
<b>Analysis Method :</b> SOP.T.40.021		<b>Analytical Batch :</b> DA075898MOI		<b>Reviewed On :</b> 07/30/24 15:52:22	
<b>Instrument Used :</b> DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser		<b>Batch Date :</b> 07/27/24 14:18:20			
<b>Analyzed Date :</b> 07/28/24 15:38:42					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 092520.50; 020124.02					
<b>Consumables :</b> N/A					
<b>Pipette :</b> DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

