

Kaycha Labs

710 Lemon Tart Pucker #1 710 LABS HAND-ROLL 1G

710 Lemon Tart Pucker #1 Matrix: Flower

Classification: High THC Type: Preroll



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40910010-001



Sep 13, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US **#FLOWERY**

Production Method: Cured

Harvest/Lot ID: 20240812-710LTP1-F8H14

Batch#: 1000260174

Cultivation Facility: Homestead Processing Facility: Homestead

Source Facility: Homestead Seed to Sale#: LFG-00005025

Harvest Date: 09/10/24 Sample Size Received: 26 gram

Total Amount: 500 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 09/10/24 Sampled: 09/10/24

Completed: 09/13/24 Sampling Method: SOP.T.20.010

PASSED

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **NOT TESTED**



PASSED



Water Activity **PASSED**



Pages 1 of 5

Moisture **PASSED**



Terpenes TESTED

PASSED



Cannabinoid

Total THC

17.608%



Total CBD

Total CBD/Container: 0.000 mg

Reviewed On: 09/12/24 11:45:54 Batch Date: 09/11/24 09:14:57



Total Cannabinoids 20.193%

Total Cannabinoids/Container: 201.930

									mg		
		-									
		-									
		_									
		-									
		_									
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	1.087	18.839	ND	< 0.010	0.012	0.054	0.123	ND	ND	ND	0.078
mg/unit	10.87	188.39	ND	< 0.10	0.12	0.54	1.23	ND	ND	ND	0.78
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by:				Weight:		Extraction date:				Extracted by:	
3335, 1665, 585	5, 1440			0.201g		09/11/24 11:05:54				3335	

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA077921POT Instrument Used: DA-LC-002 (Flower) Analyzed Date: 09/11/24 11:06:29

Dilution : 400 **Reagent :** 090324.R05; 071624.04; 090324.R04 Consumables: 947.109; 021824CH01; CE0123; R1KB14270

Pipette: DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

710 Lemon Tart Pucker #1 710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1

Matrix: Flower

Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40910010-001 Harvest/Lot ID: 20240812-710LTP1-F8H14

Batch#:1000260174

Sampled: 09/10/24 Ordered: 09/10/24

Sample Size Received: 26 gram Total Amount: 500 units

Completed: 09/13/24 Expires: 09/13/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/uni	t %	Result (%)
TOTAL TERPENES	0.007	18.30	1.830		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.70	0.570		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.46	0.446		ALPHA-PINENE	0.007	ND	ND	
IMONENE	0.007	2.40	0.240		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.86	0.186		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.54	0.154		CIS-NEROLIDOL	0.003	ND	ND	
INALOOL	0.007	1.17	0.117		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	0.48	0.048		TRANS-NEROLIDOL	0.005	ND	ND	
ENCHYL ALCOHOL	0.007	0.44	0.044		Analyzed by:	Weight:	Extra	ction date:	Extracted by:
BETA-PINENE	0.007	0.25	0.025	The state of the s	4451, 3605, 1665, 1440	1.05g		1/24 11:00:16	
3-CARENE	0.007	ND	ND		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061	A.FL			
ORNEOL	0.013	ND	ND		Analytical Batch : DA077917TER Instrument Used : DA-GCMS-009				/12/24 11:28:59 1/24 08:49:28
AMPHENE	0.007	ND	ND		Analyzed Date : 09/11/24 11:00:44		Bato	th Date : 09/1	1/24 08:49:28
AMPHOR	0.007	ND	ND		Dilution: 10				
ARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent: 022224.07				
EDROL	0.007	ND	ND		Consumables: 947.109; 240321-634-A; 280670723	3; CE0123			
UCALYPTOL	0.007	ND	ND		Pipette : DA-065				
ARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograp	ohy Mass Spectro	metry. For al	I Flower sample	s, the Total Terpenes % is dry-weight corrected.
ENCHONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
CIMENE	0.007	ND	ND						
ULEGONE	0.007	ND	ND						
ABINENE	0.007	ND	ND						
ABINENE HYDRATE	0.007	ND	ND						
ALENCENE	0.007	ND	ND						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Lemon Tart Pucker #1 710 LABS HAND-ROLL 1G

710 Lemon Tart Pucker #1 Matrix : Flower

Type: Preroll



Certificate of Analysis

LOD Unite

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample : DA40910010-001 Harvest/Lot ID: 20240812-710LTP1-F8H14

Batch#: 1000260174

Pacc/Eail Pocult

Sampled: 09/10/24 Ordered: 09/10/24 Sample Size Received : 26 gram
Total Amount : 500 units
Completed : 09/13/24 Expires: 09/13/25
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	5	PASS	ND		0.010		Level	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	OXAMYL	0.010		0.5		ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL	0.010		0.1	PASS	ND
TOTAL PERMETHRINS	0.010		0.5	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEOUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND				0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010				
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE	0.010		0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEOUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND			PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *		PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *					
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight:		traction date		Extracte	d by:
ETHOPROPHOS	0.010		0.1	PASS	ND	585, 3379, 1665, 1440 0.9326g		0/11/24 13:44:		3379	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gainesville), SC SOP.T.40.102.FL (Davie)	JP.1.30.10	2.FL (Davie), S	OP.1.40.101.	·L (Gainesville),	<i>t</i>
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA077936PES		Reviewed Or	• 09/13/24 1:	8-16-29	
FENHEXAMID											
		mag	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date:	09/11/24 10:0	19:03	
FENOXYCARB		ppm		PASS PASS		Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 09/12/24 12:09:31		Batch Date :	09/11/24 10:0	19:03	
FENOXYCARB FENDYROXIMATE	0.010	ppm	0.1		ND ND ND	Analyzed Date : 09/12/24 12:09:31 Dilution : 250					
FENPYROXIMATE	0.010 0.010	ppm ppm		PASS	ND	Analyzed Date : 09/12/24 12:09:31 Dilution : 250 Reagent : 090924.R02; 090624.R04; 090924.R01; 0	090924.R0				
FENPYROXIMATE FIPRONIL	0.010 0.010 0.010	ppm ppm ppm	0.1 0.1	PASS PASS	ND ND	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; (Consumables: 3262501W	090924.R0				
FENPYROXIMATE FIPRONIL FLONICAMID	0.010 0.010	ppm ppm ppm ppm	0.1 0.1 0.1	PASS PASS PASS	ND ND ND	Analyzed Date : 09/12/24 12:09:31 Dilution : 250 Reagent : 090924.R02; 090624.R04; 090924.R01; 0 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219		3; 082724.R15	5; 090424.R25	5; 081023.01	otry in
FENPYROXIMATE FIPRONIL	0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1	PASS PASS PASS PASS	ND ND ND ND	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; 0 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li		3; 082724.R15	5; 090424.R25	5; 081023.01	etry in
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL	0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1	PASS PASS PASS PASS	ND ND ND ND ND	Analyzed Date : 09/12/24 12:09:31 Dilution : 250 Reagent : 090924.R02; 090624.R04; 090924.R01; 0 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219	quid Chron	3; 082724.R15	5; 090424.R25	5; 081023.01	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX	0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND ND	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; 0 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39.	quid Chrom	3; 082724.R15	5; 090424.R25 ole-Quadrupole	5; 081023.01 • Mass Spectrom	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; (Consumables: 326250lW Pipette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39. Analyzed by: Weight:	quid Chrom Ext 09/	3; 082724.R15 natography Trip traction date: 11/24 13:44:3	5; 090424.R25 ble-Quadrupole	e Mass Spectrom Extracte 3379	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEYYTHIAZOX IMAZALIL IMIDACLOPRID	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; (Consumables: 326250lW Pipette: 104-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 585, 450, 1665, 1440 Analysis Method: SOP.T.30.151.FL (Gainesville), SC Analytical Batch: DA077938VOL	quid Chrom Ext 09/ DP.T.30.15	3; 082724.R15 natography Trip traction date: 11/24 13:44:3 1A.FL (Davie), eviewed On : 0	6 SOP.T.40.151	Extracter 3379 FL 5:14	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; (Consumables: 326250IW Plpette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 0.93269 Analysis Method: SOP.T.30.151.FL (Gainesville), SC Analytical Batch: DA077938VOL Instrument Used: DA-6CMS-001	quid Chrom Ext 09/ DP.T.30.15	3; 082724.R15 natography Trip traction date: 11/24 13:44:3 1A.FL (Davie),	6 SOP.T.40.151	Extracter 3379 FL 5:14	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analyzed Date : 09/12/24 12:09:31 Dilution : 250 Reagent : 090924.R02; 090624.R04; 090924.R01; (Consumables : 326250lW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39. Analyzed by: S85, 450, 1665, 1440 Analysis Method : 50P.T.30.151.FL (Gainesville), S0Analytical Batch : DA077938VOL Instrument Used : DA-CCMS-001 Analyzis Quantification of the consumer of the co	quid Chrom Ext 09/ DP.T.30.15	3; 082724.R15 natography Trip traction date: 11/24 13:44:3 1A.FL (Davie), eviewed On : 0	6 SOP.T.40.151	Extracter 3379 FL 5:14	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEYYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.1 0.2 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; (Consumables: 326250IW Pipette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39. Analyzed Date: 09.4264. Analyzed Batch: 15A077938VOL Instrument Used: 10A-6CMS-001 Analyzed Date: 09/12/24 12:09:12 Dilution: 250	quid Chrom Ext 09/ DP.T.30.15 Re Ba	3; 082724.R15 natography Trip traction date: 11/24 13:44:3 1A.FL (Davie), eviewed On : 0	6 SOP.T.40.151	Extracter 3379 FL 5:14	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEYYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.1 0.2 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analyzed Date : 09/12/24 12:09:31 Dilution : 250 Reagent : 090924.R02; 090624.R04; 090924.R01; (Consumables : 326250lW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39. Analyzed by: S85, 450, 1665, 1440 Analysis Method : 50P.T.30.151.FL (Gainesville), S0Analytical Batch : DA077938VOL Instrument Used : DA-CCMS-001 Analyzis Quantification of the consumer of the co	quid Chrom Ext 09/ DP.T.30.15 Re Ba	3; 082724.R15 natography Trip traction date: 11/24 13:44:3 1A.FL (Davie), eviewed On : 0	6 SOP.T.40.151	Extracter 3379 FL 5:14	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.1 0.2 0.1 0.2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; (Consumables: 326250IW Plpette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39. Analyzed by: Weight: 0,93269 Analysis Method: SOP.T.30.151.FL (Gainesville), SC Analytical Batch: DA0777938VOL Instrument Used: DA-6CMS-001 Analyzed Date: 09/12/24 12:09:12 Dilution: 250 Reagent: 090924.R01; 081023.01; 090324.R07; 050	quid Chrom Ext 09/ DP.T.30.15 Re Ba	3; 082724.R15 natography Trip traction date: 11/24 13:44:3 1A.FL (Davie), eviewed On : 0	6 SOP.T.40.151	Extracter 3379 FL 5:14	
FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEYYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL MEVINPHOS	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.1 0.2 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Analyzed Date: 09/12/24 12:09:31 Dilution: 250 Reagent: 090924.R02; 090624.R04; 090924.R01; (Consumables: 326250lW Pipette: 104-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Li accordance with F.S. Rule 64ER20-39. Analyzed by: 885, 450, 1665, 1440 Analysis Method: SOP.T.30.151.FL (Gainesville), 50 Analytical Batch: DA-GCMS-001 Analytical Batch: DA-GCMS-001 Analyzed Date: 09/12/24 12:09:12 Dilution: 250 Reagent: 090924.R01; 081023.01; 090324.R07; 08 Consumables: 326250lW; 14725401	quid Chrom Ext 09/ DP.T.30.15 Re Ba	3; 082724.R15 natography Trip rraction date: 11/24 13:44:3 1A.FL (Davie), eviewed On: 0 thch Date: 09/	6 SOP.T.40.151 19/13/24 10:10:	Extracter 3379FL5:14	d by:

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

710 Lemon Tart Pucker #1 710 LABS HAND-ROLL 1G

710 Lemon Tart Pucker #1 Matrix: Flower

Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40910010-001 Harvest/Lot ID: 20240812-710LTP1-F8H14

Batch#: 1000260174

Sampled: 09/10/24 Ordered: 09/10/24

Sample Size Received: 26 gram Total Amount: 500 units Completed: 09/13/24 Expires: 09/13/25 Sample Method: SOP.T.20.010

Page 4 of 5

Reviewed On: 09/13/24 11:41:29



Microbial



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	P
ASPERGILLUS TERREUS			Not Present	PASS		F
ASPERGILLUS NIGER			Not Present	PASS		A
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		F
SALMONELLA SPECIFIC GENE			Not Present	PASS		F
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10.00	CFU/g	900	PASS	100000	5
Analyzed by:	Weight:		tion date:	Extracted by:		Α
3390, 4612, 4520, 1665, 1440	1.071a	09/11/	24 10:50:09	4612		S

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA077907MIC

Reviewed On: 09/12/24

Batch Date: 09/11/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55*C) 08:21:34 DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021,Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C)

Analyzed Date: 09/11/24 11:22:37

Dilution: 10

Reagent: 082224.19; 082224.26; 082224.29; 082724.R24; 042924.38

Consumables: 7576001042

Pipette: N/A

Analyzed by: 4612, 3390, 1665, 1440	Weight: 1.071g	Extraction date: 09/11/24 10:50:09	Extracted by: 4612
Analysis Method: SOP.T.40.20 Analytical Batch: DA077909T Instrument Used: Incubator (2 DA-382] Analyzed Date: 09/11/24 12:2	YM 25*C) DA- 328	Reviewe	d On: 09/13/24 17:25:59 ate: 09/11/24 08:22:36
Dilution: 10 Reagent: 082224.19; 082224 Consumables: N/A Pipette: N/A	.26; 082224.29); 082024.R18	
Total yeast and mold testing is pe	rformed utilizing	MPN and traditional culture b	ased technique

2	Mycocoxiiis	JAIII5 F					
nalyte		LOD	Units	Result	Pass / Fail	Action Level	
FLATOXIN B2	2	0.00	ppm	ND	PASS	0.02	
FLATOXIN B1	L	0.00	ppm	ND	PASS	0.02	
CHRATOXIN	Λ	0.00	nnm	ND	PASS	0.02	

Analyzed by: 585, 3379, 1665, 1440	Weight: 0.9326a	Extraction date: 09/11/24 13:44:36		ND	Extracto 3379	
AFLATOXIN G1 AFLATOXIN G2		0.00	ppm ppm	ND ND	PASS PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
					Fail	Level

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA077937MYC

Instrument Used : N/A Batch Date: 09/11/24 10:10:33 **Analyzed Date:** 09/12/24 12:09:13

Dilution: 250
Reagent: 090924.R02; 090624.R04; 090924.R01; 090924.R03; 082724.R15; 090424.R25; 081023.01

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT L	OAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by:	Weight:			Extracted	d by:	
1022, 1665, 1440	0.2847g	09/11/24 09:	16:20		4056	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Instrument Used : DA-ICPMS-004 Analyzed Date: 09/12/24 10:32:49

Reviewed On: 09/12/24 10:45:32 Analytical Batch: DA077904HEA Batch Date: 09/11/24 08:00:43

Dilution: 50

Reagent: 082824.R05; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21

Consumables: 179436; 021824CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Lemon Tart Pucker #1 710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1

Matrix: Flower

Type: Preroll



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA40910010-001 Harvest/Lot ID: 20240812-710LTP1-F8H14

Batch#: 1000260174

Sampled: 09/10/24 Ordered: 09/10/24

Sample Size Received: 26 gram Total Amount: 500 units Completed: 09/13/24 Expires: 09/13/25 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

Weight:

PASSED



Moisture

PASSED

Analyte Filth and Foreign Material

LOD Units 0.100 %

Result P/F ND PASS Action Level Analyte 1

Extracted by:

1879

Moisture Content

LOD Units 1.00 %

0.503g

14.71 PASS Extraction date

P/F

09:48:33

Result

09/11/24 13:33:51

15 Extracted by: 4512

Reviewed On: 09/12/24

Batch Date: 09/11/24

Action Level

Analyzed by: 1879, 1665, 1440 Analysis Method: SOP.T.40.090

1g

Analytical Batch : DA077929FIL
Instrument Used : Filth/Foreign Material Microscope **Analyzed Date:** 09/13/24 13:42:41

Reviewed On: 09/11/24 21:16:10

09/11/24 20:41:56

Extraction date

Batch Date: 09/11/24 10:03:03

Reviewed On: 09/12/24 11:34:59

Batch Date: 09/11/24 10:04:11

Dilution: N/AReagent: N/A Consumables : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

Water Activity

Analyzed by: 1879, 4512, 1665, 1440

Analysis Method: SOP.T.40.021 Analytical Batch: DA077927MOI Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture

Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer **Analyzed Date:** 09/11/24 13:34:15

Dilution: N/A Reagent: 092520.50; 020124.02

Consumables : N/A Pipette: DA-066

sture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.528 0.65 Extracted by: 4512 Extraction date: 09/11/24 13:52:58 Analyzed by: 4512, 1665, 1440

Analysis Method: SOP.T.40.019 Analytical Batch: DA077930WAT

Instrument Used : DA257 Rotronic HygroPalm Analyzed Date: 09/11/24 13:54:07

Dilution: N/A Reagent: 080624.18 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164