



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA40910010-011



Production Method: Cured
Harvest/Lot ID: 20240812-710CC27-F8H14
Batch#: 1000260170
Cultivation Facility: Homestead
Processing Facility: Homestead
Source Facility: Homestead
Seed to Sale#: LFG-00005021
Harvest Date: 09/10/24
Sample Size Received: 31.5 gram
Total Amount: 267 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Ordered: 09/10/24
Sampled: 09/10/24
Completed: 09/13/24
Sampling Method: SOP.T.20.010

Sep 13, 2024 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED


Heavy Metals
PASSED


Microbials
PASSED


Mycotoxins
PASSED


Residuals
Solvents
NOT TESTED


Filtration
PASSED



Water Activity
PASSED


Moisture
PASSED


MISC.

Terpenes
TESTED

 **Cannabinoid** **PASSED**

 **Total THC**
16.858%
Total THC/Container : 590.030 mg

 **Total CBD**
ND
Total CBD/Container : 0.000 mg

 **Total Cannabinoids**
19.728%
Total Cannabinoids/Container : 690.480 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.408	18.758	ND	<0.010	0.011	0.070	0.373	ND	ND	ND	0.108
mg/unit	4.08	187.58	ND	<0.10	0.11	0.70	3.73	ND	ND	ND	1.08
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
0.2065g

Extraction date:
09/11/24 11:04:44

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA077922POT
Instrument Used : DA-LC-002
Analized Date : 09/11/24 11:07:15

Reviewed On : 09/12/24 11:46:18
Batch Date : 09/11/24 09:15:57

Dilution : 400
Reagent : 090324.R05; 071624.04; 090324.R04
Consumables : 947.109; 021824CH01; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164


Signature
09/13/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40910010-011

Harvest/Lot ID: 20240812-710CC27-F8H14

Batch# : 1000260170

Sampled : 09/10/24

Ordered : 09/10/24

Sample Size Received : 31.5 gram

Total Amount : 267 units

Completed : 09/13/24 Expires: 09/13/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	20.08 2.008		VALENCENE	0.007	ND ND	
LIMONENE	0.007	5.74 0.574		ALPHA-CEDRENE	0.005	ND ND	
BETA-MYRCENE	0.007	3.93 0.393		ALPHA-PHELLANDRENE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	3.06 0.306		ALPHA-TERPINENE	0.007	ND ND	
LINALOOL	0.007	2.20 0.220		ALPHA-TERPINOLENE	0.007	ND ND	
OCIMENE	0.007	1.05 0.105		CIS-NEROLIDOL	0.003	ND ND	
ALPHA-HUMULENE	0.007	0.98 0.098		GAMMA-TERPINENE	0.007	ND ND	
BETA-PINENE	0.007	0.94 0.094		TRANS-NEROLIDOL	0.005	ND ND	
ALPHA-TERPINEOL	0.007	0.65 0.065					
FENCHYL ALCOHOL	0.007	0.57 0.057		Analyzed by: 4451, 3605, 1665, 1440	Weight: 1.056g	Extraction date: 09/11/24 11:00:17	Extracted by: 4451
ALPHA-PINENE	0.007	0.57 0.057		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
ALPHA-BISABOLOL	0.007	0.39 0.039		Analytical Batch : DA077917TER		Reviewed On : 09/12/24 11:29:42	Batch Date : 09/11/24 08:49:28
3-CARENE	0.007	ND ND		Instrument Used : DA-GCMS-009			
BORNEOL	0.013	ND ND		Analyzed Date : 09/11/24 11:00:44			
CAMPHENE	0.007	ND ND		Dilution : 10			
CAMPHOR	0.007	ND ND		Reagent : 022224.07			
CARYOPHYLLENE OXIDE	0.007	ND ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123			
CEDROL	0.007	ND ND		Pipette : DA-065			
EUCALYPTOL	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FARNESENE	0.007	ND ND					
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
Total (%)		2.008					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/13/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40910010-011

Harvest/Lot ID: 20240812-710CC27-F8H14

Batch# : 1000260170

Sampled : 09/10/24

Ordered : 09/10/24

Sample Size Received : 31.5 gram

Total Amount : 267 units

Completed : 09/13/24 Expires: 09/13/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1665, 1440	Weight: 0.9136g	Extraction date: 09/11/24 13:44:37	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077936PES			Reviewed On : 09/13/24 18:17:03		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 09/11/24 10:09:03		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/12/24 12:09:31					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 090924.R02; 090624.R04; 090924.R01; 090924.R03; 082724.R15; 090424.R25; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 585, 450, 1665, 1440	Weight: 0.9136g	Extraction date: 09/11/24 13:44:37	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA077938VOL			Reviewed On : 09/13/24 18:15:19		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 09/11/24 10:10:35		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 09/12/24 12:09:12					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 090924.R01; 081023.01; 090324.R07; 090324.R08					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/13/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.com

Sample : DA40910010-011

Harvest/Lot ID: 20240812-710CC27-F8H14

Batch# : 1000260170

Sampled : 09/10/24

Ordered : 09/10/24

Sample Size Received : 31.5 gram

Total Amount : 267 units

Completed : 09/13/24 Expires: 09/13/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 3390, 4612, 4520, 1665, 1440 Weight: 0.946g Extraction date: 09/11/24 10:50:10 Extracted by: 4612 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA077907MIC Reviewed On : 09/12/24 11:31:50 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 08:21:34 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 09/11/24 11:22:37 Dilution : 10 Reagent : 082224.19; 082224.26; 082224.29; 082724.R24; 042924.38 Consumables : 7576001042 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1665, 1440 Weight: 0.9136g Extraction date: 09/11/24 13:44:37 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA077937MYC Reviewed On : 09/13/24 11:41:34 Instrument Used : N/A Batch Date : 09/11/24 10:10:33 Analyzed Date : 09/12/24 12:09:13 Dilution : 250 Reagent : 090924.R02; 090624.R04; 090924.R01; 090924.R03; 082724.R15; 090424.R25; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 1665, 1440 Weight: 0.2314g Extraction date: 09/11/24 09:15:51 Extracted by: 4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA077904HEA Reviewed On : 09/12/24 10:45:38 Instrument Used : DA-ICPMS-004 Batch Date : 09/11/24 08:00:43 Analyzed Date : 09/12/24 10:32:49 Dilution : 50 Reagent : 082824.R05; 090924.R06; 091024.R07; 090924.R04; 090924.R05; 061724.01; 090624.R21 Consumables : 179436; 021824CH01; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
09/13/24



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA40910010-011
Harvest/Lot ID: 20240812-710CC27-F8H14
Batch# : 1000260170
Sample Size Received : 31.5 gram
Sampled : 09/10/24
Ordered : 09/10/24
Total Amount : 267 units
Completed : 09/13/24 Expires: 09/13/25
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 1665, 1440	Weight: 1g	Extraction date: 09/11/24 20:41:57	Extracted by: 1879		
Analysis Method : SOP.T.40.090		Instrument Used : Filth/Foreign Material Microscope		Reviewed On : 09/11/24 21:16:04	
Analytical Batch : DA077929FIL		Analyzed Date : 09/13/24 13:42:41		Batch Date : 09/11/24 10:03:03	
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.57	PASS	15
Analyzed by: 1879, 4512, 1665, 1440	Weight: 0.509g	Extraction date: 09/11/24 13:33:52	Extracted by: 4512		
Analysis Method : SOP.T.40.021		Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyser, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer		Reviewed On : 09/12/24 08:50:59	
Analytical Batch : DA077927MOI		Analyzed Date : 09/11/24 13:34:15		Batch Date : 09/11/24 09:48:33	
Dilution : N/A					
Reagent : 092520.50; 020124.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.563	PASS	0.65
Analyzed by: 4512, 1665, 1440	Weight: 0.741g	Extraction date: 09/11/24 13:52:59	Extracted by: 4512		
Analysis Method : SOP.T.40.019		Instrument Used : DA257 Rotronic HygroPalm		Reviewed On : 09/12/24 11:35:06	
Analytical Batch : DA077930WAT		Analyzed Date : 09/11/24 13:54:07		Batch Date : 09/11/24 10:04:11	
Dilution : N/A					
Reagent : 080624.18					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

