



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41028001-001



Production Method: CO2
Harvest/Lot ID: 20241010-710X234-H
Batch#: 1000001000277603
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: LFG-00005333
Harvest Date: 10/25/24
Sample Size Received: 16 gram
Total Amount: 425 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 10/28/24
Sampled: 10/28/24
Completed: 10/31/24
Sampling Method: SOP.T.20.010

Oct 31, 2024 | The Flowery

Samples From:
 Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS

 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED
---	---	---	---	---	--	---	---	---

 **Cannabinoid** **PASSED**

 Total THC 77.008% Total THC/Container : 770.080 mg	 Total CBD 0.142% Total CBD/Container : 1.420 mg	 Total Cannabinoids 89.865% Total Cannabinoids/Container : 898.650 mg
---	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.855	86.834	ND	0.163	0.035	0.191	1.695	ND	ND	ND	0.092
mg/unit	8.55	868.34	ND	1.63	0.35	1.91	16.95	ND	ND	ND	0.92
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analized by: 4351, 1665, 585, 1440 Weight: 0.1048g Extraction date: 10/29/24 14:03:37 Extracted by: 4351

Analysis Method : SOP.T.40.031, SOP.T.30.031 Batch Date : 10/29/24 10:42:00
 Analytical Batch : DA079525POT
 Instrument Used : DA-LC-003
 Analyzed Date : 10/30/24 08:17:43

Dilution : 400
 Reagent : 102324.R04; 071624.04; 101724.R03
 Consumables : 947.109; 04311046; 20240202; R1KB14270
 Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 10/31/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

710 Labs Live Rosin Badder 1g - Z + Lemon Heads #4
 Z + Lemon Heads #4
 Matrix : Derivative
 Type: Live Rosin



Certificate of Analysis

PASSED

The Flowery

Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA41028001-001
 Harvest/Lot ID: 20241010-710X234-H

Batch# : 1000001000277603 Sample Size Received : 16 gram
 Sampled : 10/28/24 Total Amount : 425 units
 Ordered : 10/28/24 Completed : 10/31/24 Expires: 10/31/25
 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	83.97	8.397	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	32.80	3.280	VALENCENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	14.38	1.438	ALPHA-CEDRENE	0.005	ND	ND
LIMONENE	0.007	10.33	1.033	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	9.49	0.949	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	4.24	0.424	ALPHA-TERPINOLENE	0.007	ND	ND
TRANS-NEROLIDOL	0.005	2.35	0.235	CIS-NEROLIDOL	0.003	ND	ND
BETA-MYRCENE	0.007	2.22	0.222	GAMMA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	2.06	0.206				
FENCHYL ALCOHOL	0.007	1.49	0.149	Analyzed by:	Weight:	Extraction date:	Extracted by:
ALPHA-TERPINEOL	0.007	1.43	0.143	4451, 3605, 585, 1440	0.2357g	10/29/24 12:32:51	4451
ALPHA-PINENE	0.007	1.12	0.112				
GERANIOL	0.007	0.73	0.073	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BORNEOL	0.013	0.56	0.056	Analytical Batch : DA079536TER			Batch Date : 10/29/24 11:24:33
CARYOPHYLLENE OXIDE	0.007	0.42	0.042	Instrument Used : DA-GCMS-008			
CAMPHENE	0.007	0.35	0.035	Analyzed Date : 10/30/24 08:26:01			
3-CARENE	0.007	ND	ND	Dilution : 10			
CAMPHOR	0.007	ND	ND	Reagent : 022224.13			
CEDROL	0.007	ND	ND	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
EUCALYPTOL	0.007	ND	ND	Pipette : DA-065			
FARNESENE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHONE	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
Total (%)			8.397				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164

Signature
 10/31/24



Certificate of Analysis

PASSED

The Flowery


Sample : DA41028001-001

Harvest/Lot ID: 20241010-710X234-H

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Batch# : 1000001000277603 Sample Size Received : 16 gram
Sampled : 10/28/24 Total Amount : 425 units
Ordered : 10/28/24 Completed : 10/31/24 Expires: 10/31/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.2803g Extraction date: 10/29/24 14:36:49 Extracted by: 3621 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA079509PES Instrument Used : DA-LCMS-004 (PES) Batch Date : 10/29/24 09:24:36 Analyzed Date : 10/30/24 10:22:38 Dilution : 250 Reagent : 102424.R01; 102224.R03; 102624.R05; 102824.R01; 102124.R08; 102224.R01; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2803g Extraction date: 10/29/24 14:36:49 Extracted by: 3621 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA079511VOL Instrument Used : DA-GCMS-010 Batch Date : 10/29/24 09:27:46 Analyzed Date : 10/30/24 09:36:34 Dilution : 250 Reagent : 102624.R05; 081023.01; 102824.R16; 102824.R17 Consumables : 326250IW; 240321-634-A; 20240202; 14725401 Pipette : DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/31/24




Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA41028001-001
Harvest/Lot ID : 20241010-710X234-H
Batch# : 1000001000277603
Sampled : 10/28/24
Ordered : 10/28/24
Sample Size Received : 16 gram
Total Amount : 425 units
Completed : 10/31/24 Expires: 10/31/25
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	<125.000
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0225g	Extraction date: 10/30/24 12:48:50	Extracted by: 850
---------------------------------------	---------------------------	--	-----------------------------

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA079541SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 10/30/24 13:24:03

Batch Date : 10/29/24 15:17:19

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA41028001-001
Harvest/Lot ID: 20241010-710X234-H
Batch# : 1000001000277603 Sample Size Received : 16 gram
Sampled : 10/28/24 Total Amount : 425 units
Ordered : 10/28/24 Completed : 10/31/24 Expires: 10/31/25
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000

Analyzed by: 4520, 585, 1440 **Weight:** 1.007g **Extraction date:** 10/29/24 10:22:41 **Extracted by:** 4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA079506MIC
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021
Analyzed Date : 10/30/24 11:03:13
Dilution : 10
Reagent : 092424.38; 092524.11; 100824.R30; 051624.05
Consumables : 7575003001
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440 **Weight:** 0.2803g **Extraction date:** 10/29/24 14:36:49 **Extracted by:** 3621
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA079510MYC
Instrument Used : N/A **Batch Date :** 10/29/24 09:27:45
Analyzed Date : 10/30/24 10:23:33
Dilution : 250
Reagent : 102424.R01; 102224.R03; 102624.R05; 102824.R01; 102124.R08; 102224.R01; 081023.01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 1.007g **Extraction date:** 10/29/24 10:22:41 **Extracted by:** 4520
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA079507TYM
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] **Batch Date :** 10/29/24 08:47:27
Analyzed Date : 10/31/24 16:32:06
Dilution : 10
Reagent : 092424.38; 092524.11; 082024.R18
Consumables : N/A
Pipette : N/A
 Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2718g **Extraction date:** 10/29/24 11:26:46 **Extracted by:** 1022,4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA079513HEA
Instrument Used : DA-ICPMS-004 **Batch Date :** 10/29/24 09:45:54
Analyzed Date : 10/30/24 10:08:14
Dilution : 50
Reagent : 101424.R01; 102824.R20; 102524.R03; 102824.R18; 102824.R19; 061724.01; 102324.R15
Consumables : 179436; 20240202; 210508058
Pipette : DA-061; DA-191; DA-216
 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
10/31/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

710 Labs Live Rosin Badder 1g - Z + Lemon Heads #4
 Z + Lemon Heads #4
 Matrix : Derivative
 Type: Live Rosin



Certificate of Analysis

PASSED

Page 6 of 6

The Flowery

Samples From:
 Homestead, FL, 33090, US
 Telephone: (321) 266-2467
 Email: brian@theflowery.co

Sample : DA41028001-001
 Harvest/Lot ID: 20241010-710X234-H
 Batch# : 1000001000277603 Sample Size Received : 16 gram
 Sampled : 10/28/24 Total Amount : 425 units
 Ordered : 10/28/24 Completed : 10/31/24 Expires: 10/31/25
 Sample Method : SOP.T.20.010

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA079562FIL
 Instrument Used : Filth/Foreign Material Microscope Batch Date : 10/30/24 09:36:54
 Analyzed Date : 10/30/24 14:20:42

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.506	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.632g	Extraction date: 10/29/24 14:33:36	Extracted by: 4571
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
 Analytical Batch : DA079540WAT
 Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 10/29/24 11:44:41
 Analyzed Date : 10/30/24 08:20:38

Dilution : N/A
 Reagent : 051624.02
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 10/31/24