

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

THE FLOWERY

DA41126004-009

NATION CONTRACTOR

IOLAS TIOLAS HOLAS

Nov 29, 2024 | The Flowery

Samples From:

Homestead, FL, 33090, US

Laboratory Sample ID: DA41126004-009

Certificate of Analysis


Kaycha Labs

710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1 710 LEMON TART PUCKER #1 Matrix: Flower Classification: High THC



10 LEMON TART PUCKER #1 Matrix: Flower Classification: High THC Type: Flower-Cured Production Method: Other - Not Listed Harvest/Lot ID: 3500382469247427

Batch#: 20241014-710LTP1-F8H15 **Cultivation Facility: Homestead Processing Facility : Homestead** Source Facility: Homestead Seed to Sale#: 3500382469247427 Harvest Date: 11/25/24 Sample Size Received: 26 units Total Amount: 532 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 11/25/24 Sampled: 11/26/24 Completed: 11/29/24 Sampling Method: SOP.T.20.010 PASSED Pages 1 of 5



FLOWERY

Analysis Method : 507:140:031, 507:130:031 Analytical Batch : DA080523POT Instrument Used : DA-LC-002 Analyzed Date : 11/27/24 14:49:27 Dilution : 400 Reagent : 111824.R21; 092724.11; 111824.R22

Consumables : 947.109; 20240202; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Batch Date : 11/26/24 11:11:44

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/29/24



710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1 710 LEMON TART PUCKER #1 Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

Sample : DA41126004-009 Harvest/Lot ID: 3500382469247427 Batch#: 20241014-710LTP1- Sample Size Received: 26 units F8H15

Sampled : 11/26/24 Ordered : 11/26/24

Total Amount : 532 units Completed : 11/29/24 Expires: 11/29/25 Sample Method : SOP.T.20.010

Page 2 of 5

Townson	
Terpenes	5

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.27	0.827		ALPHA-CEDRENE	0.005	ND	ND	
ETA-CARYOPHYLLENE	0.007	2.66	0.266		ALPHA-PHELLANDRENE	0.007	ND	ND	
ETA-MYRCENE	0.007	1.74	0.174		ALPHA-PINENE	0.007	ND	ND	
IMONENE	0.007	0.86	0.086		ALPHA-TERPINENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	0.85	0.085		ALPHA-TERPINOLENE	0.007	ND	ND	
LPHA-BISABOLOL	0.007	0.81	0.081		BETA-PINENE	0.007	ND	ND	
NALOOL	0.007	0.59	0.059		CIS-NEROLIDOL	0.003	ND	ND	
PHA-TERPINEOL	0.007	0.27	0.027		GAMMA-TERPINENE	0.007	ND	ND	
RANS-NEROLIDOL	0.005	0.25	0.025		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
ENCHYL ALCOHOL	0.007	0.24	0.024		4451, 3605, 585, 1440	1.0178g		24 13:02:33	4451
CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.	40.061A.FL			
DRNEOL	0.013	ND	ND		Analytical Batch : DA080522TER Instrument Used : DA-GCMS-004				e:11/26/24 11:05:26
AMPHENE	0.007	ND	ND		Analyzed Date : 11/27/24 16:12:04			Batch Dat	e:11/20/24 11:05:20
AMPHOR	0.007	ND	ND		Dilution : 10				
ARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 081924.04				
DROL	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280	0670723; CE0123			
JCALYPTOL	0.007	ND	ND		Pipette : DA-065				
RNESENE	0.001	ND	ND		Terpenoid testing is performed utilizing Gas Chron	matography Mass Spectro	ometry. For all I	Hower sample	s, the Total Terpenes % is dry-weight corrected.
NCHONE	0.007	ND	ND						
RANIOL	0.007	ND	ND						
RANYL ACETATE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
	0.007	ND	ND						
	0.007	ND	ND						
OPULEGOL	0.007	ND ND	ND ND						
OPULEGOL									
OPULEGOL EROL CIMENE	0.007	ND	ND						
SOPULEGOL EROL CIMENE ULEGONE	0.007	ND ND	ND ND						
SOBORNEOL SOPULEGOL EROL CIMENE ULEGONE ABINENE HYDRATE	0.007 0.007 0.007	ND ND ND	ND ND ND						
OPULEGOL EROL CIMENE ULEGONE ABINENE	0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/29/24



710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1 710 LEMON TART PUCKER #1 Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

Sample : DA41126004-009 Harvest/Lot ID: 3500382469247427

F8H15 Sampled : 11/26/24 Ordered : 11/26/24

Batch#: 20241014-710LTP1- Sample Size Received: 26 units Total Amount : 532 units Completed : 11/29/24 Expires: 11/29/25 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
DTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
DTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND			P.P.	0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010				
ETAMIPRID	0.010		0.1	PASS	ND ND	SPIROMESIFEN	0.010		0.1	PASS	ND
DICARB	0.010		=	PASS		SPIROTETRAMAT	0.010		0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1		ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1 0.1	PASS	ND ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
ARBARYL	0.010 0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
			1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
ILORMEQUAT CHLORIDE	0.010 0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
ILORPYRIFOS OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
DUMAPHOS	0.010		0.2	PASS	ND				0.1	PASS	
MINOZIDE	0.010	T. F.	0.1	PASS	ND	CHLORFENAPYR *	0.010				ND
AZINON	0.010	1.1.	0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
METHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight		raction date	-	Extracted	
HOPROPHOS	0.010		0.1	PASS	ND	3379, 3621, 585, 1440 0.9433g		26/24 15:00:		3379,362	
OFENPROX	0.010	1.1.	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	SOP.T.30.10	2.FL (Davie),	SOP.T.40.101	FL (Gainesville	e),
OXAZOLE	0.010	1.1.	0.1	PASS	ND	Analytical Batch : DA080525PES					
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)		Batch	Date : 11/26/	24 11:13:59	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 11/27/24 15:40:17					
NPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250					
PRONIL	0.010		0.1	PASS	ND	Reagent : 112524.R01; 081023.01					
ONICAMID	0.010		0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 32625 Pipette : N/A	UIW				
UDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	atography Tr	inlo Quadruno	lo Mass Sportror	motry in
EXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	Elquiu Chron	latography in	ipie-Quadrupo	ie Mass Spectru	neu y m
IAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted b	N:
IIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.9433g	11/26/24	15:00:16		3379,3621	,
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville),	SOP.T.30.15	1A.FL (Davie)	, SOP.T.40.15	51.FL	
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA080527VOL					
TALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date	:11/26/24 11	:16:24	
ETHIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 11/27/24 15:38:29					
ETHOMYL	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 112524.R01; 081023.01; 111824.R23;	111824 R24				
		ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 32625					
EVINPHOS	0.010										
EVINPHOS YCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	, ==• .				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/29/24



710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1 710 LEMON TART PUCKER #1 Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA41126004-009 Harvest/Lot ID: 3500382469247427

F8H15 Sampled : 11/26/24 Ordered : 11/26/24

Batch# : 20241014-710LTP1- Sample Size Received : 26 units Total Amount : 532 units Completed : 11/29/24 Expires: 11/29/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ę	Micro	bial				PAS	SED	လို့	Му	cotoxi	ns			PAS	SED	
Analyte		L	.OD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS	S TERREIIS				Not Present		Level	AFLATOXIN I	32		0.00	ppm	ND	PASS	0.02	
ASPERGILLUS					Not Present			AFLATOXIN			0.00	ppm	ND	PASS	0.02	
	S FUMIGATUS				Not Present			OCHRATOXI			0.00	maa	ND	PASS	0.02	
ASPERGILLUS	S FLAVUS				Not Present	PASS		AFLATOXIN	51		0.00	ppm	ND	PASS	0.02	
SALMONELLA	A SPECIFIC GE	NE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02	
ECOLI SHIGE		1	0.00	CFU/g	Not Present 20	PASS PASS	100000	Analyzed by: 3379, 3621, 58	5, 1440	Weight: 0.9433g	Extraction 11/26/24			Extracted 3379,362		
Analyzed by: 3390, 4520, 58	5, 1440	Weight: 1.119g		Extraction da 11/26/24 13:		Extracted 4044,453				.30.101.FL (Gaine , SOP.T.40.102.Fl		40.101.Fl	. (Gainesv	ville),		
Analytical Batc	d:SOP.T.40.05 h:DA080530M ed:PathogenD>	IC				Batch Date :		Analytical Bate Instrument Use Analyzed Date	ed:N/A		В	atch Date	:11/26/2	4 11:15:5	9	
DA-020,Fisher Scientific Isoter Analyzed Date	ycler DA-013,Fi: Scientific Isoter mp Heat Block : 11/27/24 11:4	np Heat Blo (55*C) DA-0	ck (9			11:33:13		Dilution : 250 Reagent : 1125 Consumables : Pipette : N/A)81023.01 i34-A; 20240202;	326250IW					
Dilution : 10 Reagent : 1115 Consumables : Pipette : N/A	24.64; 111524 7577003002	.73; 102924	I.R28	; 051624.06				Mycotoxins test accordance with		J Liquid Chromatogi 54ER20-39.	aphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in	
Analyzed by: 4351, 585, 144				ction date: 5/24 13:32:0	4	Extracted b 4044,4531	y:	Hg	tals			PASSEI				
Analytical Batc	d:SOP.T.40.20 h:DA080531T	YM						Metal			LOD	Units	Result	Pass / Fail	Action Level	
Instrument Use DA-3821	ed : Incubator (2	25*C) DA- 32	28 [ca	alibrated wit	h Batch Da	ate: 11/26/2	24 11:34:04	TOTAL CONT		LOAD METALS	0.08	ppm	ND	PASS	1.1	
	: 11/29/24 15:1	.6:12						ARSENIC			0.02	ppm	ND	PASS	0.2	
Dilution : 10								CADMIUM			0.02	ppm	ND	PASS	0.2	
	524.64; 111524	.73; 110724	I.R13					MERCURY			0.02	ppm	ND	PASS	0.2	
Consumables :	N/A							LEAD			0.02	ppm	ND	PASS	0.5	
	mold testing is pe		ing M	PN and traditi	onal culture bas	ed techniques	s in	Analyzed by: 4056, 585, 144	0	Weight: 0.2308g	Extraction da 11/26/24 13:			Extracted 4056	by:	
accordance with	F.S. Rule 64ER20	-39.						Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA080 ed:DA-ICF	PMS-004		:h Date : 1	1/26/24 0	9:36:06		
								Dilution : 50	524 B05- 1	12524 B08- 112	224 BU1 · 1125	24 BUE: 1	12524 BO	7.06172	1.01.	

Reagent: 112524.R05: 112524.R08: 112224.R01: 112524.R06: 112524.R07: 061724.01: 112624.R33 **Consumables :** 179436; 153047; 20240202

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/29/24



710 LABS HAND-ROLL 1G 710 Lemon Tart Pucker #1 710 LEMON TART PUCKER #1 Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: brian@theflowerv.co

Sample : DA41126004-009 Harvest/Lot ID: 3500382469247427

F8H15 Sampled : 11/26/24 Ordered : 11/26/24

Batch# : 20241014-710LTP1- Sample Size Received : 26 units Total Amount : 532 units Completed : 11/29/24 Expires: 11/29/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





PASSED

Batch Date : 11/26/24

Action Level

PASSED

Page 5 of 5

Analyte Filth and Foreign Materia	LOE 0.10	Units	Result ND	P/F PASS	Action Level	Analyte Moisture Content	LO 1.0		Result 13.05	P/F PASS	Action Le				
		xtraction dat 1/28/24 11:0		Extr 187	acted by: 9	Analyzed by: W 4512, 585, 1440 0.	date: 15:58:40	Extracted by: 4512							
Analytical Batch : DA080633 Instrument Used : Filth/Forei	Analysis Method : SOP.T.40.090 Analytical Batch : DA080633FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/28/24 11:16:51 Batch Date : 11/28/24 11:10:20							Analysis Method : SOP.T.40.021 Analysical Batch : DA080521MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Batch Date : 11/26 Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 11:04:35 Moisture Analyzer							
Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspec	tion is performe	d by visual ins	pection utilizi	ng naked eve	and microscope	Analyzed Date : 11/27/24 09:3 Dilution : N/A Reagent : 092520.50; 020124 Consumables : N/A									
technologies in accordance with		0-39.			SSED	Pipette : DA-066 Moisture Content analysis utilizin	g loss-on-dry	ng technolog	y in accordance	with F.S. Rul	e 64ER20-39.				

Analyte Water Activity	LOD Units			esult 0.520	P/F PASS	Action Level 0.65			
Analyzed by: 4512, 585, 1440	Weight: 0.615g	Extraction dat 11/26/24 16:1			42		tracted by: 12		
Analysis Method : SOP.T.40.019 Analytical Batch : DA080533WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date : 11/26/24 11:36:47 Analyzed Date : 11/27/24 09:30:57									
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A									

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/29/24