

Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix: Derivative Classification: High THC Type: Bubble Hash



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41108009-001



Nov 12, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US **#FLOWERY**

Production Method: CO2

Harvest/Lot ID: 20240927-710GB9-FL3H8 Batch#: 0402860546791097

Cultivation Facility: Homestead Processing Facility: Homestead

Source Facility: Homestead Seed to Sale#: 5522079473382274

Harvest Date: 11/06/24

Sample Size Received: 16 units Total Amount: 249 units

> Retail Product Size: 1 gram Retail Serving Size: 1 gram

> > Servings: 1

Ordered: 11/07/24 Sampled: 11/08/24

Completed: 11/12/24 Sampling Method: SOP.T.20.010

PASSED

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



PASSED

Batch Date: 11/08/24 09:37:39



Water Activity **PASSED**



Pages 1 of 6

Moisture **NOT TESTED**



Terpenes TESTED

PASSED



Cannabinoid

Total THC

2.364% Total THC/Container: 723.640 mg



Total CBD 0.148%

Total CBD/Container: 1.480 mg



Total Cannabinoids 86.050%

Total Cannabinoids/Container: 860.500



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA079875POT Instrument Used: DA-LC-007 Analyzed Date: 11/12/24 09:10:13

Dilution: 400 Reagent: 110424.R07; 071624.04; 101724.R04 Consumables: 947.109; 20240202; CE0123; R1KB14270

Pipette: DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/12/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix: Derivative Type: Bubble Hash



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41108009-001

Harvest/Lot ID: 20240927-710GB9-FL3H8

Sampled: 11/08/24 Ordered: 11/08/24

Batch#: 0402860546791097 Sample Size Received: 16 units Total Amount : 249 units $\textbf{Completed:}\ 11/12/24\ \textbf{Expires:}\ 11/12/25$ Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	* %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	89.20	8.920		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	22.43	2.243		VALENCENE	0.007	ND	ND	
IMONENE	0.007	20.57	2.057		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	16.59	1.659		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	8.89	0.889		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	4.72	0.472		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	4.43	0.443		GAMMA-TERPINENE	0.007	ND	ND	
GUAIOL	0.007	2.51	0.251		TRANS-NEROLIDOL	0.005	ND	ND	
LPHA-BISABOLOL	0.007	2.32	0.232		Analyzed by:	Weight:	Extrac	ction date:	Extracted by:
INALOOL	0.007	2.00	0.200		4451, 3605, 585, 1440	0.2419g	11/08	/24 12:58:36	
ALPHA-TERPINEOL	0.007	1.28	0.128		Analysis Method : SOP.T.30.061A.FL, SOP.T	Γ.40.061A.FL			
CIMENE	0.007	1.13	0.113		Analytical Batch : DA079888TER Instrument Used : DA-GCMS-009			Patch D-	te: 11/08/24 10:13:13
ENCHYL ALCOHOL	0.007	1.03	0.103		Analyzed Date : 11/12/24 09:10:53			Daten Da	se . 11/00/24 10.13.13
ENCHONE	0.007	0.57	0.057		Dilution: 10				
AMPHENE	0.007	0.53	0.053		Reagent: 090924.01				
LPHA-TERPINOLENE	0.007	0.20	0.020		Consumables : 947.109; 240321-634-A; 28 Pipette : DA-065	0670723; CE0123			
-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chro		mate. Fee all	Clause assets	the Tetal Terrore 0/ is deconsists accorded
ORNEOL	0.013	ND	ND		respendid testing is performed utilizing das crite	omatography mass spectro	metry, ror an	riowei sampi	es, the Total Terpenes % is dry-weight corrected.
AMPHOR	0.007	ND	ND						
ARYOPHYLLENE OXIDE	0.007	ND	ND						
EDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
ARNESENE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
otal (%)			8.920						

Total (%)

8.920

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix: Derivative

Type: Bubble Hash



PASSED

Certificate of Analysis

Sample : DA41108009-001

LOD Units

Harvest/Lot ID: 20240927-710GB9-FL3H8

Pass/Fail Result

Batch#: 0402860546791097 Sample Size Received: 16 units Sampled: 11/08/24 Ordered: 11/08/24

Total Amount : 249 units Completed: 11/12/24 Expires: 11/12/25 Sample Method: SOP.T.20.010

Page 3 of 6



Samples From: Homestead, FL, 33090, US

Telephone: (321) 266-2467

Fmail: hrian@theflowerv.co

Pesticides

PASSED

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL	0.01	0 ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL		0 ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND				0.1		
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PHOSMET		0 ppm		PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0 ppm	3	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN	0.01	0 ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	0 ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR	0.01	0 ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN	0.01	mag 0	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	0 ppm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		0 ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND				0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND	SPIROXAMINE		0 ppm			
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE		0 ppm	0.1	PASS	ND
BOSCALID	0.010 ppm	0.1	PASS	ND	THIACLOPRID	0.01	0 ppm	0.1	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	0 ppm	0.5	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	0 ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	0 PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *	0.01	0 PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *	0.07	0 PPM	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *		0 PPM	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND			O PPM	0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *					
DIAZINON	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *		0 PPM	0.5	PASS	ND
	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	0 PPM	0.5	PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND	Analyzed by: Weight		ction date:		Extracted	d by:
DIMETHOATE ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	3621, 585, 1440 0.2354g		3/24 14:26:50		3621	
ETOFENPROX	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaines	sville), SOP.T.30.1	L02.FL (Davie)	, SOP.T.40.101	FL (Gainesville),
	0.010 ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA079892PES					
ETOXAZOLE FENHEXAMID	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Ratch	Date:11/08/	24.10-22-35	
	0.010 ppm	0.1	PASS	ND	Analyzed Date : 11/11/24 09:04:19		Date.		2 1 20:22:33	
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE FIPRONIL	0.010 ppm	0.1	PASS	ND	Reagent: 110624.R46; 110624.R17; 11063	24.R55; 110624.F	R47; 102124.R	08; 110624.R0	04; 081023.01	
	0.010 ppm	0.1	PASS	ND	Consumables: 326250IW					
FLONICAMID	0.010 ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	tilizing Liquid Chro	omatography T	riple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX IMAZALIL	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39. Analyzed by: Wei-		F.,		Francisco et a d I	
	0.010 ppm	0.4	PASS	ND	4640, 585, 1440 0.23		Extraction da N/A	te:	Extracted I 3621	oy:
IMIDACLOPRID KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaines	- 3) SOPT 40 15		
MALATHION	0.010 ppm	0.2	PASS	ND	Analytical Batch : DA079894VOL	JVIIIC), 301.11.30.1	ESTAIL (DUVIC	2), 301.11.40.11	/1.1 L	
		0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date	:11/08/24 10	:24:48	
METALAXYL	0.010 ppm	0.1	PASS	ND	Analyzed Date :11/11/24 09:03:05					
METHIOCARB	0.010 ppm		PASS		Dilution: 25					
METHOMYL	0.010 ppm	0.1		ND	Reagent: 110624.R55; 081023.01; 102824					
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Consumables: 326250IW; 240321-634-A; Pipette: DA-080: DA-146: DA-218	20240202; 14725	0401			
MYCLOBUTANIL	0.010 ppm	0.1 0.25	PASS PASS	ND	Testing for agricultural agents is performed u	tilizina Cos Ch	ntography T-i-	ala Ouadeur -!-	Mass Coastran	ten in
NALED	0.010 ppm	0.25	FA35	ND	accordance with F.S. Rule 64ER20-39.	unzing das Chrom	iatography Trip	ле-учантироге	мазэ эрестоте	eu y III

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix : Derivative Type: Bubble Hash



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Fmail:** brian@theflowery.co Sample : DA41108009-001

Harvest/Lot ID: 20240927-710GB9-FL3H8
Batch#: 0402860546791097 Sample Size Received: 16 units

Sampled: 11/08/24 Ordered: 11/08/24

Total Amount: 249 units Completed: 11/12/24 Expires: 11/12/25 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

PASSED

Analyzed by:	Weight:	Extraction date:			Extracted by:	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	<250.000	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
Solvents	LOD	Units	Action Level	Pass/Fail	Result	

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 150, 585, 1440
 0.02g
 11/11/24 13:04:59
 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA079903SOL Instrument Used : DA-GCMS-003 Analyzed Date : 11/11/24 13:51:50

Dilution: 1 Reagent: 030420.09

Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

Batch Date: 11/08/24 15:29:47

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 11/12/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix: Derivative

Type: Bubble Hash



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample: DA41108009-001

Harvest/Lot ID: 20240927-710GB9-FL3H8

Batch#: 0402860546791097 Sampled: 11/08/24 Ordered: 11/08/24

Sample Size Received: 16 units Total Amount: 249 units Completed: 11/12/24 Expires: 11/12/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERR	REUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGE	R			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUM	IGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAV	'US			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
SALMONELLA SPEC	IFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA				Not Present	PASS		Analyzed by:	Weight:	Extractio	n date:	F	ctracted b	nv:
TOTAL YEAST AND	MOLD	10.00	CFU/g	<10	PASS	100000	3621, 585, 1440	0.2354g	N/A			521	.,.
A I	Martinba.	F. A.	Alexanders.	-				5 20 101 FL (C-!	:II-) COD T	40 101 FI	(0-:	111	

Analyzed by: 4531, 585, 1440 Weight: **Extraction date:** Extracted by: 0.996g 11/08/24 12:31:26 4044,4520

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA079897MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 11/08/24

2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55*C) 11:07:56 DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher

Scientific Isotemp Heat Block (55*C) DA-021 Analyzed Date: 11/11/24 11:30:39

Reagent: 092424.36; 092524.17; 103024.R39; 101624.12 Consumables: 7575004019

Pipette: N/A

Analyzed by: 4531, 4612, 585, 1440	Weight: 0.996g	Extraction date: N/A	Extracted by: 4044,4520

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA079898TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 11/08/24 11:08:58

Analyzed Date: 11/11/24 10:45:31

Dilution: 10

Reagent: 092424.36; 092524.17; 082024.R18

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

\mathcal{Q}°	Mycotoxins		
alyte		LOD	Units
LATOXIN	32	0.00	nnm

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA079893MYC Instrument Used : N/A

Batch Date: 11/08/24 10:24:46

Analyzed Date: 11/11/24 09:01:24

Dilution: 250
Reagent: 110624.R46; 110624.R17; 110624.R55; 110624.R47; 102124.R08; 110624.R04;

081023.01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

4056

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT	LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2	
CADMIUM		0.02	ppm	ND	PASS	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2	
LEAD		0.02	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction dat	e:		Extracted	by:	

1022, 585, 1440 0.2194g 11/08/24 12:46:55 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA079880HEA Instrument Used : DA-ICPMS-004

Batch Date: 11/08/24 09:47:53 Analyzed Date: 11/11/24 11:32:12

Dilution: 50

Reagent: 101424.R01; 110424.R11; 110424.R08; 110424.R09; 110424.R10; 061724.01; 110424.R12

Consumables: 179436; 20240202; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

710 Labs Water Hash 1g - Grease Bucket #9

Grease Bucket #9 Matrix: Derivative



Type: Bubble Hash

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA41108009-001 Harvest/Lot ID: 20240927-710GB9-FL3H8

Sampled: 11/08/24 Ordered: 11/08/24

Batch#: 0402860546791097 Sample Size Received: 16 units Total Amount: 249 units Completed: 11/12/24 Expires: 11/12/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Extraction date: 1g 11/11/24 12:07:19 585

Analysis Method : SOP.T.40.090

Analytical Batch : DA079952FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 11/09/24 15:41:31

Analyzed Date: 11/11/24 12:11:38

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	_	OD Units	Result	P/F	Action Level
Water Activity		.010 aw	0.584	PASS	0.85
Analyzed by: 4512 585 1440	Weight:	Extraction of			tracted by:

Analysis Method : SOP.T.40.019

Analytical Batch: DA079899WAT

Instrument Used : DA257 Rotronic HygroPalm Batch Date: 11/08/24 11:22:52 Analyzed Date: 11/11/24 11:10:49

Dilution : N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164