

Classification: High THC

Type: Rosin

Production Method: Other - Not Listed

Harvest/Lot ID: 4526497541012695

Harvest Date: 11/26/24

Servings: 1

Ordered: 12/02/24 Sampled: 12/02/24 Completed: 12/05/24

Sampling Method: SOP.T.20.010

710 PERSY ROSIN BADDER - 1G 710 Fire Water #106 + ZkyscraperZ #10 710 FIRE WATER #106 + ZKYSCRAPERZ #10 Matrix: Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Laboratory Sample ID: DA41202003-011

DA41202003-011

No Water #106 + Zkys M10 No Felson 840055

read Darker, 11/20/24 and 1 and 1 and 1


Certificate of Analysis COMPLIANCE FOR RETAIL

Batch#: 1271561647987049 **Cultivation Facility: Homestead Processing Facility : Homestead** Source Facility: Homestead Seed to Sale#: 4526497541012695 Sample Size Received: 16 units Total Amount: 269 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Dec 05, 2024 | The Flowery

Samples From: Homestead, FL, 33090, US

PASSED Pages 1 of 6



FLOWERY

A	: SOP.T.40.031, S	OD T 20 021								
Analyzed by: 4351, 1665, 585, 1440			Weight: 0.1145g		xtraction date: 2/03/24 13:45:59				cted by: ,4351	
	%	%	%	%	%	%	%	%	%	%
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
mg/unit	31.23	794.75	ND	2.41	0.94	6.79	24.11	ND	ND	1.10
%	3.123	79.475	ND	0.241	0.094	0.679	2.411	ND	ND	0.110
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV

Instrument Used : DA-LC-007 Analyzed Date : 12/04/24 10:56:21

Dilution : 400 Reagent : 111324.R48; 092724.11; 111324.R46 Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

Batch Date : 12/03/24 10:53:51

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

CBC

0.141

1.41

0.001 %

Signature 12/05/24



..... 710 PERSY ROSIN BADDER - 1G 710 Fire Water #106 + ZkyscraperZ #10 710 FIRE WATER #106 + ZKYSCRAPERZ #10 Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

Sample : DA41202003-011 Harvest/Lot ID: 4526497541012695 Batch#: 1271561647987049 Sample Size Received: 16 units Sampled : 12/02/24 Ordered : 12/02/24

Total Amount : 269 units Completed : 12/05/24 Expires: 12/05/25 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Rosin

Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	78.77	7.877		SABINENE		0.007	ND	ND	
IMONENE	0.007	20.28	2.028		SABINENE HYDRATE		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	17.08	1.708		VALENCENE		0.007	ND	ND	
INALOOL	0.007	16.24	1.624		ALPHA-CEDRENE		0.005	ND	ND	
LPHA-HUMULENE	0.007	5.70	0.570		ALPHA-PHELLANDRENE		0.007	ND	ND	
ETA-MYRCENE	0.007	4.27	0.427		ALPHA-TERPINENE		0.007	ND	ND	
ETA-PINENE	0.007	3.30	0.330		CIS-NEROLIDOL		0.003	ND	ND	
ENCHYL ALCOHOL	0.007	2.15	0.215		GAMMA-TERPINENE		0.007	ND	ND	
LPHA-BISABOLOL	0.007	1.98	0.198		Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
LPHA-TERPINEOL	0.007	1.95	0.195		3605, 585, 1440	0.2318g		12/03/24 13:		3605
LPHA-PINENE	0.007	1.88	0.188		Analysis Method : SOP.T.30.061A.F	L, SOP.T.40.061A.FL				
RANS-NEROLIDOL	0.005	1.22	0.122		Analytical Batch : DA080719TER					
ERANIOL	0.007	0.85	0.085		Instrument Used : DA-GCMS-009 Analyzed Date : 12/05/24 21:18:06				Batch D	ate: 12/03/24 10:16:55
ORNEOL	0.013	0.54	0.054		Dilution : 10					
AMPHENE	0.007	0.53	0.053		Reagent : 081924.04					
ARYOPHYLLENE OXIDE	0.007	0.29	0.029		Consumables : 947.109; 240321-6	34-A; 280670723; CE	0123			
LPHA-TERPINOLENE	0.007	0.26	0.026		Pipette : DA-065					
ENCHONE	0.007	0.25	0.025		Terpenoid testing is performed utilizing	Gas Chromatography M	ass Spectr	ometry. For all f	Flower samp	les, the Total Terpenes % is dry-weight corrected.
CARENE	0.007	ND	ND							
AMPHOR	0.007	ND	ND							
EDROL	0.007	ND	ND							
UCALYPTOL	0.007	ND	ND							
ARNESENE	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/05/24



Type: Rosin

710 PERSY ROSIN BADDER - 1G 710 Fire Water #106 + ZkyscraperZ #10 710 FIRE WATER #106 + ZKYSCRAPERZ #10 Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: brian@theflowerv.co

Sample : DA41202003-011 Harvest/Lot ID: 4526497541012695

Sampled : 12/02/24 Ordered : 12/02/24

Batch#: 1271561647987049 Sample Size Received: 16 units Total Amount : 269 units Completed : 12/05/24 Expires: 12/05/25 Sample Method : SOP.T.20.010

Page 3 of 6



ΤΟΤΔΙ (TOTAL TOTAL I TOTAL I TOTAL S TOTAL ACEPHA ACEOUI ACETAN ALDICA AZOXYS BIFENA BIFENT BOSCAL CARBAR CARBOR CHLOR/ CHLORM CHLORE CLOFEN COUMA DAMINO DIAZINO DICHLO DIMETH ETHOPF ETOFEN ETOXAZ FENHEX FENOX FENPYR FIPRON FLONIC FLUDIO HEXYTH IMAZAL IMIDAC KRESO) MALATH METALA METHIO METHO MEVINP MYCLO NALED

Pesticides

cide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
L CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
L DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
L PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
L PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
L SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
L SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
IECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
HATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
UINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
AMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
YSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
IAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
ITHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
ALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
ARYL	0.010	ppm	0.5	PASS	ND		0.010		0.1	PASS	ND
OFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN					
RANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
RMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
RPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
ENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
IAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
NOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
NON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	maa	0.5	PASS	ND
ORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		xtraction da	to	Extracte	d by
THOATE	0.010	ppm	0.1	PASS	ND	3621, 3379, 585, 1440 0.2112g		2/03/24 13:3		450	a by.
PROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOF					
ENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
AZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA080720PES					
EXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date:12/03/2	4 10:19:44	
XYCARB	0.010		0.1	PASS	ND	Analyzed Date :12/04/24 10:49:12					
YROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 120224.R05; 081023.01					
DNIL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
ICAMID	0.010		0.1	PASS	ND	Pipette : N/A					
IOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liqu	id Chror	natography T	riple-Quadrupole	Mass Spectrom	etry in
THIAZOX	0.010	P.P.	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
ALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:
CLOPRID	0.010		0.4	PASS	ND	450, 585, 1440 0.2112g		4 13:34:54		450	
OXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOF	2.1.30.15	IA.FL (Davie), SOP.1.40.151	L.FL	
THION	0.010		0.2	PASS	ND	Analytical Batch : DA080722VOL Instrument Used : DA-GCMS-001		Batch Date	:12/03/24 10:2	21.06	
LAXYL	0.010		0.1	PASS	ND	Analyzed Date :12/04/24 10:40:55		butter butte	122/03/21 201	21.00	
IOCARB	0.010		0.1	PASS	ND	Dilution : 250					
OMYL	0.010	P.P.	0.1	PASS	ND	Reagent: 120224.R05; 081023.01; 111824.R23; 111					
NPHOS	0.010		0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW	147254	101			
OBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
D	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas accordance with F.S. Rule 64ER20-39.	Chroma	tography Trip	Ie-Quadrupole N	lass Spectromet	ry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/05/24

PASSED

PASSED



710 PERSY ROSIN BADDER - 1G 710 Fire Water #106 + ZkyscraperZ #10 710 FIRE WATER #106 + ZKYSCRAPERZ #10 Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA41202003-011 Harvest/Lot ID: 4526497541012695 Batch#: 1271561647987049 Sample Size Received: 16 units Sampled : 12/02/24 Ordered : 12/02/24

Total Amount : 269 units Completed : 12/05/24 Expires: 12/05/25 Sample Method : SOP.T.20.010

Page 4 of 6

Type: Rosin

Л

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
CHLOROFORM	0.200	ppm	2	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
ETHANOL	500.000	ppm	5000	PASS	ND			
THYL ACETATE	40.000	ppm	400	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
IETHANOL	25.000	ppm	250	PASS	ND			
I-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
PROPANE	500.000	ppm	5000	PASS	ND			
TOLUENE	15.000	ppm	150	PASS	ND			
TOTAL XYLENES	15.000	ppm	150	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
nalyzed by: 50, 585, 1440	Weight: 0.0219g	Extraction date: 12/04/24 13:21:56						
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080750SOL nstrument Used : DA-GCMS-003 Analyzed Date : 12/04/24 14:36:19			Batch Date : 12/03/24 1	5:06:13				

Reagent : N/A Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/05/24



710 PERSY ROSIN BADDER - 1G 710 Fire Water #106 + ZkyscraperZ #10 710 FIRE WATER #106 + ZKYSCRAPERZ #10 Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA41202003-011 Harvest/Lot ID: 4526497541012695

Sampled : 12/02/24 Ordered : 12/02/24

Batch#: 1271561647987049 Sample Size Received: 16 units Total Amount : 269 units Completed : 12/05/24 Expires: 12/05/25 Sample Method : SOP.T.20.010

Page 5 of 6

Type: Rosin

Ç	Microbi	ial			PAS	SED	ۍ ډ	Мус	otoxin	S		l	PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Lever	AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLU	5 NIGER			Not Present	PASS		AFLATOXIN	B1		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOX	IN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
SALMONELLA	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extractio	n date:		Extracte	d by:
TOTAL YEAS	AND MOLD	10.00	CFU/g	<10	PASS	100000	3621, 3379, 5	85, 1440	0.2112g		13:34:54	Ļ	450	u byi
Analyzed by: 4520, 585, 144	Weight: 0 0.93640		action date:)3/24 12:01:5	57	Extracted 4044	by:		od : SOP.T.30.1 .FL (Davie), SOI			40.101.FL	(Gainesvi	lle),	
Analytical Batc	d : SOP.T.40.056C, S h : DA080705MIC :d : PathogenDx Sca				Batch Dat 12/03/24		Instrument U	ch : DA0807211 sed : N/A e : 12/04/24 10:		В	atch Date	:12/03/24	10:20:43	3
Block (55*C) D. Analyzed Date Dilution : 10	mp Heat Block (55*(A-366,Fisher Scientii : 12/04/24 12:12:56 :24.61; 111524.67; 1 7577003003	fic Isotemp	Heat Block (9	95*C) DA-367			Pipette : N/A Mycotoxins tes	: 240321-634-A sting utilizing Liqu th F.S. Rule 64ER	id Chromatograp		-Quadrupol	e Mass Spe	ctrometry	in
Pipette : N/A							Hg	Heav	y Met	als			PAS	SED
Analyzed by: 4520, 3390, 58		/eight: .9364g	Extraction da 12/03/24 12		Extracte 4044	d by:	чр							
	d : SOP.T.40.208 (Ga h : DA080706TYM	ainesville), S	50P.T.40.209	.FL			Metal			LOD	Units		Pass / Fail	Action Level
	d : Incubator (25*C)	DA- 328 [c	alibrated with	Batch Dat	e:12/03/2	4 08:22:4	/	TAMINANT LO	AD METALS	0.08	ppm	ND	PASS	1.1
A-382]	: 12/05/24 15:58:51						ARSENIC			0.02	ppm	ND	PASS	0.2
	: 12/03/24 13.36.31						CADMIUM			0.02	ppm	ND	PASS PASS	0.2 0.2
	24.61; 111524.67; 1	L11524.77;	110724.R13				MERCURY LEAD			0.02 0.02	ppm ppm	ND <0.100		0.2
Consumables : Pipette : N/A	N/A						Analyzed by: 1022, 4056, 5	85. 1440	Weight: 0.213g	Extraction 12/03/24			Extracted	
	nold testing is perform F.S. Rule 64ER20-39.	ed utilizing M	PN and traditio	nal culture based	d techniques	in	Analysis Meth Analytical Bat Instrument U	nod : SOP.T.30.0 tch : DA080714 sed : DA-ICPMS- e : 12/04/24 10:	82.FL, SOP.T.4 HEA 004	0.082.FL		2/03/24 0		
							Dilution : 50 Reagent : 112 061724.01; 1 Consumables	2524.R05; 1126	24.R32; 120224 0202; 2105080		24.R01; 1	20224.R0	8; 120224	I.R09;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/05/24



710 PERSY ROSIN BADDER - 1G 710 Fire Water #106 + ZkyscraperZ #10 710 FIRE WATER #106 + ZKYSCRAPERZ #10 Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA41202003-011 Harvest/Lot ID: 4526497541012695 Batch# : 1271561647987049 Sample : 12/02/24 Total Amount : 269 units

 Batch#:1271561647987049
 Sample Size Received:16 units

 Sampled:12/02/24
 Total Amount:269 units

 Ordered:12/02/24
 Completed:12/05/24 Expires:12/05/25 Sample Method:SOP.T.20.010

Filth/Foreign Material PASSED

Analyte Filth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 585, 1440	Weight: 1g		ion date: 24 12:31:1	0	Ext 585	racted by:
			scope	Batch D)ate : 12/0	5/24 12:02:26
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A					
	naterial inspection is cordance with F.S. Ru			pection utilizi	ng naked ey	e and microscope
(\bigcirc)	Water	Activ	ity		ΡΑ	SSED

Analyte Water Activity	LO 0.0	D 010	Units aw	Result 0.344	P/F PASS	Action Level 0.85				
Analyzed by: 4571, 585, 1440	Weight: 0.3418g		traction da 2/03/24 20:			Extracted by: 4571				
Analysis Method : SOP.T.40.019 Analytical Batch : DA080749WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 12/03/24 11:51:23 Analyzed Date : 12/04/24 08:58:26										
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/05/24

Page 6 of 6

Type: Rosin