



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Labs Cake Crasher
710 LABS CAKE CRASHER
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50203004-003



Production Method: Other - Not Listed
Harvest/Lot ID: 6909556295854281
Batch#: 6688296505850272
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: 6909556295854281
Harvest Date: 01/31/25
Sample Size Received: 16 units
Total Amount: 341 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 02/03/25
Sampled: 02/03/25
Completed: 02/06/25
Sampling Method: SOP.T.20.010

Feb 06, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

79.632%

Total THC/Container : 796.320 mg



Total CBD

0.124%

Total CBD/Container : 1.240 mg



Total Cannabinoids

85.900%

Total Cannabinoids/Container : 859.000 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	73.395	7.112	0.082	0.048	ND	2.087	1.504	0.043	0.441	ND	1.188
mg/unit	733.95	71.12	0.82	0.48	ND	20.87	15.04	0.43	4.41	ND	11.88
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3379, 1440

Weight:
0.1016g

Extraction date:
02/04/25 11:45:23

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA082940POT
Instrument Used : DA-LC-003
Analyzed Date : 02/05/25 09:15:54

Batch Date : 02/04/25 09:28:47

Dilution : 400
Reagent : 011325.R06; 010825.48; 011325.R03
Consumables : 947.110; 04312111; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Cake Crasher

710 LABS CAKE CRASHER

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-003

Harvest/Lot ID: 6909556295854281

Batch# : 6688296505850272

Sampled : 02/03/25

Ordered : 02/03/25

Sample Size Received : 16 units

Total Amount : 341 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	56.96	5.696		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	16.77	1.677		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	12.15	1.215		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	5.17	0.517		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-HUMULENE	0.007	3.91	0.391		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.66	0.366		ALPHA-TERPINENE	0.007	ND	ND	
GUAIOL	0.007	2.20	0.220		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	1.78	0.178		TRANS-NEROLIDOL	0.005	ND	ND	
OCIMENE	0.007	1.68	0.168		Analyzed by:	Weight:	Extraction date:	Extracted by:	
BETA-PINENE	0.007	1.68	0.168		4451, 3379, 1440	0.22g	02/04/25 11:57:27	4451	
ALPHA-TERPINEOL	0.007	1.55	0.155		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BETA-MYRCENE	0.007	1.34	0.134		Analytical Batch : DA002953TER				
ALPHA-BISABOLOL	0.007	1.29	0.129		Instrument Used : DA-GCMS-004				
BORNEOL	0.013	0.77	0.077		Analyzed Date : 02/05/25 09:16:02				Batch Date : 02/04/25 10:04:52
CAMPHENE	0.007	0.68	0.068		Dilution : 10				
GERANIOL	0.007	0.49	0.049		Reagent : 032524.12				
ALPHA-TERPINOLENE	0.007	0.46	0.046		Consumables : 947.110; 04312111; 2240626; 0000355309				
FENCHONE	0.007	0.44	0.044		Pipette : DA-065				
CARYOPHYLLENE OXIDE	0.007	0.36	0.036		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GAMMA-TERPINENE	0.007	0.30	0.030						
SABINENE HYDRATE	0.007	0.28	0.028						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			5.696						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Cake Crasher

710 LABS CAKE CRASHER

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-003

Harvest/Lot ID: 6909556295854281

Batch# : 6688296505850272

Sampled : 02/03/25

Ordered : 02/03/25


Sample Size Received : 16 units

Total Amount : 341 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 3379, 1440	Weight: 0.2433g	Extraction date: 02/04/25 12:40:47	Extracted by: 3621		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082928PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 02/04/25 08:51:51		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/05/25 08:10:25					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 013125.R16; 012925.R31; 012925.R44; 020425.R02; 012925.R01; 012925.R03; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 3379, 1440	Weight: 0.2433g	Extraction date: 02/04/25 12:40:47	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082930VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 02/04/25 08:53:43		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/06/25 10:36:10					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 012925.R44; 081023.01; 012825.R39; 012825.R40					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 221021DD; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-L
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Cake Crasher

710 LABS CAKE CRASHER

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-003

Harvest/Lot ID: 6909556295854281

Batch# : 6688296505850272

Sampled : 02/03/25

Ordered : 02/03/25

Sample Size Received : 16 units

Total Amount : 341 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 3379, 1440

Weight:
0.0211g

Extraction date:
02/05/25 11:25:53

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA082955SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 02/05/25 12:10:11

Batch Date : 02/04/25 13:33:03

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Cake Crasher

710 LABS CAKE CRASHER

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-003

Harvest/Lot ID: 6909556295854281

Batch# : 6688296505850272

Sampled : 02/03/25

Ordered : 02/03/25



Sample Size Received : 16 units

Total Amount : 341 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS																			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4520, 4777, 3379, 1440	Weight: 1.007g	Extraction date: 02/04/25 09:55:13	Extracted by: 4520,4777	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082920MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 02/04/25 08:13:34 Analyzed Date : 02/05/25 10:59:09 Dilution : 10 Reagent : 011025.07; 012525.01; 011525.R47; 080724.12 Consumables : 7580001018 Pipette : N/A													
					Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																		
					Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals																		
					PASSED																		
					Heavy Metals</																		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Cake Crasher

710 LABS CAKE CRASHER

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-003

Harvest/Lot ID: 6909556295854281

Batch# : 6688296505850272

Sampled : 02/03/25

Ordered : 02/03/25

Sample Size Received : 16 units

Total Amount : 341 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3379, 1440	Weight: 1g	Extraction date: 02/05/25 20:52:24	Extracted by: 1879
----------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA082995FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 02/05/25 19:47:58

Analyzed Date : 02/06/25 07:39:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.451	PASS	0.85

Analyzed by: 4444, 3379, 1440	Weight: 0.394g	Extraction date: 02/04/25 13:30:40	Extracted by: 4444
----------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA082951WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 02/04/25 10:00:08

Analyzed Date : 02/04/25 15:13:07

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25