



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS LIVE ROSIN VAPE - 1G 710 Labs Jackson Heightz
710 LABS JACKSON HEIGHTZ
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50203004-005



Production Method: Other - Not Listed
Harvest/Lot ID: 7720267669356786
Batch#: 3394535800353167
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: 7720267669356786
Harvest Date: 01/31/25
Sample Size Received: 16 units
Total Amount: 320 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 02/03/25
Sampled: 02/03/25
Completed: 02/06/25
Sampling Method: SOP.T.20.010

Feb 06, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 6

SAFETY RESULTS

MISC.



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED



Cannabinoid

PASSED



Total THC

79.785%

Total THC/Container : 797.850 mg



Total CBD

0.086%

Total CBD/Container : 0.860 mg



Total Cannabinoids

84.979%

Total Cannabinoids/Container : 849.790 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	73.690	6.950	0.056	0.035	ND	2.189	1.299	0.039	0.096	ND	0.625
mg/unit	736.90	69.50	0.56	0.35	ND	21.89	12.99	0.39	0.96	ND	6.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3379, 1440

Weight:
0.1114g

Extraction date:
02/04/25 11:45:23

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA082940POT
Instrument Used : DA-LC-003
Analyzed Date : 02/05/25 09:16:12

Batch Date : 02/04/25 09:28:47

Dilution : 400
Reagent : 011325.R06; 010825.48; 011325.R03
Consumables : 947.110; 04312111; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Jackson Heightz

710 LABS JACKSON HEIGHTZ

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-005

Harvest/Lot ID: 7720267669356786

Batch# : 3394535800353167

Sampled : 02/03/25

Ordered : 02/03/25

Sample Size Received : 16 units

Total Amount : 320 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	59.42	5.942		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	21.06	2.106		SABINENE	0.007	ND	ND	
LIMONENE	0.007	9.85	0.985		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.53	0.653		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	6.52	0.652		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	5.08	0.508		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.06	0.206		ALPHA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.31	0.131		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINEOL	0.007	1.29	0.129		Analyzed by:	Weight:	Extraction date:	Extracted by:	
BETA-PINENE	0.007	1.16	0.116		4451, 3379, 1440	0.2155g	02/04/25 11:57:27	4451	
TRANS-NEROLIDOL	0.005	1.11	0.111		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	0.73	0.073		Analytical Batch : DA002953TER				
BETA-MYRCENE	0.007	0.61	0.061		Instrument Used : DA-GCMS-004				
CAMPHENE	0.007	0.53	0.053		Analyzed Date : 02/05/25 09:16:14				Batch Date : 02/04/25 10:04:52
GERANIOL	0.007	0.47	0.047		Dilution : 10				
FENCHONE	0.007	0.46	0.046		Reagent : 032524.12				
ALPHA-TERPINOLENE	0.007	0.36	0.036		Consumables : 947.110; 04312111; 2240626; 0000355309				
GAMMA-TERPINENE	0.007	0.29	0.029		Pipette : DA-065				
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)			5.942						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Jackson Heightz

710 LABS JACKSON HEIGHTZ

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-005

Harvest/Lot ID: 7720267669356786

Batch# : 3394535800353167

Sampled : 02/03/25

Ordered : 02/03/25

Sample Size Received : 16 units

Total Amount : 320 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 3379, 1440	Weight: 0.2316g	Extraction date: 02/04/25 12:40:48	Extracted by: 3621		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082928PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 02/04/25 08:51:51		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/05/25 08:10:32					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 013125.R16; 012925.R31; 012925.R44; 020425.R02; 012925.R01; 012925.R03; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 3379, 1440	Weight: 0.2316g	Extraction date: 02/04/25 12:40:48	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082930VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 02/04/25 08:53:43		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/06/25 10:36:11					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 012925.R44; 081023.01; 012825.R39; 012825.R40					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 221021DD; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Jackson Heightz

710 LABS JACKSON HEIGHTZ

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-005

Harvest/Lot ID: 7720267669356786

Batch# : 3394535800353167

Sampled : 02/03/25

Ordered : 02/03/25

Sample Size Received : 16 units

Total Amount : 320 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 3379, 1440

Weight:
0.0216g

Extraction date:
02/05/25 11:25:53

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA082955SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 02/05/25 12:10:12

Batch Date : 02/04/25 13:33:03

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Jackson Heightz

710 LABS JACKSON HEIGHTZ

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-005

Harvest/Lot ID: 7720267669356786

Batch# : 3394535800353167

Sampled : 02/03/25

Ordered : 02/03/25


Sample Size Received : 16 units


Total Amount : 320 units


Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS			Not Present	PASS						
ASPERGILLUS NIGER			Not Present	PASS						
ASPERGILLUS FUMIGATUS			Not Present	PASS						
ASPERGILLUS FLAVUS			Not Present	PASS						
SALMONELLA SPECIFIC GENE			Not Present	PASS						
ECOLI SHIGELLA			Not Present	PASS						
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.094g	Extraction date: 02/04/25 10:20:31	Extracted by: 4044							
Analytical Batch : DA082926MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/04/25 08:27:03									
Analysis Date : 02/05/25 10:57:19										
Dilution : 10										
Reagent : 011025.07; 012525.01; 011525.R47; 080724.12										
Consumables : 7580001018										
Pipette : N/A										
Analysis Method : SOP.T.40.209.FL	Weight: 1.094g	Extraction date: 02/04/25 10:20:31	Extracted by: 4044							
Analytical Batch : DA082927TYM										
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 02/04/25 08:28:58									
Analysis Date : 02/06/25 14:08:26										
Dilution : 10										
Reagent : 011025.07; 012525.01; 110724.R13										
Consumables : N/A										
Pipette : N/A										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.										

	Mycotoxins					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02					
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02					
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02					
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02					
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02					
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 0.2316g	Extraction date: 02/04/25 12:40:48	Extracted by: 3621							
Analytical Batch : DA082929MYC										
Instrument Used : N/A	Batch Date : 02/04/25 08:53:41									
Analysis Date : 02/05/25 08:06:25										
Dilution : 250										
Reagent : 013125.R16; 012925.R31; 012925.R44; 020425.R02; 012925.R01; 012925.R03; 081023.01										
Consumables : 221021DD										
Pipette : DA-093; DA-094; DA-219										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

	Heavy Metals					PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level					
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1					
ARSENIC	0.020	ppm	ND	PASS	0.2					
CADMIUM	0.020	ppm	ND	PASS	0.2					
MERCURY	0.020	ppm	ND	PASS	0.2					
LEAD	0.020	ppm	ND	PASS	0.5					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2422g	Extraction date: 02/04/25 11:10:25	Extracted by: 3621,4056							
Analytical Batch : DA082948HEA										
Instrument Used : DA-ICPMS-004	Batch Date : 02/04/25 09:56:10									
Analysis Date : 02/05/25 09:58:26										
Dilution : 50										
Reagent : 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04										
Consumables : 040724CH01; J609879-0193; 179436										
Pipette : DA-061; DA-191; DA-216										
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Jackson Heightz

710 LABS JACKSON HEIGHTZ

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50203004-005

Harvest/Lot ID: 7720267669356786

Batch# : 3394535800353167

Sampled : 02/03/25

Ordered : 02/03/25

Sample Size Received : 16 units

Total Amount : 320 units

Completed : 02/06/25 Expires: 02/06/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3379, 1440	Weight: 1g	Extraction date: 02/05/25 20:52:24	Extracted by: 1879
----------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA082995FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/06/25 07:39:44

Batch Date : 02/05/25 19:47:58

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.483	PASS	0.85

Analyzed by: 4444, 3379, 1440	Weight: 0.2775g	Extraction date: 02/04/25 13:30:40	Extracted by: 4444
----------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA082951WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 02/05/25 08:29:06

Batch Date : 02/04/25 10:00:08

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/06/25