



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50218012-001

**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 1808156942032890  
**Batch#:** 6002482506310482  
**Cultivation Facility:** Homestead  
**Processing Facility :** Homestead  
**Source Facility:** Homestead  
**Seed to Sale#:** 1808156942032890  
**Harvest Date:** 02/17/25  
**Sample Size Received:** 16 units  
**Total Amount:** 747 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Ordered:** 02/18/25  
**Sampled:** 02/18/25  
**Completed:** 02/21/25  
**Sampling Method:** SOP.T.20.010



Feb 21, 2025 | The Flowery

Samples From:  
Homestead, FL, 33090, US

**THE FLOWERY**

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



**Total THC**  
**67.742%**

Total THC/Container : 677.420 mg



**Total CBD**  
**0.137%**

Total CBD/Container : 1.370 mg



**Total Cannabinoids**  
**70.654%**

Total Cannabinoids/Container : 706.540 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	67.601	0.161	0.137	ND	ND	0.651	ND	1.390	0.086	ND	0.628
mg/unit	676.01	1.61	1.37	ND	ND	6.51	ND	13.90	0.86	ND	6.28
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 3605, 585, 1440

Weight:  
0.101g

Extraction date:  
02/19/25 10:25:39

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA083482POT  
Instrument Used : DA-LC-003  
Analyzed Date : 02/20/25 08:47:28

Batch Date : 02/19/25 09:01:29

Dilution : 400  
Reagent : 021825.R05; 010825.48; 021825.R02  
Consumables : 947.110; 04312111; 040724CH01; 0000355309  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
02/21/25



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA50218012-001  
Harvest/Lot ID: 1808156942032890

Batch# : 6002482506310482 Sample Size Received : 16 units  
Sampled : 02/18/25 Total Amount : 747 units  
Ordered : 02/18/25 Completed : 02/21/25 Expires: 02/21/26  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	5.85	0.585	ALPHA-PINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	4.10	0.410	ALPHA-TERPINENE	0.007	ND	ND
TRANS-NEROLIDOL	0.005	0.60	0.060	ALPHA-TERPINEOL	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	0.46	0.046	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	0.43	0.043	BETA-MYRCENE	0.007	ND	ND
CARYOPHYLLENE OXIDE	0.007	0.26	0.026	BETA-PINENE	0.007	ND	ND
3-CARENE	0.007	ND	ND	CIS-NEROLIDOL	0.003	ND	ND
BORNEOL	0.013	ND	ND	GAMMA-TERPINENE	0.007	ND	ND
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
CEDROL	0.007	ND	ND	4444, 4451, 585, 1440	0.1997g	02/19/25 11:22:00	4451,4444
EUCALYPTOL	0.007	ND	ND	Analysis Batch : DA003474TER			
FARNESENE	0.007	ND	ND	Instrument Used : DA-GCMS-008			Batch Date : 02/19/25 08:06:57
FENCHONE	0.007	ND	ND	Analysis Date : 02/21/25 09:18:28			
FENCHYL ALCOHOL	0.007	ND	ND	Dilution : 10			
GERANIOL	0.007	ND	ND	Reagent : 120224.07			
GERANYL ACETATE	0.007	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309			
GUAJOL	0.007	ND	ND	Pipette : DA-065			
HEXAHYDROTHYMOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
LIMONENE	0.007	ND	ND				
LINALOOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-CEDRENE	0.005	ND	ND				
ALPHA-PHELLANDRENE	0.007	ND	ND				
<b>Total (%)</b>			<b>0.585</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
02/21/25



# Certificate of Analysis

**PASSED**

The Flowery

Sample : DA50218012-001  
Harvest/Lot ID : 1808156942032890

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Batch# : 6002482506310482 Sample Size Received : 16 units  
Sampled : 02/18/25 Total Amount : 747 units  
Ordered : 02/18/25 Completed : 02/21/25 Expires: 02/21/26  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CHLORANTRILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
DAMINOZIDE	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
DIAZINON	0.010	ppm	3	PASS	ND	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Analyzed by:</td> <td>3621, 585, 1440</td> <td>Weight:</td> <td>0.2491g</td> <td>Extraction date:</td> <td>02/19/25 10:51:17</td> <td>Extracted by:</td> <td>450,585</td> </tr> <tr> <td colspan="8">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td> </tr> <tr> <td colspan="8">Analytical Batch : DA083486PES</td> </tr> <tr> <td colspan="8">Instrument Used : DA-LCMS-005 (PES)</td> </tr> <tr> <td colspan="8">Analyzed Date : 02/20/25 09:18:40</td> </tr> <tr> <td colspan="8">Dilution : 250</td> </tr> <tr> <td colspan="8">Reagent : 021725.R01; 081023.01</td> </tr> <tr> <td colspan="8">Consumables : 040724CH01; 221021DD</td> </tr> <tr> <td colspan="8">Pipette : N/A</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> <tr> <td colspan="8"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Analyzed by:</td> <td>450, 585, 1440</td> <td>Weight:</td> <td>0.2491g</td> <td>Extraction date:</td> <td>02/19/25 10:51:17</td> <td>Extracted by:</td> <td>450,585</td> </tr> <tr> <td colspan="8">Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td colspan="8">Analytical Batch : DA083488VOL</td> </tr> <tr> <td colspan="8">Instrument Used : DA-GCMS-001</td> </tr> <tr> <td colspan="8">Analyzed Date : 02/20/25 09:17:19</td> </tr> <tr> <td colspan="8">Dilution : 250</td> </tr> <tr> <td colspan="8">Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40</td> </tr> <tr> <td colspan="8">Consumables : 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td colspan="8">Pipette : DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table> </td> </tr> <tr> <td colspan="8"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Analyzed by:</td> <td>450, 585, 1440</td> <td>Weight:</td> <td>0.2491g</td> <td>Extraction date:</td> <td>02/19/25 10:51:17</td> <td>Extracted by:</td> <td>450,585</td> </tr> <tr> <td colspan="8">Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td colspan="8">Analytical Batch : DA083488VOL</td> </tr> <tr> <td colspan="8">Instrument Used : DA-GCMS-001</td> </tr> <tr> <td colspan="8">Analyzed Date : 02/20/25 09:17:19</td> </tr> <tr> <td colspan="8">Dilution : 250</td> </tr> <tr> <td colspan="8">Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40</td> </tr> <tr> <td colspan="8">Consumables : 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td colspan="8">Pipette : DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table> </td> </tr> <tr> <td>ETOFENPROX</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ETOXAZOLE</td> <td>0.010</td> <td>ppm</td> <td>1.5</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FENHEXAMID</td> <td>0.010</td> <td>ppm</td> <td>3</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FENOXYCARB</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FENPYROXIMATE</td> <td>0.010</td> <td>ppm</td> <td>2</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FIPRONIL</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FLONICAMID</td> <td>0.010</td> <td>ppm</td> <td>2</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FLUDIOXONIL</td> <td>0.010</td> <td>ppm</td> <td>3</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HEXYTHIAZOX</td> <td>0.010</td> <td>ppm</td> <td>2</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>IMAZALIL</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>IMIDACLOPRID</td> <td>0.010</td> <td>ppm</td> <td>1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>KRESOXIM-METHYL</td> <td>0.010</td> <td>ppm</td> <td>1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MALATHION</td> <td>0.010</td> <td>ppm</td> <td>2</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>METALAXYL</td> <td>0.010</td> <td>ppm</td> <td>3</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>METHIOCARB</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>METHOMYL</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MEVINPHOS</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MYCLOBUTANIL</td> <td>0.010</td> <td>ppm</td> <td>3</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>NALED</td> <td>0.010</td> <td>ppm</td> <td>0.5</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Analyzed by:	3621, 585, 1440	Weight:	0.2491g	Extraction date:	02/19/25 10:51:17	Extracted by:	450,585	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL								Analytical Batch : DA083486PES								Instrument Used : DA-LCMS-005 (PES)								Analyzed Date : 02/20/25 09:18:40								Dilution : 250								Reagent : 021725.R01; 081023.01								Consumables : 040724CH01; 221021DD								Pipette : N/A								Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Analyzed by:</td> <td>450, 585, 1440</td> <td>Weight:</td> <td>0.2491g</td> <td>Extraction date:</td> <td>02/19/25 10:51:17</td> <td>Extracted by:</td> <td>450,585</td> </tr> <tr> <td colspan="8">Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td colspan="8">Analytical Batch : DA083488VOL</td> </tr> <tr> <td colspan="8">Instrument Used : DA-GCMS-001</td> </tr> <tr> <td colspan="8">Analyzed Date : 02/20/25 09:17:19</td> </tr> <tr> <td colspan="8">Dilution : 250</td> </tr> <tr> <td colspan="8">Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40</td> </tr> <tr> <td colspan="8">Consumables : 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td colspan="8">Pipette : DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table>								Analyzed by:	450, 585, 1440	Weight:	0.2491g	Extraction date:	02/19/25 10:51:17	Extracted by:	450,585	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL								Analytical Batch : DA083488VOL								Instrument Used : DA-GCMS-001								Analyzed Date : 02/20/25 09:17:19								Dilution : 250								Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40								Consumables : 040724CH01; 221021DD; 17473601								Pipette : DA-080; DA-146; DA-218								Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Analyzed by:</td> <td>450, 585, 1440</td> <td>Weight:</td> <td>0.2491g</td> <td>Extraction date:</td> <td>02/19/25 10:51:17</td> <td>Extracted by:</td> <td>450,585</td> </tr> <tr> <td colspan="8">Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td colspan="8">Analytical Batch : DA083488VOL</td> </tr> <tr> <td colspan="8">Instrument Used : DA-GCMS-001</td> </tr> <tr> <td colspan="8">Analyzed Date : 02/20/25 09:17:19</td> </tr> <tr> <td colspan="8">Dilution : 250</td> </tr> <tr> <td colspan="8">Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40</td> </tr> <tr> <td colspan="8">Consumables : 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td colspan="8">Pipette : DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table>								Analyzed by:	450, 585, 1440	Weight:	0.2491g	Extraction date:	02/19/25 10:51:17	Extracted by:	450,585	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL								Analytical Batch : DA083488VOL								Instrument Used : DA-GCMS-001								Analyzed Date : 02/20/25 09:17:19								Dilution : 250								Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40								Consumables : 040724CH01; 221021DD; 17473601								Pipette : DA-080; DA-146; DA-218								Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								ETOFENPROX	0.010	ppm	0.1	PASS	ND							ETOXAZOLE	0.010	ppm	1.5	PASS	ND							FENHEXAMID	0.010	ppm	3	PASS	ND							FENOXYCARB	0.010	ppm	0.1	PASS	ND							FENPYROXIMATE	0.010	ppm	2	PASS	ND							FIPRONIL	0.010	ppm	0.1	PASS	ND							FLONICAMID	0.010	ppm	2	PASS	ND							FLUDIOXONIL	0.010	ppm	3	PASS	ND							HEXYTHIAZOX	0.010	ppm	2	PASS	ND							IMAZALIL	0.010	ppm	0.1	PASS	ND							IMIDACLOPRID	0.010	ppm	1	PASS	ND							KRESOXIM-METHYL	0.010	ppm	1	PASS	ND							MALATHION	0.010	ppm	2	PASS	ND							METALAXYL	0.010	ppm	3	PASS	ND							METHIOCARB	0.010	ppm	0.1	PASS	ND							METHOMYL	0.010	ppm	0.1	PASS	ND							MEVINPHOS	0.010	ppm	0.1	PASS	ND							MYCLOBUTANIL	0.010	ppm	3	PASS	ND							NALED	0.010	ppm	0.5	PASS	ND						
Analyzed by:	3621, 585, 1440	Weight:	0.2491g	Extraction date:	02/19/25 10:51:17	Extracted by:	450,585																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Analytical Batch : DA083486PES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Instrument Used : DA-LCMS-005 (PES)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Analyzed Date : 02/20/25 09:18:40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Dilution : 250																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Reagent : 021725.R01; 081023.01																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Consumables : 040724CH01; 221021DD																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Pipette : N/A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Analyzed by:</td> <td>450, 585, 1440</td> <td>Weight:</td> <td>0.2491g</td> <td>Extraction date:</td> <td>02/19/25 10:51:17</td> <td>Extracted by:</td> <td>450,585</td> </tr> <tr> <td colspan="8">Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td colspan="8">Analytical Batch : DA083488VOL</td> </tr> <tr> <td colspan="8">Instrument Used : DA-GCMS-001</td> </tr> <tr> <td colspan="8">Analyzed Date : 02/20/25 09:17:19</td> </tr> <tr> <td colspan="8">Dilution : 250</td> </tr> <tr> <td colspan="8">Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40</td> </tr> <tr> <td colspan="8">Consumables : 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td colspan="8">Pipette : DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table>								Analyzed by:	450, 585, 1440	Weight:	0.2491g	Extraction date:	02/19/25 10:51:17	Extracted by:	450,585	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL								Analytical Batch : DA083488VOL								Instrument Used : DA-GCMS-001								Analyzed Date : 02/20/25 09:17:19								Dilution : 250								Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40								Consumables : 040724CH01; 221021DD; 17473601								Pipette : DA-080; DA-146; DA-218								Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																																																																																																																																										
Analyzed by:	450, 585, 1440	Weight:	0.2491g	Extraction date:	02/19/25 10:51:17	Extracted by:	450,585																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Analytical Batch : DA083488VOL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Instrument Used : DA-GCMS-001																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Analyzed Date : 02/20/25 09:17:19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Dilution : 250																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Consumables : 040724CH01; 221021DD; 17473601																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Pipette : DA-080; DA-146; DA-218																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Analyzed by:</td> <td>450, 585, 1440</td> <td>Weight:</td> <td>0.2491g</td> <td>Extraction date:</td> <td>02/19/25 10:51:17</td> <td>Extracted by:</td> <td>450,585</td> </tr> <tr> <td colspan="8">Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td colspan="8">Analytical Batch : DA083488VOL</td> </tr> <tr> <td colspan="8">Instrument Used : DA-GCMS-001</td> </tr> <tr> <td colspan="8">Analyzed Date : 02/20/25 09:17:19</td> </tr> <tr> <td colspan="8">Dilution : 250</td> </tr> <tr> <td colspan="8">Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40</td> </tr> <tr> <td colspan="8">Consumables : 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td colspan="8">Pipette : DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table>								Analyzed by:	450, 585, 1440	Weight:	0.2491g	Extraction date:	02/19/25 10:51:17	Extracted by:	450,585	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL								Analytical Batch : DA083488VOL								Instrument Used : DA-GCMS-001								Analyzed Date : 02/20/25 09:17:19								Dilution : 250								Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40								Consumables : 040724CH01; 221021DD; 17473601								Pipette : DA-080; DA-146; DA-218								Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																																																																																																																																										
Analyzed by:	450, 585, 1440	Weight:	0.2491g	Extraction date:	02/19/25 10:51:17	Extracted by:	450,585																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Analytical Batch : DA083488VOL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Instrument Used : DA-GCMS-001																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Analyzed Date : 02/20/25 09:17:19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Dilution : 250																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Reagent : 021725.R01; 081023.01; 012825.R39; 012825.R40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Consumables : 040724CH01; 221021DD; 17473601																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Pipette : DA-080; DA-146; DA-218																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
ETOFENPROX	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
FENHEXAMID	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
FENOXYCARB	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
FENPYROXIMATE	0.010	ppm	2	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
FIPRONIL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
FLONICAMID	0.010	ppm	2	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
FLUDIOXONIL	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
IMAZALIL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
IMIDACLOPRID	0.010	ppm	1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
MALATHION	0.010	ppm	2	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
METALAXYL	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
METHIOCARB	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
METHOMYL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
MEVINPHOS	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
NALED	0.010	ppm	0.5	PASS	ND																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
02/21/25



# Certificate of Analysis

**PASSED**
**The Flowery**

 Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

 Sample : DA50218012-001  
 Harvest/Lot ID: 1808156942032890

 Batch# : 6002482506310482 Sample Size Received : 16 units  
 Sampled : 02/18/25 Total Amount : 747 units  
 Ordered : 02/18/25 Completed : 02/21/25 Expires: 02/21/26  
 Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.00214g	Extraction date: 02/20/25 11:43:05	Extracted by: 850
--------------------------------	---------------------	---------------------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA083501SOL  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 02/20/25 12:15:28

Batch Date : 02/19/25 13:48:25

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 430596; 319008  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: brian@theflowery.co

Sample : DA50218012-001  
Harvest/Lot ID: 1808156942032890

Batch# : 6002482506310482 Sample Size Received : 16 units  
Sampled : 02/18/25 Total Amount : 747 units  
Ordered : 02/18/25 Completed : 02/21/25 Expires: 02/21/26  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4531, 4571, 585, 1440 Weight: 1.0455g Extraction date: 02/19/25 09:16:04 Extracted by: 4777,4044,4531  
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA083471MIC  
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)  
Batch Date : 02/19/25 08:02:10  
Analyzed Date : 02/20/25 10:37:00

Dilution : 10  
Reagent : 012425.05; 012725.15; 011525.R47; 080724.14  
Consumables : 7580001014  
Pipette : N/A

Analyzed by: 4531, 585, 1440 Weight: 1.0455g Extraction date: 02/19/25 09:16:04 Extracted by: 4777,4044,4531

Analysis Method : SOP.T.40.209.FL  
Analytical Batch : DA083473TYM  
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 02/19/25 08:04:15  
Analyzed Date : 02/21/25 11:49:14

Dilution : 10  
Reagent : 012425.05; 012725.15; 013025.R13  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440 Weight: 0.2491g Extraction date: 02/19/25 10:51:17 Extracted by: 450,585

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
Analytical Batch : DA083487MYC  
Instrument Used : DA-LCMS-005 (MYC) Batch Date : 02/19/25 09:20:15  
Analyzed Date : 02/20/25 08:22:34

Dilution : 250  
Reagent : 021725.R01; 081023.01  
Consumables : 040724CH01; 221021DD  
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2093g Extraction date: 02/19/25 09:25:34 Extracted by: 4056

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA083480HEA  
Instrument Used : DA-ICPMS-004 Batch Date : 02/19/25 08:38:19  
Analyzed Date : 02/20/25 10:35:36

Dilution : 50  
Reagent : 012925.R32; 013025.R04; 021725.R22; 021425.R04; 021725.R20; 021725.R21; 120324.07; 021225.R30  
Consumables : 040724CH01; J609879-0193; 179436  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs



710 LABS RSO SYRINGE 1G Lemon Tart Pucker #1 + Jackson Heightz  
 LEMON TART PUCKER #1 + JACKSON HEIGHTZ  
 Matrix : Derivative  
 Type: Full Extract Cannabis Oil

# Certificate of Analysis

**PASSED**

**The Flowery**

Samples From:  
 Homestead, FL, 33090, US  
 Telephone: (321) 266-2467  
 Email: brian@theflowery.co

Sample : DA50218012-001

Harvest/Lot ID: 1808156942032890

Batch# : 6002482506310482    Sample Size Received : 16 units  
 Sampled : 02/18/25    Total Amount : 747 units  
 Ordered : 02/18/25    Completed : 02/21/25 Expires: 02/21/26  
 Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/19/25 09:26:55	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA083489FIL  
 Instrument Used : Filth/Foreign Material Microscope    Batch Date : 02/19/25 09:21:09  
 Analyzed Date : 02/21/25 11:46:11

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.551	PASS	0.85

Analyzed by: 4797, 3379, 585, 1440	Weight: 0.2979g	Extraction date: 02/19/25 12:08:40	Extracted by: 4797
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA083496WAT  
 Instrument Used : DA-028 Rotronic HygroPalm    Batch Date : 02/19/25 09:28:59  
 Analyzed Date : 02/19/25 14:43:09

Dilution : N/A  
 Reagent : 101724.36  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJA-  
 Testing 97164



Signature  
 02/21/25