




Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50304003-005



Production Method: Cured
Harvest/Lot ID: 3179525626597184
Batch#: 8908697599326783
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: 3179525626597184
Harvest Date: 03/03/25
Sample Size Received: 9 units
Total Amount: 183 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Ordered: 03/03/25
Sampled: 03/04/25
Completed: 03/06/25
Sampling Method: SOP.T.20.010

Mar 06, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
18.951%

Total THC/Container : 663.285 mg



Total CBD
0.052%

Total CBD/Container : 1.820 mg



Total Cannabinoids
22.202%

Total Cannabinoids/Container : 777.070 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.451	21.095	ND	0.060	ND	0.094	0.439	ND	ND	ND	0.063
mg/unit	15.79	738.33	ND	2.10	ND	3.29	15.37	ND	ND	ND	2.21
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3605, 1665, 585, 1440

Weight:
0.1888g

Extraction date:
03/04/25 12:16:19

Extracted by:
3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083968POT

Instrument Used : DA-LC-002

Analyzed Date : 03/05/25 08:56:25

Batch Date : 03/04/25 11:08:43

Dilution : 400

Reagent : 022625.R01; 021125.07; 021825.R01

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-077; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs Z

710 LABS Z

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50304003-005

Harvest/Lot ID: 3179525626597184

Batch# : 8908697599326783

Sampled : 03/04/25

Ordered : 03/04/25

Sample Size Received : 9 units

Total Amount : 183 units

Completed : 03/06/25 Expires: 03/06/26

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	86.91	2.483	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	30.66	0.876	VALENCENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	14.98	0.428	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	13.37	0.382	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	13.30	0.380	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	3.96	0.113	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	2.94	0.084	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.96	0.056	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.61	0.046	Analyzed by: 8905, 4431, 585, 1440				
ALPHA-TERPINEOL	0.007	TESTED	1.54	0.044	Weight: 1.0304g				
BETA-MYRCENE	0.007	TESTED	1.54	0.044	Extraction date: 03/04/25 11:56:37				
ALPHA-PINENE	0.007	TESTED	1.05	0.030	Extracted by: 4431, 3805				
3-CARENE	0.007	TESTED	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	TESTED	ND	ND	Analytical Batch : DA083941TER				
CAMPHERE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-008				
CAMPHOR	0.007	TESTED	ND	ND	Analyzed Date : 03/05/25 08:56:27				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Dilution : 10				
CEDROL	0.007	TESTED	ND	ND	Reagent : 120224.05				
EUCALYPTOL	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
FARNESENE	0.007	TESTED	ND	ND	Pipette : DA-065				
FENCHONE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				2.483					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs Z
710 LABS Z
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50304003-005

Harvest/Lot ID: 3179525626597184

Batch# : 8908697599326783

Sampled : 03/04/25

Ordered : 03/04/25

Sample Size Received : 9 units

Total Amount : 183 units

Completed : 03/06/25 Expires: 03/06/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.9788g	Extraction date: 03/04/25 11:54:52	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083946PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 03/04/25 10:04:21	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/05/25 09:17:48					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 030325.R02; 022625.R32; 030325.R01; 022625.R34; 012925.R01; 022625.R03; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9788g	Extraction date: 03/04/25 11:54:52	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA083950VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 03/04/25 10:06:23	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/05/25 09:03:34					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 030325.R01; 081023.01; 012825.R39; 012825.R40					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD; 040724CH01; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-LA
Testing 97164

Signature
03/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs Z

710 LABS Z

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50304003-005

Harvest/Lot ID: 3179525626597184

Batch# : 8908697599326783

Sampled : 03/04/25

Ordered : 03/04/25


Sample Size Received : 9 units

Total Amount : 183 units

Completed : 03/06/25 Expires: 03/06/26

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					
Dilution : 10					
Reagent : 013025.10; 013025.15; 021925.R61; 101624.13					
Consumables : 7580002041					
Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA083939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 03/04/25 08:51:03					
Analyzed Date : 03/05/25 11:30:22					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
03/06/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

710 FLOWER 3.5G - JAR 710 Labs Z
710 LABS Z
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50304003-005

Harvest/Lot ID: 3179525626597184

Batch# : 8908697599326783

Sampled : 03/04/25

Ordered : 03/04/25

Sample Size Received : 9 units

Total Amount : 183 units

Completed : 03/06/25 Expires: 03/06/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	14.7	PASS	15
Analyzed by: 1879, 3379, 585, 1440	Weight: 1g	Extraction date: 03/05/25 11:50:14			Extracted by: 3379	Analyzed by: 4451, 585, 1440	Weight: 0.507g	Extraction date: 03/04/25 15:11:14			Extracted by: 4451
Analysis Method : SOP.T.40.090 Analytical Batch : DA084012FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/05/25 11:54:02						Analysis Method : SOP.T.40.021 Analytical Batch : DA083942MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:41:24 Moisture Analyzer Analyzed Date : 03/05/25 08:25:49					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64FR20-39											

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.567	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.803g	Extraction date: 03/04/25 12:47:53	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA083943WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 03/05/25 08:26:36					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/06/25