

DAVIE, FL, 33314, US

(954) 368-7664

Kaycha Labs

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Sundae Driver 710 LABS SUNDAE DRIVER



Matrix: Derivative Classification: High THC Type: Extract for Inhalation Production Method: Other - Not Listed

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50318007-003



Harvest/Lot ID: 7183914685528445 Batch#: 3780565414858755 **Cultivation Facility: Homestead Processing Facility : Homestead** Source Facility: Homestead Seed to Sale#: 7183914685528445 Harvest Date: 03/14/25 Sample Size Received: 16 units Total Amount: 275 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 03/17/25 Sampled: 03/18/25 Completed: 03/20/25 Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED

Mar 20, 2025	The Flowery
Samples From:	

Homestead, FL, 33090, US

SAFFTY RESULTS

	ESULTS										MISC.
R 0		Hg	Ċ\$	ఫ్లో		Ä			\bigcirc		Ô
Pestici PASS		avy Metals ASSED	Microbials PASSED	Mycotoxir PASSED) 5	esiduals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	oinoid									TESTED
E	1	THC 705 HC/Container :				CBD 093% BD/Container :	-		77	l Cannabinoids 7.888% Cannabinoids/Conta)
			_								
9/6	D9-ТНС 65-282	тнса 5.044	CBD 0.075		D8-THC	св д	CBGA 2.146	CBN 0.023	тнсу 0.439	CBDV	свс 0.643
% mg/unit	^{D9-THC} 65.282 652.82	тнса 5.044 50.44	свр 0.075 0.75	0.021	D8-THC ND ND	свд 4.215 42.15	свда 2.146 21.46	сви 0.023 0.23	тнсv 0.439 4.39	CBDV ND ND	свс 0.643 6.43
	65.282	5.044	0.075	0.021 0.21	ND	4.215	2.146	0.023	0.439	ND	0.643
mg/unit	65.282 652.82	5.044 50.44	0.075 0.75	0.021 0.21 0.001	ND ND	4.215 42.15	2.146 21.46	0.023 0.23	0.439 4.39	ND ND	0.643 6.43
mg/unit	65.282 652.82 0.001 %	5.044 50.44 0.001	0.075 0.75 0.001	0.021 0.21 0.001	ND ND 0.001	4.215 42.15 0.001	2.146 21.46 0.001 %	0.023 0.23 0.001	0.439 4.39 0.001	ND ND 0.001	0.643 6.43 0.001
mg/unit LOD malyzed by: 335, 1665, 585 malysis Method malytical Batch nstrument Used	65.282 652.82 0.001 % 5,4351 d: SOP.T.40.031, SCC h: DA084435POT	5.044 50.44 0.001 %	0.075 0.75 0.001	0.021 0.21 0.001 % Weight:	ND ND 0.001	4.215 42.15 0.001 % Extraction date: 03/18/25 11:54:58	2.146 21.46 0.001 %	0.023 0.23 0.001 %	0.439 4.39 0.001	ND ND 0.001 % Extracted by:	0.643 6.43 0.001
mg/unit LOD Inalyzed by: 1335, 1665, 585 Inalysis Method Inalytical Batch Instrument Used Inalyzed Date : Dilution : 400 teagent : 02183; Consumables : 5	65.282 652.82 0.001 % 5,4351 d: 50P.T.40.031, SC h: DA084435POT d: DA1C-003	5.044 50.44 0.001 %	0.075 0.75 0.001 %	0.021 0.21 0.001 % Weight:	ND ND 0.001	4.215 42.15 0.001 % Extraction date: 03/18/25 11:54:58	2.146 21.46 0.001 %	0.023 0.23 0.001 %	0.439 4.39 0.001	ND ND 0.001 % Extracted by:	0.643 6.43 0.001
mg/unit LOD 335, 1665, 585 nalysis Methoc nalytical Batch strument Used nalyzed Date : iliution : 400 eagent : 02183 onsumables : 5 ipette : DA-07	65.282 652.82 0.001 % 5,4351 d: S0-T.40.031,SC 1: DA084435POT d: DA-C-003 03/19/25 09:37:42 25.R05; 012725.03; 947.110; 04312111; 9; DA-108; DA-078	5.044 50.44 0.001 %	0.075 0.75 0.001 %	0.021 0.21 0.001 % Weight:	ND ND 0.001 %	4.215 42.15 0.001 % Extraction date: 03/18/25 11:54:58	2.146 21.46 0.001 %	0.023 0.23 0.001 %	0.439 4.39 0.001	ND ND 0.001 % Extracted by:	0.643 6.43 0.001

FLOWERY

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/25



710 LABS LIVE ROSIN VAPE - 1G 710 Labs Sundae Driver 710 LABS SUNDAE DRIVER Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: brian@theflowerv.co

Sample : DA50318007-003 Harvest/Lot ID: 7183914685528445 Batch#: 3780565414858755 Sample Size Received: 16 units Sampled : 03/18/25 Ordered : 03/18/25

Total Amount : 275 units Completed : 03/20/25 Expires: 03/20/26 Sample Method : SOP.T.20.010

Page 2 of 6

-	
(O)	
\mathcal{S}	

Terpenes

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail		Result (%)	
TOTAL TERPENES	0.007	TESTED	52.26	5.226	SABINENE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	12.94	1.294	SABINENE HYDRATE	0.007	TESTED	ND	ND	
MONENE	0.007	TESTED	10.86	1.086	VALENCENE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	6.75	0.675	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	4.30	0.430	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
NALOOL	0.007	TESTED	3.40	0.340	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	2.95	0.295	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
UAIOL	0.007	TESTED	2.45	0.245	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	1.61	0.161	Analyzed by:	Weigh	ıt:	Extract	ion date:	Extracted by
INCHYL ALCOHOL	0.007	TESTED	0.99	0.099	4451, 4444, 585, 4351	0.227	4g	03/18/2	11:35:33	4451
LPHA-TERPINEOL	0.007	TESTED	0.95	0.095	Analysis Method : SOP.T.30.061A.FL, SOP.T.4	40.061A.FL				
TA-PINENE	0.007	TESTED	0.80	0.080	Analytical Batch : DA084449TER Instrument Used : DA-GEMS-004				Batch Date : 03/18/25 10:38	10
DRNEOL	0.013	TESTED	0.77	0.077	Analyzed Date : 03/19/25 09:37:54				Batch Date 103/10/23 10:30	.15
ANS-NEROLIDOL	0.005	TESTED	0.77	0.077	Dilution : 10					
RANIOL	0.007	TESTED	0.54	0.054	Reagent : 022525.47					
MPHENE	0.007	TESTED	0.49	0.049	Consumables : 947.110; 04312111; 2240626 Pipette : DA-065	6; 0000355309				
NCHONE	0.007	TESTED	0.44	0.044						
RYOPHYLLENE OXIDE	0.007	TESTED	0.43	0.043	Terpenoid testing is performed utilizing Gas Chrom	natograpny Mass Spectrometry	y. For all Flower sa	mpies, the Tota	Terpenes % is dry-weight corrected.	
PHA-TERPINOLENE	0.007	TESTED	0.42	0.042						
IMENE	0.007	TESTED	0.40	0.040						
CARENE	0.007	TESTED	ND	ND						
MPHOR	0.007	TESTED	ND	ND						
EDROL	0.007	TESTED	ND	ND						
JCALYPTOL	0.007	TESTED	ND	ND						
RNESENE	0.001	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
OBORNEOL	0.007	TESTED	ND	ND						
DPULEGOL	0.007	TESTED	ND	ND						
EROL	0.007	TESTED	ND	ND						
ULEGONE	0.007	TESTED	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/25



Page 3 of 6

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Sundae Driver 710 LABS SUNDAE DRIVER Matrix : Derivative



PASSED

PASSED

Result

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sample : DA50318007-003

Sampled : 03/18/25

Ordered : 03/18/25

Harvest/Lot ID: 7183914685528445

Batch#: 3780565414858755 Sample Size Received: 16 units

Total Amount : 275 units

Sample Method : SOP.T.20.010

Completed : 03/20/25 Expires: 03/20/26

The Flowery

R

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co

Pesticides

	3								F A	55
Pesticide	LOD U	Jnits Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resi
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 pj	pm 5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 p	pm 0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010 pj	pm 0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010 pj		PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010 pj		PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010 p		PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 p	P	PASS	ND			maa	0.1	PASS	ND
ACEPHATE	0.010 p		PASS	ND	PROPOXUR		I. I.		PASS	
ACEQUINOCYL	0.010 p		PASS	ND	PYRIDABEN		ppm	0.2		ND
ACETAMIPRID	0.010 pj		PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010 p		PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 p		PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010 pj		PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010 pj		PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010 pj		PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL	0.010 p		PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010 p		PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010 p		PASS	ND	PARATHION-METHYL *		ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 pj 0.010 pj		PASS	ND ND	CAPTAN *		ppm	0.7	PASS	ND
CHLORPYRIFOS			PASS	ND			ppm	0.1	PASS	ND
CLOFENTEZINE	0.010 p		PASS	ND	CHLORDANE *					
COUMAPHOS	0.010 pj 0.010 pj	P	PASS	ND	CHLORFENAPYR *		ppm	0.1	PASS	ND
DAMINOZIDE	0.010 p		PASS	ND	CYFLUTHRIN *		ppm	0.5	PASS	ND
DIAZINON	0.010 p	le	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DICHLORVOS DIMETHOATE	0.010 p	P	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:
ETHOPROPHOS	0.010 p		PASS	ND	3621, 585, 4351 0.2226g		5 11:51:11		450,585	
ETOFENPROX	0.010 p	P	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.4	0.102.FL				
ETOYENPROX	0.010 p		PASS	ND	Analytical Batch : DA084440PES Instrument Used : DA-LCMS-003 (PES)		Pate	h Date :03/18	25 00.50.00	
FENHEXAMID	0.010 p	P	PASS	ND	Analyzed Date :03/19/25 09:09:53		Dall	II Date :03/10	25 09.59.00	
FENOXYCARB	0.010 p		PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010 p	P	PASS	ND	Reagent : 031725.R01; 081023.01					
FIPRONIL	0.010 p		PASS	ND	Consumables : 040724CH01; 6822423-02					
FLONICAMID	0.010 p		PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010 p	P	PASS	ND	Testing for agricultural agents is performed util	lizing Liquid Chroi	matography ⁻	Triple-Quadrupo	le Mass Spectro	metry in
HEXYTHIAZOX	0.010 p		PASS	ND	accordance with F.S. Rule 64ER20-39.	Futur at			Fortune attack	
IMAZALIL	0.010 p		PASS	ND	Analyzed by: Weight: 450, 585, 4351 0.2226q		on date: 11:51:11		Extracted 450,585	by:
IMIDACLOPRID	0.010 p		PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.		, 11.31.11		450,505	
KRESOXIM-METHYL	0.010 p		PASS	ND	Analytical Batch : DA084442VOL	101101110				
MALATHION	0.010 p		PASS	ND	Instrument Used : DA-GCMS-011		Batch I	Date:03/18/25	10:02:40	
METALAXYL	0.010 p	P	PASS	ND	Analyzed Date :03/19/25 09:07:51					
METHIOCARB	0.010 p		PASS	ND	Dilution : 250					
METHOMYL	0.010 p		PASS	ND	Reagent: 031725.R01; 081023.01; 031025. Consumables: 040724CH01; 6822423-02; 1		1			
MEVINPHOS	0.010 p		PASS	ND	Pipette : DA-080; DA-146; DA-218	1413001				
MYCLOBUTANIL	0.010 p	le	PASS	ND	Testing for agricultural agents is performed util	lizing Gas Chroma	itography Tri	ple-Quadrupole	Mass Spectrome	etrv in
NALED	0.010 p		PASS	ND	accordance with F.S. Rule 64ER20-39.	incling ous childhic	logi aprily in	pre quadrupore	nass speed one	
	pi									

Analytical Batch : DA084442V01 Instrument Used : DA-GCMS-011 Analyzed Date : 03(19/25.09:07	L		Batch	Date:03/18/2	5 10:02:40	
Analyzed by: 450, 585, 4351 Analysis Method :SOP.T.30.151	Weight: 0.2226g	Extractio 03/18/25			Extracte 450,585	a by:
Testing for agricultural agents is p accordance with F.S. Rule 64ER20	-39.			Triple-Quadrup		
Dilution : 250 Reagent : 031725.R01; 081023. Consumables : 040724CH01; 68 Pipette : N/A						
Analysis Method :SOP.T.30.102 Analytical Batch :DA084440PES Instrument Used :DA-LCMS-003 Analyzed Date :03/19/25 09:09	(PES)	02.FL	Bat	ch Date :03/1	8/25 09:59:08	
Analyzed by: 3621, 585, 4351	Weight: 0.2226g	03/18/25	on date: 5 11:51:11		Extracte 450,585	ed by:
CYPERMETHRIN *		0.050		0.5	PASS	ND
CYFLUTHRIN *		0.050		0.5	PASS	ND
CHLORFENAPYR *		0.010		0.1	PASS	ND
CHLORDANE *		0.010		0.1	PASS	ND
CAPTAN *		0.070		0.7	PASS	ND
PARATHION-METHYL *		0.010	T. F.	0.1	PASS	ND
PENTACHLORONITROBENZENE	(PCNB) *	0.010		0.15	PASS	ND
TRIFLOXYSTROBIN		0.010	1.1.	0.1	PASS	ND
THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
THIACLOPRID		0.010	P.P.	0.1	PASS	ND
TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
SPIROXAMINE		0.010	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
PYRIDABEN		0.010	ppm	0.2	PASS	ND
PROPOXUR		0.010	ppm	0.1	PASS	ND
PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
PRALLETHRIN		0.010		0.1	PASS	ND
PIPERONYL BUTOXIDE		0.010		3	PASS	ND
PHOSMET		0.010		0.1	PASS	ND
PACLOBUTRAZOL		0.010		0.1	PASS	ND
OXAMYL		0.010	nnm	0.5	PASS	ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/20/25



..... 710 LABS LIVE ROSIN VAPE - 1G 710 Labs Sundae Driver 710 LABS SUNDAE DRIVER Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowerv.co Sample : DA50318007-003 Harvest/Lot ID: 7183914685528445 Batch#: 3780565414858755 Sample Size Received: 16 units Sampled : 03/18/25 Ordered : 03/18/25

Total Amount : 275 units Completed : 03/20/25 Expires: 03/20/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

LOD	Units	Action Level	Pass/Fail	Result
0.800	ppm	8	PASS	ND
0.200	ppm	2	PASS	ND
50.000	ppm	500	PASS	ND
75.000	ppm	750	PASS	ND
6.000	ppm	60	PASS	ND
0.100	ppm	1	PASS	ND
500.000	ppm	5000	PASS	ND
0.200	ppm	2	PASS	ND
12.500	ppm	125	PASS	ND
500.000	ppm	5000	PASS	ND
40.000	ppm	400	PASS	ND
50.000	ppm	500	PASS	ND
0.500	ppm	5	PASS	ND
500.000	ppm	5000	PASS	ND
25.000	ppm	250	PASS	ND
25.000	ppm	250	PASS	ND
75.000	ppm	750	PASS	ND
500.000	ppm	5000	PASS	ND
15.000	ppm	150	PASS	ND
15.000	ppm	150	PASS	ND
2.500	ppm	25	PASS	ND
Weight: 0.02418g	Extraction date: 03/19/25 10:33:2	9		xtracted by: 50
		Batch Date : 03/18/25 1	2:57:39	
	0.800 0.200 50.000 75.000 6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000 0.500 500.000 25.000 25.000 25.000 75.000 500.000 15.000 15.000 15.000 25.000 15.000 25.000 15.000	0.800 ppm 0.200 ppm 50.000 ppm 50.000 ppm 75.000 ppm 0.100 ppm 0.200 ppm 0.100 ppm 0.200 ppm 0.200 ppm 0.200 ppm 0.200 ppm 500.000 ppm 500.000 ppm 500.000 ppm 50.000 ppm 50.000 ppm 25.000 ppm 25.000 ppm 500.000 ppm 25.000 ppm 500.000 ppm 25.000 ppm 500.000 ppm 25.000 ppm 500.000 ppm 25.000 ppm 25.000 ppm 25.000 ppm 25.000 ppm 25.000 ppm 25.000 ppm <td>0.800 ppm 8 0.200 ppm 2 50.000 ppm 500 75.000 ppm 750 6.000 ppm 60 0.100 ppm 1 500.000 ppm 2 12.500 ppm 2 12.500 ppm 225 500.000 ppm 400 50.000 ppm 500 40.000 ppm 500 50.000 ppm 500 0.500 ppm 500 0.500 ppm 250 25.000 ppm 250 25.000 ppm 5000 25.000 ppm 5000 25.000 ppm 5000 25.000 ppm 5000 15.000 ppm 150 15.000 ppm 250 25.000 ppm 25 00.0215.000 ppm 25 00.0200 ppm 25 00.0200 ppm 25<td>0.800 ppm 8 PASS 0.200 ppm 2 PASS 50.000 ppm 500 PASS 50.000 ppm 750 PASS 6.000 ppm 60 PASS 0.100 ppm 1 PASS 0.100 ppm 2 PASS 0.100 ppm 2 PASS 0.200 ppm 5000 PASS 50.000 ppm 5000 PASS 50.000 ppm 250 PASS 500.000 ppm<!--</td--></td></td>	0.800 ppm 8 0.200 ppm 2 50.000 ppm 500 75.000 ppm 750 6.000 ppm 60 0.100 ppm 1 500.000 ppm 2 12.500 ppm 2 12.500 ppm 225 500.000 ppm 400 50.000 ppm 500 40.000 ppm 500 50.000 ppm 500 0.500 ppm 500 0.500 ppm 250 25.000 ppm 250 25.000 ppm 5000 25.000 ppm 5000 25.000 ppm 5000 25.000 ppm 5000 15.000 ppm 150 15.000 ppm 250 25.000 ppm 25 00.0215.000 ppm 25 00.0200 ppm 25 00.0200 ppm 25 <td>0.800 ppm 8 PASS 0.200 ppm 2 PASS 50.000 ppm 500 PASS 50.000 ppm 750 PASS 6.000 ppm 60 PASS 0.100 ppm 1 PASS 0.100 ppm 2 PASS 0.100 ppm 2 PASS 0.200 ppm 5000 PASS 50.000 ppm 5000 PASS 50.000 ppm 250 PASS 500.000 ppm<!--</td--></td>	0.800 ppm 8 PASS 0.200 ppm 2 PASS 50.000 ppm 500 PASS 50.000 ppm 750 PASS 6.000 ppm 60 PASS 0.100 ppm 1 PASS 0.100 ppm 2 PASS 0.100 ppm 2 PASS 0.200 ppm 5000 PASS 50.000 ppm 5000 PASS 50.000 ppm 250 PASS 500.000 ppm </td

Reagent : 030420.09 Consumables : 430596: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/25



Type: Extract for Inhalation

710 LABS LIVE ROSIN VAPE - 1G 710 Labs Sundae Driver 710 LABS SUNDAE DRIVER Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: brian@theflowery.co Sample : DA50318007-003 Harvest/Lot ID: 71839146855528445 Batch# : 3780565414858755 Sample : 03/18/25 Total Amount : 275 units

Ordered : 03/18/25 Co Sa

Sample Size Received : 16 units Total Amount : 275 units Completed : 03/20/25 Expires: 03/20/26 Sample Method : SOP.T.20.010 Page 5 of 6

Ç	Microbia	I			PAS	SED	ۍ،	ſ	Mycotoxi	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	5 TERREUS			Not Present	PASS	Level	AFLATOXIN	I B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	5 NIGER			Not Present	PASS		AFLATOXIN	I B1		0.002	ppm	ND	PASS	0.02
SPERGILLUS	5 FUMIGATUS			Not Present	PASS		OCHRATOX	IN A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	5 FLAVUS			Not Present	PASS		AFLATOXIN	I G1		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	I G2		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction dat	e:	E	xtracted	by:
TOTAL YEAS	AND MOLD	10	CFU/g	<10	PASS	100000	3621, 585, 43	351	0.2226g	03/18/25 11:5	1:11	4	50,585	-
nalyzed by: 520, 4531, 58	Weigh 5,4351 1.005		Extraction da 03/18/25 12:		Extracted 4044,452				OP.T.30.102.FL, SOP. A084441MYC	.T.40.102.FL				
	d : SOP.T.40.056C, SOP. h : DA084436MIC	5			. , .		Instrument U	sed : N		Batch	Date:0	3/18/25 10	:02:20	
95*C) DA-049	vcler DA-010,Fisher Scie DA-402 Thermo Scientii : 03/19/25 10:31:08				14:22		Consumables Pipette : N/A	:0407	R01; 081023.01 724CH01; 6822423-0					
	25.08; 020125.12; 0219 7580002027	925.R61	; 093024.02				accordance w	ith F.S.	tilizing Liquid Chromatog Rule 64ER20-39.		Quadrupo			
nalyzed by: 520, 585, 435	Weight: 1 1.005g		action date: 8/25 12:01:49		Extracted b 1044,4520	y:	Hg		leavy Me	etals			PAS	SED
Analytical Batc	d:SOP.T.40.209.FL h:DA084437TYM						Metal			LOD	Units	Result	Pass / Fail	Action Level
nstrument Use A-3821	d : Incubator (25*C) DA	- 328 [c	alibrated wit	h Batch Dat	e:03/18/2	5 09:15:36	TOTAL CON	ТАМІ	NANT LOAD METAL	.s 0.080	ppm	ND	PASS	1.1
	03/20/25 10:33:38						ARSENIC			0.020	ppm	ND	PASS	0.2
ilution : 10							CADMIUM			0.020	ppm	ND	PASS	0.2
	25.08; 020125.12; 0226	525.R53	3				MERCURY			0.020	ppm	ND	PASS	0.2
onsumables :	N/A						LEAD			0.020	ppm	<0.100	PASS	0.5
	nold testing is performed u	tilizing M	1PN and tradition	onal culture base	d techniques	in	Analyzed by: 1022, 585, 43		Weight: 0.2657g	Extraction dat 03/18/25 11:0			Extracted 4056	by:
ccordance with	F.S. Rule 64ER20-39.						Analytical Ba Instrument U	tch : D sed : D	OP.T.30.082.FL, SOP. A084445HEA DA-ICPMS-004 19/25 10:31:57		h Date : (03/18/25 1	0:18:33	
							120324.07; 0 Consumables)30625 :0407	R32; 022425.R19; 031 5.R25 724CH01; J609879-01 A-191; DA-216		25.R29; (031725.R1	1; 03172!	5.R12;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/25



..... 710 LABS LIVE ROSIN VAPE - 1G 710 Labs Sundae Driver 710 LABS SUNDAE DRIVER Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: brian@theflowerv.co

Sample : DA50318007-003 Harvest/Lot ID: 7183914685528445 Batch#: 3780565414858755 Sample Size Received: 16 units Sampled : 03/18/25 Ordered : 03/18/25

Total Amount : 275 units Completed : 03/20/25 Expires: 03/20/26 Sample Method : SOP.T.20.010



Analytical Batch : DA084493FIL Instrument Used : Filth/Foreign Material Microscope Batch Date : 03/19/25 10:48:06 Analyzed Date : 03/19/25 12:14:38

Dilution: N/AReagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		LOD 0.010	Units aw	Result 0.435	P/F PASS	Action Level 0.85
Analyzed by: 3379, 585, 4351	Weight: 0.296g		traction d /18/25 13			tracted by: 379
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DAO HygroPalm,DA-324 Ro Hygropalm HC2-AW (P Analyzed Date : 03/19/	84454WAT 56 Rotronic Hy tronic Hygropa Probe),DA-327	alm HC2-	-AW (Prob	e),DA-325 R	otronic 11:	ch Date : 03/18/25 13:26
Dilution : N/A Reagent : N/A Consumables : N/A						

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/25

PASSED

Page 6 of 6