

COMPLIANCE FOR RETAIL

DA50321013-001

Laboratory Sample ID: DA50321013-001


TIOLABS

Mar 25, 2025 | The Flowery

Kaycha Labs

710 POD - PERSY ROSIN 710 Labs Feelin' Myself #2

710 LABS FEELIN' MYSELF #2 Matrix: Derivative



Production Method: Other - Not Listed Harvest/Lot ID: 3216618482605015

> Batch#: 8237255539024397 **Cultivation Facility: Homestead**

Processing Facility: Homestead Source Facility: Homestead

Seed to Sale#: 3216618482605015 Harvest Date: 03/19/25

Total Amount: 315 units

Sample Size Received: 31 units

Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 03/21/25 Sampled: 03/21/25

Completed: 03/25/25

Sampling Method: SOP.T.20.010

PASSED

#FLOWERY

Pages 1 of 6

SAFETY RESULTS

Samples From: Homestead, FL, 33090, US



Pesticides PASSED



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**

Batch Date: 03/24/25 07:58:10



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 87.466%

Total THC/Container: 437.330 mg



Total CBD

Total CBD/Container: 0.560 mg



Total Cannabinoids

Total Cannabinoids/Container: 457.675



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA084655POT Instrument Used: DA-LC-003 Analyzed Date: 03/25/25 11:46:44

Dilution: 400
Reagent: 031425.R03; 012725.02; 021825.R03
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 03/25/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



T10 POD - PERSY ROSIN 710 Labs Feelin' Myself #2
710 LABS FEELIN' MYSELF #2
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** brian@theflowery.co Sample: DA50321013-001 Harvest/Lot ID: 3216618482605015

Batch#:8237255539024397 Sample Size Received:31 units
Sampled:03/21/25 Total Amount:315 units

Sampled: 03/21/25 Total Am Ordered: 03/21/25 Complete

Total Amount: 315 units
Completed: 03/25/25 Expires: 03/25/26
Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	21.69	4.337		NEROL	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	7.13	1.425		PULEGONE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	3.54	0.707		SABINENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	3.26	0.652		VALENCENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.66	0.331		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.16	0.231		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	1.14	0.227		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.80	0.160		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	0.59	0.118		Analyzed by:	Weight:		xtraction date		Extracted by:
ETA-PINENE	0.007	TESTED	0.58	0.116		4451, 585, 1440	0.2416g	(3/24/25 10:49	:41	4451
ORNEOL	0.013	TESTED	0.37	0.074		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.	.061A.FL				
RANS-NEROLIDOL	0.005	TESTED	0.30	0.060	j	Analytical Batch : DA084617TER Instrument Used : DA-GCMS-004				Batch Date : 03/22/25 12:07:4	0
AMPHENE	0.007	TESTED	0.29	0.057	j	Analyzed Date : 03/25/25 11:47:53				Batti Date: U3/22/25 12:U7:4	
ENCHONE	0.007	TESTED	0.19	0.038	Ì	Dilution: 10					
LPHA-TERPINOLENE	0.007	TESTED	0.19	0.038		Reagent: 022525.47					
LPHA-BISABOLOL	0.007	TESTED	0.16	0.032		Consumables: 947.110; 04312111; 2240626; 0	0000355309				
CIMENE	0.007	TESTED	0.13	0.026		Pipette : DA-065					
ABINENE HYDRATE	0.007	TESTED	0.12	0.023		Terpenoid testing is performed utilizing Gas Chromati	tograpny Mass Spectrometry	. For all Flower sa	mpies, the Total	Terpenes % is any-weight corrected.	
AMMA-TERPINENE	0.007	TESTED	0.11	0.022							
-CARENE	0.007	TESTED	ND	ND	j						
AMPHOR	0.007	TESTED	ND	ND							
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ARNESENE	0.001	TESTED	ND	ND							
GERANIOL	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
ISOPULEGOL	0.007	TESTED	ND	ND							
Total (%)				A 337							

Total (%)

4.337

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25



Kaycha Labs ■ 710 POD - PERSY ROSIN 710 Labs Feelin' Myself #2 710 LABS FEELIN' MYSELF #2 Matrix : Derivative Type: Extract for Inhalation

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50321013-001 Harvest/Lot ID: 3216618482605015

Sampled: 03/21/25 Ordered: 03/21/25

Batch#: 8237255539024397 Sample Size Received: 31 units Total Amount: 315 units

Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
BAMECTIN B1A	0.010	1.1	0.1	PASS	ND			ppm	0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR			0.1	PASS	
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm			ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND				0.13	PASS	ND
ILORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		ppm			
ILORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		ppm	0.7	PASS	ND
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		ppm	0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted by:	
METHOATE	0.010		0.1	PASS	ND	3621, 585, 1440 0.2505q	03/23/25			4640,3379,450	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.102.FL, SOP.T.40.	102.FL				
OFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA084625PES					
OXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date: 03/22	25 12:44:52	
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : 03/25/25 09:09:19					
NOXYCARB	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 081023.01; 032225.R01					
NPYROXIMATE	0.010		0.1	PASS	ND	Consumables: 040724CH01; 221021DD					
PRONIL	0.010		0.1	PASS	ND	Pipette: N/A					
ONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utiliz	ing Liquid Chro	matography Tr	iple-Quadrupo	le Mass Spectror	netry in
UDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		.5 5			, ,
EXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by: Weigh		action date:		Extracted b	
IAZALIL	0.010		0.1	PASS	ND	4640, 450, 585, 1440 0.2505		3/25 10:38:36		4640,3379,4	50
IIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40	0.151.FL				
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA084626VOL Instrument Used : DA-GCMS-010		Batch D	ate:03/22/25	12,47,14	
ALATHION	0.010		0.2	PASS	ND	Analyzed Date: 03/25/25 09:07:53		Dattil Da	are:03/22/23	14.47.14	
ETALAXYL	0.010		0.1	PASS	ND	Dilution : 250					
ETHIOCARB	0.010		0.1	PASS	ND	Reagent: 081023.01; 031025.R43; 031025.R4	44; 032225.R0	L			
ETHOMYL	0.010		0.1	PASS	ND	Consumables: 040724CH01; 221021DD; 174					
EVINPHOS	0.010		0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
YCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utiliz	ing Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	try in
ALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50321013-001 Harvest/Lot ID: 3216618482605015

Batch#: 8237255539024397 Sample Size Received: 31 units Sampled: 03/21/25

Total Amount: 315 units Ordered: 03/21/25 Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0212g	Extraction date: 03/24/25 12:21:44			extracted by: 150

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA084641SOL

Instrument Used: DA-GCMS-002 **Analyzed Date:** 03/25/25 09:05:16

Dilution: 1 Reagent: 030420.09

Consumables: 430596; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Batch Date: 03/22/25 15:00:01

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25



Kaycha Labs 710 POD - PERSY ROSIN 710 Labs Feelin' Myself #2 710 LABS FEELIN' MYSELF #2 Matrix : Derivative Type: Extract for Inhalation

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample: DA50321013-001 Harvest/Lot ID: 3216618482605015

Sample Size Received: 31 units Batch#:8237255539024397 Sampled: 03/21/25 Ordered: 03/21/25

Total Amount: 315 units Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Page 5 of 6

0.002 ppm



Microbial

PASSED

Batch Date: 03/22/25 08:03:30



OCHRATOXIN A

SED

PASS

ND

Batch Date: 03/22/25 12:48:46

Action Level 0.02 0.02

0.02

Analyte	LOD	Units	Result	Pass /	Action
				Fail	Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 585, 1440 0.9538g 03/22/25 10:16:09

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084599MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 03/22/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 03/25/25 11:43:31

Dilution: 10

Reagent: 020125.10; 022625.54; 021925.R61; 093024.02

Consumables: 7581001074

Pipette : N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4777, 585, 1440	0.9538g	03/22/25 10:16:09	4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084600TYM

Instrument Used : Incubator (25*C) DA- 328 [calibrated with DA-3821

Analyzed Date: 03/25/25 09:48:32

Dilution: 10

Reagent: 020125.10; 022625.54; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

% °	Mycotoxins				PAS	
Analyte		LOD	Units	Result	Pass / Fail	
AFLATOXIN B	32	0.002	ppm	ND	PASS	
AFLATOXIN B	1	0.002	ppm	ND	PASS	

AFLATOXIN G1 0.002 ppm PASS ND 0.02 AFLATOXIN G2 0.002 ppm ND PASS 0.02 Extraction date: Extracted by: Analyzed by: Weight:

3621, 585, 1440 0.2505g 03/23/25 10:38:36 4640,3379,450 Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA084627MYC Instrument Used: DA-LCMS-003 (MYC)

Analyzed Date: 03/25/25 09:11:31 Dilution: 250

Reagent: 081023.01; 032225.R01 Consumables: 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by Extraction date: Extracted by: 1022, 585, 1440 0.2116g 03/23/25 14:31:59 4571.4056

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL

Analytical Batch : DA084621HEA Instrument Used: DA-ICPMS-004 Batch Date: 03/22/25 12:13:41 Analyzed Date: 03/25/25 09:44:16

Dilution: 50

Reagent: 012925.R32; 031725.R14; 031725.R13; 032025.R07; 031725.R11; 031725.R12; 120324.07; 031725.R15

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 03/25/25





Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50321013-001 Harvest/Lot ID: 3216618482605015

Batch#: 8237255539024397 Sample Size Received: 31 units Sampled: 03/21/25

Total Amount: 315 units Ordered: 03/21/25 Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Page 6 of 6

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 03/24/25 04:00:18 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA084652FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 03/24/25 03:50:00 Analyzed Date: 03/24/25 04:08:40

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	L	OD Units	Result	P/F	Action Level
Water Activity	0	.010 aw	0.452	PASS	0.85
Analyzed by:	Weight:	Extraction o			tracted by:

Analysis Method : SOP.T.40.019 Analytical Batch: DA084611WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 03/22/25 10:57:30

Analyzed Date: 03/24/25 17:04:23

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors