


Kaycha Labs

710 PERSY ROSIN BADDER - 1G 710 Rainbow Belts + Mango Banana #9 🛂 710 RAINBOW BELTS + MANGO BANANA #9

Matrix: Derivative Classification: High THC Type: Rosin



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50616009-001



Jun 19, 2025 | The Flowery

Samples From: Homestead, FL, 33090, US

Production Method: Other - Not Listed Harvest/Lot ID: 5360990582271452 Batch#: 4697746013654261

Cultivation Facility: Homestead Processing Facility: Homestead Source Facility: Homestead Seed to Sale#: 5360990582271452

Harvest Date: 06/13/25 Sample Size Received: 16 units Total Amount: 312 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

> Servings: 1 Ordered: 06/16/25

Sampled: 06/16/25 Completed: 06/19/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials PASSED



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



#FLOWERY

Filth **PASSED**

Batch Date: 06/17/25 08:06:23



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 3.460%

Total THC/Container: 734.609 mg



Total CBD

Total CBD/Container: 2.035 mg



Total Cannabinoids

Total Cannabinoids/Container: 866.280

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
6	1.461	82.098	ND	0.232	ND	0.529	2.175	ND	ND	ND	0.133
ng/unit	14.61	820.98	ND	2.32	ND	5.29	21.75	ND	ND	ND	1.33
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA087589POT Instrument Used: DA-LC-008 Analyzed Date: 06/18/25 09:04:13

Analyzed by: 3335, 1665, 585, 1440

Label Claim

Dilution: 400
Reagent: 060625.R05; 021125.07; 053025.R04
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED



Kaycha Labs ■

710 PERSY ROSIN BADDER - 1G 710 Rainbow Belts + Mango Banana #9 710 RAINBOW BELTS + MANGO BANANA #9

> Matrix : Derivative Type: Rosin





Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50616009-001 Harvest/Lot ID: 5360990582271452

Sampled: 06/16/25 Ordered: 06/16/25

Batch#: 4697746013654261 Sample Size Received: 16 units Total Amount: 312 units

Completed : 06/19/25 **Expires:** 06/19/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

T	E	S	Т	E	D

Terpenes TOTAL TERPENES	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes SABINENE HYDRATE	LOD (%)	Pass/Fail TESTED	mg/unit	Result (%)	
	0.007		69.49	6.949		0.007		ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	16.86	1.686	VALENCENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	16.47	1.647	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LINALOOL	0.007	TESTED	11.55	1.155	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	5.33	0.533	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	3.88	0.388	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	3.84	0.384	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	3.01	0.301	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
RANS-NEROLIDOL	0.005	TESTED	2.68	0.268	Analyzed by:	Weight	b	Extracti	on date:	Extracted by:
ENCHYL ALCOHOL	0.007	TESTED	1.65	0.165	 4444, 4451, 585, 1440	0.2181	.g	06/17/2	5 10:48:37	4444
ALPHA-PINENE	0.007	TESTED	1.64	0.164	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA087609TER					
ALPHA-TERPINEOL	0.007	TESTED	1.50	0.150	Analytical Batch : DAU876091ER Instrument Used : DA-GCMS-009				Batch Date : 06/17/25 09:33	1-78
SERANIOL	0.007	TESTED	0.60	0.060	Analyzed Date : 06/18/25 09:04:16					
AMPHENE	0.007	TESTED	0.48	0.048	Dilution: 10					
-CARENE	0.007	TESTED	ND	ND	Reagent: 051525.10					
ORNEOL	0.013	TESTED	ND	ND	Consumables: 947.110; 04402004; 2240626; 00003553 Pipette: DA-065	09				
AMPHOR	0.007	TESTED	ND	ND	Pipette: DA-005 Terpenoid testing is performed utilizing Gas Chromatography Ma					
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	respendit testing is performed utilizing das Cilionatography Ma	iss speculometry	. For all Flower sai	ripres, trie rotal	respenses to is dry-weight corrected.	
EDROL	0.007	TESTED	ND	ND						
UCALYPTOL	0.007	TESTED	ND	ND						
ARNESENE	0.007	TESTED	ND	ND						
ENCHONE	0.007	TESTED	ND	ND						
SERANYL ACETATE	0.007	TESTED	ND	ND						
UAIOL	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
SOBORNEOL	0.007	TESTED	ND	ND						
SOPULEGOL	0.007	TESTED	ND	ND						
IEROL	0.007	TESTED	ND	ND						
CIMENE	0.007	TESTED	ND	ND						
PULEGONE	0.007	TESTED	ND	ND						
SABINENE	0.007	TESTED	ND	ND						
otal (%)				6.949						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



710 PERSY ROSIN BADDER - 1G 710 Rainbow Belts + Mango Banana #9 710 RAINBOW BELTS + MANGO BANANA #9

Matrix : Derivative

Type: Rosin



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50616009-001 Harvest/Lot ID: 5360990582271452

Sampled: 06/16/25 Ordered: 06/16/25

Batch#: 4697746013654261 Sample Size Received: 16 units Total Amount: 312 units

Completed: 06/19/25 Expires: 06/19/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	11.11	0.1	PASS	ND			0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE						
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010	11.11	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND			0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBEN	NZENE (PCNB) *				PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
FENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
INOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	mag	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by	
IETHOATE	0.010		0.1	PASS	ND	4056, 585, 1440	0.2379g	06/17/25			4056,450,585	
IOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.3						
DFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA0875						
XAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCN			Batcl	Date: 06/17/	25 08:12:33	
IHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date: 06/18/25	10:24:47					
IOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
NPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 061525.R01; 04 Consumables: 040724CH		7; Ub1b25.R02	; Ub1b25.RU	1; U42925.R13	s; Ub1125.RU1	
PRONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094;						
ONICAMID	0.010		0.1	PASS	ND	Testing for agricultural ager		na Liauid Chron	natography T	riple-Quadrupo	le Mass Spectron	netry in
JDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 6		=				,
XYTHIAZOX	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted by:	
AZALIL	0.010	1.1	0.1	PASS	ND	450, 585, 1440	0.2379g	06/17/25 1	2:04:51		4056,450,585	
DACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.3		.151.FL				
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA0875				. 00/17/0-	00.15.55	
LATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCN Analyzed Date : 06/18/25			Batch D	ate:06/17/25	08:15:55	
TALAXYL	0.010	ppm	0.1	PASS	ND	Dilution: 250	05.44.43					
THIOCARB	0.010	ppm	0.1	PASS	ND	Reagent: 061525.R01; 04	13025 28· 052125 RA	2· 052125 R43				
ГНОМҮL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH						
VINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146;						
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural ager		ng Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	try in
LED	0.010	nnm	0.25	PASS	ND	accordance with F.S. Rule 6		-				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director


State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



710 PERSY ROSIN BADDER - 1G 710 Rainbow Belts + Mango Banana #9

Matrix : Derivative Type: Rosin

Kaycha Labs **■**



PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50616009-001 Harvest/Lot ID: 5360990582271452

Batch#: 4697746013654261 Sample Size Received: 16 units

Sampled: 06/16/25 Ordered: 06/16/25

Total Amount: 312 units Completed: 06/19/25 Expires: 06/19/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4451, 585, 1440	Weight: 0.0211g	Extraction date: 06/17/25 09:47:17			xtracted by: 451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA087601SOL Instrument Used: DA-GCMS-002

Analyzed Date : $06/18/25 \ 08:57:10$ Dilution: 1

Reagent: 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Batch Date: 06/17/25 08:29:24

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Signature 06/19/25



710 PERSY ROSIN BADDER - 1G 710 Rainbow Belts + Mango Banana #9 710 RAINBOW BELTS + MANGO BANANA #9

Matrix : Derivative Type: Rosin

Kaycha Labs ■

PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50616009-001 Harvest/Lot ID: 5360990582271452

Sampled: 06/16/25 Ordered: 06/16/25

Batch#: 4697746013654261 Sample Size Received: 16 units Total Amount: 312 units

Completed: 06/19/25 Expires: 06/19/26 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 0.9841g 4892, 4520, 585, 1440 06/17/25 11:01:41

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA087584MIC \\ \end{array}$

Instrument Used: DA-111 (PathogenDx Scanner),DA-010 Batch Da (Thermocycler),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block) 07:39:16 Batch Date: 06/17/25

Analyzed Date: 06/18/25 09:43:24

Reagent: 050225.08; 050225.17; 061125.R06; 051624.04

Consumables : 7581004043

Pipette: N/A Analyzed by:

2	,									
Analyte		LOD	Units	Result	Pass / Fail	Action Level				
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.02				
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.02				
OCHRATOXIN	ΙΔ	0.002	nnm	ND	PASS	0.02				

Analyzed by:	Weight:	Extraction date:	Extracted b	y:
AFLATOXIN G2		0.002 ppm	ND PASS	0.02
AFLATOXIN G1		0.002 ppm	ND PASS	0.02
OCHRATOXIN A		0.002 ppm	ND PASS	0.02
AI LAI OXIN DI		0.002 ppiii	ND FA33	0.02

4056, 585, 1440 0.2379g 06/17/25 12:04:51 4056,450,585 Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA087600MYC Instrument Used : DA-LCMS-005 (MYC)

Analyzed Date: 06/18/25 10:23:59

Dilution: 250

Reagent: 061525.R01; 043025.28; 061025.R57; 061625.R02; 061625.R01; 042925.R13; 061125.R01

Consumables: 040724CH01; 6822423-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

PASSED

Batch Date: 06/17/25 08:19:07

4892, 4777, 585, 1440	0.9841g	06/17/25 11:01:41	4892,4777
Analysis Method : SOP.T.40.2	09.FL		
Analytical Batch: DA0875857	ΓΥΜ		
Instrument Used: DA-328 (25	5*C Incubator)	Batch Date : (06/17/25 07:42:53

Extraction date:

Weight:

Analyzed Date : 06/19/25 11:44:04

Reagent: 050225.08; 050225.17; 050725.R36

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 3379, 585, 1440	Weight: 0.2749g	Extraction date: 06/17/25 11:23:48			Extracted by: 4531		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA087604HEA Instrument Used : DA-ICPMS-004

Batch Date: 06/17/25 09:09:37 Analyzed Date: 06/18/25 10:14:22

Dilution: 50

Reagent: 060425.R41; 060925.R08; 061625.R05; 061025.R39; 061625.R03; 061625.R04;

120324.07; 060925.R09

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



710 PERSY ROSIN BADDER - 1G 710 Rainbow Belts + Mango Banana #9 710 RAINBOW BELTS + MANGO BANANA #9

Matrix : Derivative Type: Rosin

Kaycha Labs **■**



PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Fmail: hrian@theflowerv.co

Sample : DA50616009-001 Harvest/Lot ID: 5360990582271452

Batch#: 4697746013654261 Sample Size Received: 16 units Sampled: 06/16/25

Total Amount: 312 units Ordered: 06/16/25 Completed: 06/19/25 Expires: 06/19/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS Analyzed by: 1879, 1440 Extraction date: Weight: Extracted by: 1g 06/18/25 21:35:09 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA087652FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 06/18/25 13:21:20

Analyzed Date: 06/18/25 21:39:54

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	L	LOD	Units	Result	P/F	Action Level
Water Activity	(0.010	aw	0.540	PASS	0.85
Analyzed by:	Weight:		raction d			tracted by:
4797, 585, 1440	0.3092g	06/	17/25 13	3:22:38	47	97

Analysis Method: SOP.T.40.019 Analytical Batch: DA087606WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 06/17/25 09:30:10

Analyzed Date: 06/18/25 08:59:23

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164