



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50725013-001



Production Method: Other - Not Listed
Harvest/Lot ID: 5378479478880290
Batch#: 9331836486377965
Cultivation Facility: Homestead
Processing Facility : Homestead
Source Facility: Homestead
Seed to Sale#: 5378479478880290
Harvest Date: 07/25/25
Sample Size Received: 26 units
Total Amount: 485 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 07/25/25
Sampled: 07/25/25
Completed: 07/29/25
Sampling Method: SOP.T.20.010

Jul 29, 2025 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
25.018%

Total THC/Container : 250.182 mg



Total CBD
0.041%

Total CBD/Container : 0.412 mg



Total Cannabinoids
29.431%

Total Cannabinoids/Container : 294.310 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-----|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.364 | 28.112 | ND | 0.047 | 0.027 | 0.054 | 0.797 | ND | ND | ND | 0.030 |
| mg/unit | 3.64 | 281.12 | ND | 0.47 | 0.27 | 0.54 | 7.97 | ND | ND | ND | 0.30 |
| LOD | 0.001 | 0.001 | | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 585, 4571

Weight:
0.2042g

Extraction date:
07/28/25 08:45:02

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088936POT

Instrument Used : DA-LC-001

Analyzed Date : 07/29/25 10:07:11

Batch Date : 07/28/25 07:22:47

Dilution : 400

Reagent : 072525.R01; 061825.03; 072525.R04

Consumables : 947.110; 04312111; 031425CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS HAND-ROLL 1G 710 Labs Ego Death #12

710 LABS EGO DEATH #12

Matrix : Flower

Type: Flower-Cured

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50725013-001

Harvest/Lot ID: 5378479478880290

Batch# : 9331836486377965

Sampled : 07/25/25

Ordered : 07/25/25

Sample Size Received : 26 units

Total Amount : 485 units

Completed : 07/29/25 Expires: 07/29/26

Sample Method : SOP.T.20.010

Page 2 of 5

| Terpenes | | | | | TESTED | | | | |
|---------------------|---------|-----------|---------|------------|--|---------|-----------|---------|------------|
| Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) |
| TOTAL TERPENES | 0.007 | TESTED | 16.37 | 1.637 | VALENCENE | 0.007 | TESTED | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | TESTED | 5.15 | 0.515 | ALPHA-CEDRENE | 0.005 | TESTED | ND | ND |
| LIMONENE | 0.007 | TESTED | 3.60 | 0.360 | ALPHA-PHELLANDRENE | 0.007 | TESTED | ND | ND |
| LINALOOL | 0.007 | TESTED | 2.40 | 0.240 | ALPHA-TERPINENE | 0.007 | TESTED | ND | ND |
| ALPHA-HUMULENE | 0.007 | TESTED | 2.16 | 0.216 | ALPHA-TERPINOLENE | 0.007 | TESTED | ND | ND |
| BETA-PINENE | 0.007 | TESTED | 0.64 | 0.064 | CIS-NEROLIDOL | 0.003 | TESTED | ND | ND |
| BETA-MYRCENE | 0.007 | TESTED | 0.63 | 0.063 | GAMMA-TERPINENE | 0.007 | TESTED | ND | ND |
| ALPHA-BISABOLOL | 0.007 | TESTED | 0.53 | 0.053 | TRANS-NEROLIDOL | 0.005 | TESTED | ND | ND |
| FENCHYL ALCOHOL | 0.007 | TESTED | 0.49 | 0.049 | Analyzed by: 4851, 385, 4571 | | | | |
| ALPHA-TERPINEOL | 0.007 | TESTED | 0.43 | 0.043 | Weight: 1.0789g | | | | |
| ALPHA-PINENE | 0.007 | TESTED | 0.34 | 0.034 | Extraction date: 07/27/25 09:47:34 | | | | |
| 3-CARENE | 0.007 | TESTED | ND | ND | Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| BORNEOL | 0.013 | TESTED | ND | ND | Analytical Batch: DA088901TER | | | | |
| CAMPHERE | 0.007 | TESTED | ND | ND | Instrument Used: DA-GCMS-008 | | | | |
| CAMPHOR | 0.007 | TESTED | ND | ND | Analyzed Date: 07/29/25 10:07:18 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | TESTED | ND | ND | Dilution: 10 | | | | |
| CEDROL | 0.007 | TESTED | ND | ND | Reagent: 062725.55 | | | | |
| EUCALYPTOL | 0.007 | TESTED | ND | ND | Consumables: 947.110; 04312111; 2240626; 0000355309 | | | | |
| FARNESENE | 0.007 | TESTED | ND | ND | Pipette: DA-065 | | | | |
| FENCHONE | 0.007 | TESTED | ND | ND | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| GERANIOL | 0.007 | TESTED | ND | ND | Batch Date: 07/26/25 08:39:09 | | | | |
| GERANYL ACETATE | 0.007 | TESTED | ND | ND | | | | | |
| GUAJOL | 0.007 | TESTED | ND | ND | | | | | |
| HEXAHYDROTHYMOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOBORNEOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOPULEGOL | 0.007 | TESTED | ND | ND | | | | | |
| NEROL | 0.007 | TESTED | ND | ND | | | | | |
| OCIMENE | 0.007 | TESTED | ND | ND | | | | | |
| PULEGONE | 0.007 | TESTED | ND | ND | | | | | |
| SABINENE | 0.007 | TESTED | ND | ND | | | | | |
| SABINENE HYDRATE | 0.007 | TESTED | ND | ND | | | | | |
| Total (%) | | | | 1.637 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
07/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS HAND-ROLL 1G 710 Labs Ego Death #12

710 LABS EGO DEATH #12

Matrix : Flower

Type: Flower-Cured

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50725013-001

Harvest/Lot ID: 5378479478880290

Batch# : 9331836486377965

Sampled : 07/25/25

Ordered : 07/25/25

Sample Size Received : 26 units

Total Amount : 485 units

Completed : 07/29/25 Expires: 07/29/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---|---------|--------------|------------------|-------------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | 4056, 3379, 585, 4571 | Weight: | 0.8952g | Extraction date: | 07/28/25 09:22:32 |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.102.FL, SOP.T.40.102.FL | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA088914PES | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : | DA-LCMS-004 (PES) | | | Batch Date : | 07/27/25 09:16:37 |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : | 07/29/25 09:33:11 | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : | 250 | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 071725.R07; 043025.28; 072225.R24; 072525.R09; 072625.R01; 070225.R43; 072325.R01 | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 947.110; 030125CH01; 6822423-02 | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | DA-093; DA-094; DA-219 | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | 450, 3379, 4571 | Weight: | 0.8952g | Extraction date: | 07/28/25 09:22:32 |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : | SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : | DA088921VOL | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Instrument Used : | DA-GCMS-011 | | | Batch Date : | 07/27/25 10:00:48 |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : | 07/29/25 10:37:34 | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Dilution : | 250 | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : | 071725.R07; 043025.28; 072125.R04; 072125.R05 | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : | 947.110; 030125CH01; 6822423-02; 17473601 | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : | DA-080; DA-146; DA-218 | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS HAND-ROLL 1G 710 Labs Ego Death #12
710 LABS EGO DEATH #12
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED


The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50725013-001
Harvest/Lot ID: 5378479478880290

Batch# : 9331836486377965 Sample Size Received : 26 units
Sampled : 07/25/25 Total Amount : 485 units
Ordered : 07/25/25 Completed : 07/29/25 Expires: 07/29/26
Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---------------|--------------------|--------------------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 20 | PASS | 100000 |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) | | | | | Batch Date : 07/26/25 08:02:32 |
| Analysis Date : 07/29/25 10:03:24 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 060925.18; 060925.33; 062125.R13; 072425.R11; 062624.18 | | | | | |
| Consumables : 7582003046 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA088890MIC | | | | | |
| Instrument Used : DA-111 (PathogenDx Scanner),DA- | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



710 LABS HAND-ROLL 1G 710 Labs Ego Death #12
710 LABS EGO DEATH #12
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

The Flowery

Samples From:
Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: brian@theflowery.co

Sample : DA50725013-001
Harvest/Lot ID: 5378479478880290

Batch# : 9331836486377965 Sample Size Received : 26 units
Sampled : 07/25/25 Total Amount : 485 units
Ordered : 07/25/25 Completed : 07/29/25 Expires: 07/29/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

| Analyte | | LOD | Units | Result | P/F | Action Level | Analyte | | LOD | Units | Result | P/F | Action Level |
|--|---------------|---------------------------------------|-------|--------|-----------------------|--------------|---|-------------------|---------------------------------------|-------|--------|----------------------------|--------------|
| Filth and Foreign Material | | 0.100 | % | ND | PASS | 1 | Moisture Content | | 1.0 | % | 12.5 | PASS | 15 |
| Analyzed by: 1879, 4571 | Weight: 1g | Extraction date: 07/26/25 15:21:55 | | | Extracted by: 1879 | | Analyzed by: 4797, 1879, 3379, 4571 | Weight: 0.505g | Extraction date: 07/26/25 14:39:05 | | | Extracted by: 1879,4797 | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA088850FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/26/25 15:36:33 | | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA088887MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 07/28/25 11:55:27 | | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | | Dilution : N/A Reagent : 092520.50; 060425.01 Consumables : N/A Pipette : DA-066 | | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|-------------------|---------------------------------------|--------------------------------|------|--------------|
| Water Activity | 0.01 | aw | 0.61 | PASS | 0.65 |
| Analyzed by: 4797, 3379, 4571 | Weight: 1.048g | Extraction date: 07/26/25 14:35:03 | Extracted by: 4797 | | |
| Analysis Method : SOP.T.40.019 | | | | | |
| Analytical Batch : DA088908WAT | | | | | |
| Instrument Used : DA-028 Rotronic Hygropalm | | | Batch Date : 07/26/25 10:05:41 | | |
| Analyzed Date : 07/28/25 11:50:58 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 101724.36 | | | | | |
| Consumables : PS-14 | | | | | |
| Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/29/25